



MURPHYS

SPRAY & BLAST EQUIPMENT

Product Catalogue 2014

Airless Pumps and Machines

Airless Spray Equipment

Conventional Spray Equipment

Blast Equipment

Torbo

Safety Equipment

Test Equipment

Fittings

Hoses

Air Tools

Abrasives

Airless Pumps and Machines

Electric Pumps 1

Performance 450e	1	Performance 1150e	11
Performance 460e	3	Performance 1650e	13
Performance 650e	5	F230 Electric Diaphragm Spray Pack	15
Performance 750e	7	AirCoat Fine Finishing System Complete	17
Performance 850e	9	PlastCoat PC830E - Spray Pack	19

Petrol Pumps 21

Advantage GPX 85	21	Product ID: T/0290018	33
Advantage GPX 130	23	PowrTwin 12000 Plus	35
Advantage GPX 165	25	Product ID: T/0290016	35
Advantage GPX 220	27	PowrTwin 6900 Plus DI	37
PowrTwin 4900 Plus	29	PowrTwin 12000 Plus DI	39
Product ID: T/0290012	29	Hydra Pro IV	41
PowrTwin 6900 Plus	31	Hydra M 4000	43
Product ID: T/0290013	31	Hydra M 2000	45
PowrTwin 8900 Plus	33		

Pneumatic Operated 47

Admiral 30:1	47	Admiral 60:1	51
Admiral 40:1	49	PowrRam 251	53

Line Marking 55

PowrLiner 550	55	PowrLiner 4900 XLT	65
PowrLiner 800	57	PowrLiner 6900 XLT	67
PowrLiner 850	59	PowrLiner 8900 XLT	69
PowrLiner 1800M	61	PowrDriver	71
PowrLiner 2800M	63	SideStriper	73

HVLP 75

Capspray 8500	75
---------------	----

PERFORMANCE series



Benefits

Designed to minimise size and weight and maximise performance. Perfect for residential and smaller commercial jobs

450e Specifications


Max Delivery	1.8 l/min
Max. Tip Size	.021"
Max. Operating Pressure	3100 PSI
Weight (skid)	15.2 kg
Weight (low rider)	21.7 kg
Motor	.82 kW (1.1 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0558061B	Titan 450e Skid Complete
T/0558061C	Titan 450e Low Rider Complete

Item	Part Number	Description
1	T/0509594	Retainer
2	T/0509584	Piston guide
3	-----	Upper packing
4	T/0551535	Spacer
5	T/0551112	Transducer assembly
6	T/806-106	Pump manifold
7	T/0509873	Fitting
8	T/0507690	Bypass valve assembly
9	T/0507745	Gasket
10	-----	Lower packing (2)
11	T/0290277A	Piston rod
12	T/806309	Upper cage
13	T/0551263	Crush washer
14	T0516303/	Outlet valve ball
15	T/0551620	Outlet valve seat
16	T/13481	Outlet valve retainer
17	T/704-535	Bushing
18	T/0509581	Inlet valve seal
19	T/0509591	Lower ball guide
20	T/0509583	Inlet valve ball
21	T/0551534	Inlet valve seat
22	T/0509582	O-ring, Teflon
23	T/0508680	Inlet valve housing
24	T/0516775	Filter housing
25	T/0515252	Filter
26	T/0296289	O-ring
27	T/0507517	Pipe-plug
	T/0509151	Piston assembly (includes items 11-16)
	T/0551533	Repacking kit (includes items 2-4 10, 12, 14, 18, 20 and 22),



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Replaces the 450e. Perfectly suited for residential, property maintenance, and small commercial applications, the Performance 460e applies all standard primers, paints, and architectural coatings with ease.

460e Specifications

Max Delivery	1.8 l/min
Max. Tip Size	.021"
Max. Operating Pressure	3100 PSI
Weight (skid)	15.2 kg
Weight (low rider)	21.7 kg
Motor	.82 kW (1.1 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.



Benefits

The new 650e delivers 27% more output than the 450e and comes in three different configurations.

The 650e is the ideal one man sprayer.

650e Specifications


Max. Delivery	2.23 l/min
Max. Tip Size	0.24"
Max. Operating Pressure	3100 PSI
Weight (skid)	17.8 kg
Weight (high rider)	24.8 kg
Weight (low rider)	29.5 kg
Motor	1.0 kW (1.35 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0558062B	Titan 650e Skid Complete
T/0558063B	Titan 650e High Rider Complete
T/0558063C	Titan 650e Low Rider Complete

Item	Part Number	Description
1	T/0509594	Retainer
2	T/0509584	Piston guide
3	-----	Upper packing
4	T/0551535	Spacer
5	T/0551604	Pump manifold
6	T/0509873	Fitting
7	T/0507690	Bypass valve assembly
8	T/0507745	Gasket
9	-----	Lower packing (2)
10	T/0290277	Piston rod
11	T/704-557	Upper cage
12	T/0551263	Crush washer
13	T/50164	Outlet valve ball
14	T/0551620	Outlet valve seat
15	T/13481	Outlet valve retainer
16	T/704-535	Bushing
17	T/0509581	Inlet valve ball
18	T/0509591	Lower ball guide
19	T/0509583	Inlet valve ball
20	T/0551534	Inlet valve seat
21	T/0509582	O-ring, Teflon
22	T/0508680	Inlet valve housing (stand)
22a	T/0508690	Inlet valve housing (cart)
23	T/0508604	O-ring
24	T/0508749	Bearing spring
25	T/0508603	Bearing ring
26	T/0508748	Filter
27	T/0508601	Filter housing
28	T/0508602	Conical spring
29	T/0507517	Pipe plug (2)
30	T/0551530	Return tube fitting (cart)
	T/0509151	Piston assembly (includes items 10-14)
	T/0551533	Repacking kit (includes items 2-4, 9,11, 13,17, 19 and 21)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Delivery 17% more output than the 650e, the new 750e is the perfect sprayer for residential repaints and smaller commercial jobs.

750e Specifications


Max. Delivery	2.7 l/m
Max. Tip Size	.027"
Max Operating Pressure	3100 PSI
Weight (skid)	21.2 kg
Weight (high rider)	29.5 kg
Weight (low rider)	29.5 kg
Motor	1.2 kW (1.70 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0558081B	Titan 750e Skid Complete
T/0558064B	Titan 750e High Rider Complete
T/0558064C	Titan 750e Low Rider Complete

Item	Part Number	Description
1	T/0508592	Retainer
2	T/0508593	Piston guide
3	-----	Upper packing
4	T/0551681	Pump manifold
5	T/0509873	Fitting
6	T/0509-690	Bypass valve assembly
7	T/0507745	Gasket
8	-----	Lower packing
9	T/0508-597	Piston rod
10	T/0507734	Seal
11	T/0507945	Upper cage
12	T/0507454	Washer
13	T/9841502	Outlet valve ball
14	T/0294516	Outlet valve seat
15	T/0507733	Outlet valve retainer
16	T/0508598	Bushing
17	T/0508599	Inlet valve seal
18	T/0507944	Lower ball guide
19	T/51519	Inlet valve ball
20	T/00310	Inlet valve seat
21	T/0509582	O-ring, Teflon
22	T/0551662	Inlet valve housing (cart)
22a	T/0551746	Inlet valve housing (stand)
23	T/0508604	O-ring
24	T/0508749	Bearing spring
25	T/0508603	Bearing ring
26	T/0508748	Filter
27	T/0508601	Filter housing
28	T/0508602	Conical spring
29	T/0507517	Pipe plug (2)
30	T/0551530	Return tube fitting (cart)
	T/0507258	Piston assembly (includes items 9-15)
	T/0551677	Repacking kit (includes items 2-3, 8,10, 12-13, 16-17, 19 and 21)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

With all the features you would expect from a larger sprayer, the new 850e is the ideal sprayer for residential repaints, new construction and industrial and commercial jobs.

Capable of supporting two guns with 45 metres of hose, Spray everything, from stains, lacquer, enamel, latex, block fillers and elastomerics.

850e Specifications


Max. Delivery	3.2 l/min
Max. Tip Size	.029"
Max. Operating Pressure	3100 PSI
Weight (high rider)	40 kg
Motor	1.4 kW (1.95 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0558065B	Titan 850e High Rider Complete

Item	Part Number	Description
1	T/0508707	Retainer
2	T/0508708	Spacer
3	-----	Upper packing
4	T/0552156	Cylinder
5	-----	Low packing
6	T/0552157	Adapter
7	T/800-301	Piston rod
8	T/0507734	Upper seal
9	T/0507452	Upper ball guide
10	T/0507454	Washer
11	T/9841502	Outlet valve ball
12	T/0294516	Outlet valve seat
13	T/0507733	Outlet valve retainer
14	T/0507729	Lower ball guide
15	T/51519	Inlet valve ball
16	T/00310	Inlet valve seat
17	T/0509582	O-ring, Teflon
18	T/0507729	O-ring
19	T/0507730	Inlet valve seal
20	T/0507728	Inlet valve housing
	T/0507229	Piston assembly (includes items 7-13)
	T/0551687	Repacking kit (includes items 2-3, 5, 8, 10-11, 15 and 17-19)
	T/0552150	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The new 1150e is designed to be used everyday on all residential, industrial and commercial applications spraying with one gun or two.

1150e Specifications

Max. Delivery	4.35 l/min
Max. Tip Size 1 Gun	.033"
Max. Tip Size 2 Gun	.021"
Max. Operating Pressure	3100 PSI
Weight (high rider)	47.6 kg
Motor	1.6 kW (2.2 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0558066B	Titan 1150e High Rider Complete

Item	Part Number	Description
1	T/0508707	Retainer
2	T/0508708	Spacer
3	-----	Upper packing
4	T/0552156	Cylinder
5	-----	Low packing
6	T/0552157	Adapter
7	T/800-301	Piston rod
8	T/0507734	Upper seal
9	T/0507452	Upper ball guide
10	T/0507454	Washer
11	T/9841502	Outlet valve ball
12	T/0294516	Outlet valve seat
13	T/0507733	Outlet valve retainer
14	T/0507729	Lower ball guide
15	T/51519	Inlet valve ball
16	T/00310	Inlet valve seat
17	T/0509582	O-ring, Teflon
18	T/0507729	O-ring
19	T/0507730	Inlet valve seal
20	T/0507728	Inlet valve housing
	T/0507229	Piston assembly (includes items 7-13)
	T/0551687	Repacking kit (includes items 2-3, 5, 8, 10-11, 15 and 17-19)
	T/0552150	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The 1650e is our most powerful electric unit, ideal for large construction sites for paint or filler applications.

1650e Specifications


Max. Delivery	5.0 l/min
Max. Tip Size 1 Gun	.039"
Max. Tip Size 2 Gun	.026"
Max. Operating Pressure	3300 PSI
Weight (high rider)	44 kg
Motor	2.68 kW (2.2 hp)

Configurations

Complete with High pressure hose, NPS 3/8", 15m, Airless gun S3, G THD, SC-6 reversible top

Part Number	Description
T/0558778	Performance 1650e

Item	Part Number	Description
1	T/0558419	Cylinder
2	T/0524905	Stopping spacer
3	T/0524906	Extension bushing
4	T/0558570A	Piston extension
5	T/0558422	Extension slider
6	T/9832126	Connecting pin (2)
7	T/0290266	Retainer
8	T/0290286	Spacer
9		Upper packing
10	T/9885 613	Fitting
11	T/0558 423	Upper housing
12		Lower packing
13	T/0509511	Adapter
14	T/0558424A	Piston rod
15	T/0507734	Upper seal
16	T/0507452	Upper ball guide
17	T/9841502	Outlet valve ball
18	T/0507454	Washer
19	T/0294516	Outlet valve seat
20	T/0507733	Outlet valve retainer
21	T/0558676	Lower ball guide
22	T/0555595	Inlet valve ball
23	T/00310	Inlet valve seat
24	T/9871218	O-ring
25	T/0507730	O-ring
26	T/0507731	O-ring
27	T/0524911	Inlet valve housing
28	T/0555217	Inlet screen
29	T/0524421	Spring clip
30	T/9822556	Snap ring
31	T/9860727	Bushing
32	T/0558365A	Piston assembly (includes items 14-20)
	T/0558785	Repacking kit - 1 (includes items 8-9, 12, 15, 17-18, 22 and 24-26)
	T/0558793	Repacking kit - 2 (includes items 8-9 and 12)
	T/0509927	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Ideal for smalls jobs, precision spray jobs, enamel work or as a second portable unit.

Specifications


Max Tip Size 1 Gun	0.017"
Max Pressure	3000 PSI
Max Flow Rate	1.25 l/min
Max Hose Length	30mtr
Weight	14.5kg
Motor Rating	0.75 HP / 0.6 kW

Configurations

Comes complete on Skid with 5 litre Hopper, AG-08 Airless Gun, 15 metre Airless Hose, 515 TradeTip2 and Base.


Part Number	Description
W/0311097	F230 Electric Diaphragm Spray Pack

Pump Head Assembly



Item	Part Number	Description
1	W/0278242	Inlet valve assembly inc item 2
2	W/0089482	Sealing washer, nylon
3	W/0278334	Paint pump
4	W/0555901	PRIME/SPRAY valve assembly
5	W/0278362	Outlet seal
6	W/0278241	Ball seat
7	W/0093635	Ball
8	W/0047485	Outlet spring
9	W/0278361	Ball guide
10	W/9871114	O-ring
11	W/0278335	Outlet fitting
12	W/0278337	Pusher body
13	W/0278250	Pusher stem assembly
14	W/0278368	Pusher spring
15	W/0156646	Seal
16	W/0278340	Pusher washer

Hopper Assembly



Item	Part Number	Description
1	W/0279591	Cover, hopper
2	W/0089917	Filter screen, fine (shown)
	W/0088871	Filter screen, coarse
3	W/0090283	Hopper
4	W/0093865	Return tube
5	W/0090617	Fitting
6	W/0090560	Return tube assembly inc items 4-5
7	W/0288144	Hopper complete inc items 1-6

Item	Part Number	Description
	W/0270201	Diaphragm
	W/0270494	Diaphragm ring (Insert)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**

The ideal solution for contractors who want to achieve the perfect finish with far less overspray than an airless system and much greater control.

The system will spray both water and solvent based materials.

Specifications


Max Tip Size 1 Gun	0.017"
Max Pressure	3000 PSI
Max Flow Rate	1.25 l/min
Weight	14.5kg

Configurations

Comes complete on trolley with F230 Airless Diaphragm Unit, Compressor, 10 metre ultra flexible dual Hose Package with protective cover, AC4600 AirCoat Gun with Green Air Cap, Reversible Tip Base and Seal, plus 2 AirCoat Tips of your choice.

Part Number	Description
W/0524010	AirCoat Fine Finishing System - Complete

Item	Part Number	Description
1	W/0524475	Power cord (model 0524009)
	W/0524019	Power cord (model 0524019)
2	W/0551980	Lock nut
3	W/0551495	Screw
4	W/9850577	Terminal block
5	W/0524447	Electrical housing
6	W/9810103	Nut
7	W/9822106	Lock washer
8	W/0507854	Label "Press to Reset"
9	W/0508655	Circuit breaker, 8A
10	W/0276363	Strain relief
11	W/9850936	Compressor ON/OFF switch
12	W/9850936	Pump ON/OFF switch
13	W/0551378	Screw
14	W/0550016	Electrical cover
15	W/0524733	ON/OFF switch label
16	W/0288144	Hopper assembly
17	W/0550007	Diaphragm Pump
18	W/0088372	Flat washer
19	W/0295615	Lock nut
20	W/0551376	Compressor filter
21	W/0551354	Carriage screw
22	W/3252440	Elbow, 90
23	W/0524381	Tee, street
24	W/0261342	Gauge, air
25	W/0551360	Regulator air
26	W/0524423	Elbow, 90
27	W/0551361	Relief valve
28	W/0524247	Air compressor 230-240V, model 0524009 (inc item 20)
	W/0550009	Air compressor 230-240V, model 0524019 (inc item 20)
29	W/0508190	Cart assembly
30	W/0295693	Flat washer
31	W/0295695	Hex screw
32	W/0524221	Pressure gauge assembly



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Easy to use technology, ideal for interior/exterior texture, render and plaster.

Specifications


Power	1.8 kW
Pressure	580 PSI
Flow Rate	12 l/min
Weight	42 kg
Voltage	230 V / 50 Hz
Max Delivery Radius	30m
Max Delivery Height	20m
Max Grain Size	3mm

Configurations

Comes complete on Trolley, with 60 litre Hopper, 10 metre 19mm Hose, Automatic Spray Lance with Integrated Switch. Standard spray pack setup is for texture products and the PC830E is supplied with 1 x 8mm texture nozzle. Requires min. 12 cfm compressor.

Part Number	Description
W/2308305	PlastCoat PC830E - Spray Pack

Item	Part Number	Description
1	W/0342314	Coupling seal M27
2	W/2305009	Coupling complete
3	W/2313540	Pressure gauge complete
4	W/2316812	End of pump tube, cpl.
5	W/2304954	Stator
6	W/2312822	Intermediate pump tube piece, cpl.
7	W/2315521	Receptacle seal
8	W/2315856	Receptacle
9	W/2304986	Rotor
10	W/2314480	Feeder shaft
11	W/2304989	Seal for feeder shaft
12	W/2306946	Fixing screw (1)
13	W/2316816	Wheel and wheel cap (1)
14	W/2309124	Clamping level, cpl. (right)
15	W/2309115	Clamping level, cpl. (left)
16	W/2309572	Flow switch, complete (pneumatic version only)
17	W/2316814	Right handle (including screw and nut)
18	W/2316815	Left handle (including screw and nut)
19	W/2307792	Controller, cpl.
20	W/2308535	Special Key



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

ADVANTAGE



Benefits

The GPX 85 is ideally suited for new construction and repaints where electricity is not readily available. Spray most architectural and industrial coatings with this high performance, petrol-powered airless sprayer.

Specifications


Max Delivery	3.2 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.030"
Max Tip Size 2 Gun	.021"
Engine	3.3 kW (4.5 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0509036	Advantage GPX 85

Item	Part Number	Description
1	T/0508601	Filter housing
2	T/0508602	Filter spring
3	T/0508603	Adapter
4	T/730-067	Filter
5	T/757-105	Spring
6	T/704-297	Seal
7	T/0551681	Fluid section housing
8	T/0507274	Lower packing
9	T/800-452	Piston rod
10	T/800-348	Outlet valve seal
11	T/800-441	Outlet cage
12	T/9841502	Outlet ball
13	T/0507454	Nylon washer
14	T/0294516	Outlet valve seat
15	T/800-336	Outlet valve retainer
16	T/0555002	Bushing
17	T/800-442	Inlet cage
18	T/51519	Inlet cage ball
19	T/762-058	Teflon O-ring
20	T/00310	Seat
21	T/762-058	Teflon O-ring
22	T/0555003	Foot valve housing
23	T/227-028	Plug
24	T/705-104	Retaining nut
25	T/705-105	Upper piston guide
26	T/0507273	Upper packing
27	T/227-028	Plug
28	T/0507690	PRIME/SPRAY valve assembly
29	T/193-200	Return tube fitting
30	T/227-006	Outlet fitting
31	T/705-120	Piston assembly (includes items 9-15)
	T/0551511	Low packing insertion tool (not shown)
	T/0555960	Repacking kit (includes items 8,10,12,13,16,18-19,21,25 and 26)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The GPX 130 is a production sprayer capable of supporting large tips and multiple guns on big jobs. A powerful 6.0 HP Subaru petrol engine provides plenty of power for spraying most heavy architectural coatings, block fillers and epoxies.

Specifications


Max Delivery	5 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.035"
Max Tip Size 2 Guns	.025"
Max Tip Size 3 Guns	.017"
Engine	4.4 kW (6.0 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0509038	Advantage GPX 130

Item	Part Number	Description
1	T/0509555	Splash guard
2	T/0509554	Upper seal retainer
3	T/0509912	Upper packing assembly
4	T/0509505	Jam nut
5	T/0508343	Fitting, 3/8"
6	T/0509914	Cylinder
7	T/0509911	Lower packing assembly
8	T/0509511	Lower support ring
9	T/0509913	Piston
10	T/0507734	Outlet valve seal
11	T/0507452	Outlet cage
12	T/9841502	Outlet valve ball
13	T/0507454	Nylon washer
14	T/0294516	Outlet valve seat
15	T/0507733	Outlet valve retainer
16	T/0507729	Inlet cage
17	T/51519	Inlet valve ball
18	T/00310	Inlet valve seat
19	T/00203	O-ring, Teflon
20	T/0507730	Viton o-ring
21	T/0507731	Back-up ring, Teflon
22	T/0507728	Foot valve
23	T/0509135	Piston assembly (inc items 9-15)
	T/0509510	Repacking kit (inc items 3,7,10,12, 13,17,19,20, and 21)
	T/0509927	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The GPX 165 includes a warranty to reduce downtime, fully pneumatic tyres for easy construction site transporting, and large porting so you can spray high-viscosity coatings. You get all of this at an affordable price!

Specifications


Max Delivery	6.3 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.042"
Max Tip Size 2 Guns	.029"
Max Tip Size 3 Guns	.023"
Max Tip Size 4 Guns	.017"
Engine	5 kW (7.0 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0509039	Advantage GPX 165

Item	Part Number	Description
1	T/0509536	Upper seal retainer
2	T/0509430	Adapter ring
3	T/0509935	Upper packing assembly
4	T/0509505	Jam nut
5	T/0509709	Fitting
6	T/0509937	Cylinder
7	T/0509936	Lower packing assembly
8	T/0509527	Lower support ring
9	T/0509683	Seal washer
10	T/0509938	Piston
11	T/0509648	Outlet valve seal
12	T/0509601	Outlet cage
13	T/0509710	Outlet valve ball
14	T/0507454	Nylon washer
15	T/0509655	Outlet valve seal
16	T/0507733	Outlet valve retainer
17	T/0509602	Inlet cage
18	T/0509707	Inlet valve ball
19	T/0509623	Inlet valve seat
20	T/0509708	O-ring, Teflon
21	T/0509652	Viton o-ring
22	T/0509653	Back-up ring, Teflon
23	T/0509533	Foot valve
24	T/0509148	Piston assembly (inc items 10-16)
	T/0509940	Repacking kit (inc items 2,3,7,9,11, 13,14,18,20,21, and 22)
	T/0509934	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

A heavy-duty workhorse with more power than any other sprayer in its class, the GPX 220 is recommended for large and medium interior and exterior coating projects where large tips or multiple guns may be required.

Specifications


Max Delivery	8.3 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.049"
Max Tip Size 2 Guns	.035"
Max Tip Size 3 Guns	.027"
Max Tip Size 4 Guns	.023"
Engine	5 kW (7.0 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0509023	Advantage GPX 220

Item	Part Number	Description
1	T/0509536	Upper seal retainer
2	T/0509430	Adapter ring
3	T/0509935	Upper packing assembly
4	T/0509505	Jam nut
5	T/0507403	Fitting
6	T/0555906	Upper housing cylinder
7	T/0509936	Lower packing assembly
8	T/0555909	Piston
9	T/0509648	Outlet valve seal
10	T/0509601	Outlet cage
11	T/0509710	Outlet valve ball
12	T/0507454	Nylon washer
13	T/0509655	Outlet valve seat
14	T/0507733	Outlet valve retainer
15	T/0507498	Lower housing o-ring
16	T/0555907	Lower housing
17	T/0509602	Inlet cage
18	T/0509707	Inlet valve ball
19	T/0509623	Inlet valve seat
20	T/0509708	O-ring, Teflon
21	T/0509652	Viton o-ring
22	T/0509653	Back-up ring, Teflon
23	T/0555903	Inlet valve
24	T/0555217	Inlet screen
25	T/0349391	Snap ring
26	T/0555783	Piston assembly (inc items 8-14)
	T/0555222	Repacking kit (inc items 2,3,7,9,11,12,18 and 20-22)
	T/0509934	Lower packing insertion tool



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

POWRTWIN™



Benefits

The perfect hydraulic sprayer for contractors working on small to medium scale residential and commercial projects.

Specifications


Max Delivery (Gas)	5.7 l/min
Max Delivery (Electric)	4.8 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size (Gas) 1 Gun	.036"
Max Tip Size (Gas) 2 Guns	.028"
Max Tip Size (Electric) 1 Gun	.031"
Max Tip Size (Electric) 2 Guns	.023"
Engine	2.6 kW (3.5 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0290012	PowrTwin 4900 Plus

Item	Part Number	Description
1	T/143-019	Retainer ring
2	T/107-003	Connecting pin
3	T/106-015	O-ring, Teflon
4	T/106-002	Packing set, leather/UHMWPE/steel
5	T/106-005	Upper packing spring
6	T/107-029	Displacement rod
7	T/106-001	Spring retainer
8	T/106-116	Sleeve
9	T/106-016	Lower packing spring
10	T/569-021	Outlet valve ball
11	T/107-058	Outlet valve seat
12	T/107-060	Seal washer
13	T/107-055	Outlet valve housing
14	T/107-936	Pump cylinder
15	T/106-014	O-ring
16	T/107-056	Ball cage
17	T/138-340	Foot valve ball
18	T/762-137	Foot valve seat
19	T/762-058	Seat o-ring
20	T/107-057	Foot valve housing
	T/107-501	Fluid section service kit, major (inc items 6,14, and fluid section service kit, minor P/N 107-051)
	T/107-051	Fluid section service kit, minor (inc items 1,3,4,10,12,15,17,19, and Loctite P/N 426-051)
	T/107-015	Foot valve assembly (inc items 16-20)
	T/107-016	Outlet valve assembly (inc items 10-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The perfect hydraulic sprayer for contractors working on medium to large scale residential and commercial projects.

Specifications


Max Delivery (Gas)	9 l/min
Max Delivery (Electric)	4.7 l/min
Max Fluid Pressure	3600 PSI
Max Tip Size (Gas) 1 Gun	.048"
Max Tip Size (Gas) 2 Guns	.033"
Max Tip Size (Electric) 1 Gun	.033"
Max Tip Size (Electric) 2 Guns	.026"
Engine	3.6 kW (4.8 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0290013	PowrTwin 6900 Plus

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-120	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/143-117	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-011	Seal washer
13	T/236-013	Outlet valve housing
14	T/143-822	Pump cylinder
15	T/140-009	O-ring
16	T/236-141	Foot valve cage
17	T/178-700	Foot valve ball
18	T/143-026	Foot valve seat
19	T/143-025	Seat o-ring
20	T/236-126	Foot valve housing
	T/143-500	Fluid section service kit, major (inc items 6,14, and fluid section service kit, minor P/N 144-050)
	T/143-050	Repair Kit
	T/143-050	Fluid section service kit, minor (inc items 1,3,4,10,12,15,17,19, and Loctite P/N 426-051)
	T/236-010	Foot valve assembly (inc items 16-20)
	T/236-050	Outlet valve assembly (inc items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

A workhorse hydraulic sprayer for contractors working on large scale residential, commercial and industrial projects.

Specifications


Max Delivery (Gas)	9.5 l/min
Max Delivery (Electric)	4.7 l/min
Max Fluid Pressure	3600 PSI
Max Tip Size (Gas) 1 Gun	.052"
Max Tip Size (Gas) 2 Guns	.038"
Max Tip Size (Electric) 1 Gun	.036"
Max Tip Size (Electric) 2 Guns	.026"
Engine	5 kW (6.5 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0290018	PowrTwin 8900 Plus

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-118	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/144-117	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-011	Seal washer
13	T/236-013	Outlet valve housing
14	T/144-822	Pump cylinder
15	T/140-009	O-ring
16	T/236-141	Foot valve cage
17	T/178-700	Foot valve ball
18	T/143-026	Foot valve seat
19	T/143-025	Seat o-ring
20	T/236-126	Foot valve housing
	T/143-050	Repair Kit
	T/144-500	Fluid section service kit, major (inc items 6,14, and fluid section service kit, minor P/N 144-050)
	T/144-050	Fluid section service kit, minor (inc items 1,3,4,10,12,15,17,19, and Loctite P/N 426-051)
	T/236-010	Foot valve assembly (inc items 16-20)
	T/236-050	Outlet valve assembly (inc items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

A powerhouse hydraulic sprayer recommended for very large scale residential, commercial and industrial projects where up to 6 guns are needed.

Specifications


Max Delivery (Gas)	12 l/min
Max Delivery (Electric)	4.7 l/min
Max Fluid Pressure	3600 PSI
Max Tip Size (Gas) 1 Gun	.058"
Max Tip Size (Gas) 2 Guns	.040"
Max Tip Size (Electric) 1 Gun	.036"
Max Tip Size (Electric) 2 Guns	.026"
Engine	6 kW (8.0 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0290016	PowrTwin 12000 Plus

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-118	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/144-117	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-011	Seal washer
13	T/236-013	Outlet valve housing
14	T/144-822	Pump cylinder
15	T/140-009	O-ring
16	T/236-141	Foot valve cage
17	T/178-700	Foot valve ball
18	T/143-026	Foot valve seat
19	T/143-025	Seat o-ring
20	T/236-126	Foot valve housing
	T/144-500	Fluid section service kit, major (inc items 6, 14, and fluid section service kit, minor P/N 144-050)
	T/144-050	Fluid section service kit, minor (inc items 1, 3, 4, 10, 12, 15, 17, 19, and Loctite P/N 426-051)
	T/236-010	Foot valve assembly (inc items 16-20)
	T/236-050	Outlet valve assembly (inc items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Configured with a submersible foot valve designed for very heavy materials, including drywall mud.

Specifications


Max Delivery (Gas)	9 l/min
Max Delivery (Electric)	5.7 l/min
Max Fluid Pressure	3600 PSI
Max Tip Size (Gas) 1 Gun	.048" tip
Max Tip Size (Gas) 2 Guns	.033" tip
Max Tip Size (Electric) 1 Gun	.036" tip
Max Tip Size (Electric) 2 Guns	.026" tip
Engine	3.6 kW (4.8 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/0290035	PowrTwin 6900 Plus DI

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-120	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/451-031	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-032	Seal washer
13	T/236-031	Outlet valve housing
14	T/451-032	Cylinder spacer
15	T/143-832	Pump cylinder
16	T/140-009	O-ring
17	T/236-030	Wave washer
18	T/236-141	Foot valve cage
19	T/178-700	Foot valve ball
20	T/143-026	Foot valve seat
21	T/143-025	Seat o-ring
22	T/451-132	Foot valve housing
23	T/451-018	Inlet screen
24	T/431-054	Snap ring
	T/143-501	Fluid section service kit, major (includes items 6, 15, and fluid section service kit, minor P/N 144-051)
	T/143-050	Fluid section service kit, minor (includes items 1,3,4,10,12,16,19,21, and Loctite P/N 426-051)
	T/236-010	Foot valve assembly (includes items 18-21)
	T/236-050	Outlet valve assembly (includes items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Flagship model used for large scale projects requiring up to 6 operators or use with application of very heavy coatings.

Specifications


Max Delivery (Gas)	12 l/min
Max Delivery (Electric)	11.85 l/min
Max Fluid Pressure	3600 PSI
Max Tip Size (Gas) 1 Gun	.058" tip
Max Tip Size (Gas) 2 Guns	.040" tip
Max Tip Size (Electric) 1 Gun	.036" tip
Max Tip Size (Electric) 2 Guns	.026" tip
Engine	6 kW (8.0 hp)

Configurations

Complete with Pressure Gauge Kit, 15mtr Rayon 1/4" Airless Hose, LX-80 Gun with 517 Tip.

Part Number	Description
T/459-355	PowrTwin 1200 XLT DI

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-118	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/144-117	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-032	Seal washer
13	T/236-031	Outlet valve housing
14	T/144-822	Pump cylinder
15	T/140-009	O-ring
16	T/236-030	Wave washer
17	T/236-141	Foot valve cage
18	T/178-700	Foot valve ball
19	T/143-026	Foot valve seat
20	T/143-025	Seat o-ring
21	T/459-019	Foot valve housing
22	T/449-983	Siphon tube
23	T/710-046	Inlet screen
	T/144-500	Fluid section service kit, major (includes items 6,14, and fluid section service kit, minor P/N 144-050)
	T/144-050	Fluid section service kit, minor (includes items 1,3,4,10,12,15,18,20, and Loctite P/N 426-051)
	T/459-021	Foot valve assembly (includes items 17-21)
	T/236-050	Outlet valve assembly (inc items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

High production unit for all architectural coatings, dry wall mud, epoxies, most mastics and elasomeric roof coatings.

Specifications


Max Flow	9.5 l/min
Max Operating Pressure	3300 PSI
Max Tip Size	.050" tip
Cycles per Gallon	75 (20)
Gas Engine	6 kW (8 hp)

Configurations

Machine only. No hose and gun included.

Part Number	Description
T/433-820	Hydra Pro IV

Item	Part Number	Description
1	T/185-981	Pin, Roll
2	T/185-984	Rod, Displacement
3	T/181-906	Block, Pump
4	T/178-001	Packing Set, Upper
5	T/228-002	Nipple, HEX
6	T/182-906	Spring, Packing
7	T/182-007	"O" Ring, Teflon
8	T/183-930	Cylinder
9	T/185-011	Retainer, Spring
10	T/185-010	Spring, Packing
11	T/183-001	Packing Set, Lower
12	T/920-103	Ball
13	T/182-921	Seat, Piston
14	T/183-230	"O" Ring, Buna N
15	T/182-007	"O" Ring, Teflon
16	T/183-992	Valve, Foot
17	T/314-180	Ball
18	T/240-022	Cage, Ball
18a	T/241-109	Pin
19	T/870-441	Nut
20	T/870-004	Washer
21	T/441-016	Stanchion
22	T/442-956	Rod, Connecting
	T/185-050	Fluid section minor seal repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

High production until for very high viscosity materials. Extra pressure for hard to atomize material or long hoses.

Specifications


Max Flow	12.5 l/min
Max Operating Pressure	4000 PSI
Max Tip Size	.060" tip
Cycles per Gallon	50 (13)
Gas Engine	8 kW (11 hp)

Configurations

Machine only. No hose and gun included.

Part Number	Description
T/433-800	Hydra M 4000

Item	Part Number	Description
1	T/245-907	Block, Pump
2	T/240-001	Packing Set, Poly/Lthr
3	T/245-005	Packing Spring, Upper
4	T/245-013	Retainer, Spring
5	T/892-323	"O" Ring, Teflon
6	T/245-012	Cylinder
7	T/920-103	Ball, S.S
8	T/245-020	Retainer, Spring
9	T/245-014	Spring, Packing
10	T/240-001	Packing Set, Poly/Lthr
11	T/241-007	Seat, Piston
12	T/240-002	Cage, Ball
12a	T/241-109	Pin, Ball Stop (1)
13	T/891-403	"O" Ring, Teflon
14	T/892-281	"O" Ring, Buna
15	T/245-018	Valve, Foot
16	T/314-180	Ball, S.S
17	T/245-021	Retainer, Cage
18	T/245-009	Rod, Displacement
19	T/870-441	Nut
19a	T/870-401	Nut
20	T/870-004	Washer
21	T/870-006	Spacer
22	T/140-016	Stanchion
22a	T/441-010	Stanchion, 55 Gal
23	T/245-109	Roll Pin
24	T/442-959	Rod, Connecting
24a	T/441-959	Rod, Connecting
25	T/441-007	Nut, Coupling
26	T/180-972	Ext. Connecting Rod
27	T/441-968	Stirrup
28	T/870-021	Nut
	T/245-050	Fluid section minor seal repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

High production roof coating sprayer available with siphon hose or 55 gallon immersion remote

Specifications


Max Flow	23 l/min
Max Operating Pressure	2000 PSI
Max Tip Size	.075" tip
Cycles per Gallon	28 (7)
Gas Engine	8 kW (11 hp)

Configurations

Machine only. No hose and gun included.

Part Number	Description
T/433-860	Hydra M 2000

Item	Part Number	Description
1	T/315-932	Rod, Displacement
2	T/315-917	Block, Pump
3	T/314-030	Packing Set, Upper
4	T/314-004	Packing Spring, Upper
5	T/314-003	Retainer, Spring
6	T/315-010	"O" Ring, Teflon
7	T/315-957	Ring, Lock
8	T/315-951	Cylinder
9	T/314-023	Ring, Snap
10	T/314-002	Retainer, Lower
11	T/314-004	Spring, Packing, Lower
12	T/314-981	Retainer, Packing Set
13	T/241-109	Pin, Ball Stop
14	T/314-040	Packing Set, Lower
15	T/316-924	Cage, Ball
16	T/315-700	Ball, 1 1/4". SS
17	T/317-984	Seat, Piston
18	T/317-925	Valve, Foot
19	T/315-180	Ball, 1 3/4", SS
20	T/315-122	"O" Ring
21	T/315-009	"O" Ring
22	T/315-721	Plate, Retainer
23	T/862-447	Stud
24	T/862-411	Nut, Lock
25	T/814-009	Adaptor
26	T/870-441	Nut, Spacer
26a	T/870-401	Nut, Stanchion
27	T/870-004	Washer
28	T/441-013	Stanchion
28a	T/441-010	Stanchion, Long
29	T/441-968	Stirrup
30	T/870-021	Nut, Lock
31	T/441-959	Rod, Connecting
32	T/441-007	Nut, Coupling
33	T/180-974	Conrod Extension (not illustrated)
	T/315-050	Fluid section minor seal repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Admiral 30:1 is a high production unit used for spraying heavy protective coatings such as high builds, high solids coatings, cold applied roofing and mastics.

Specifications


Delivery	23 l/min
Cycles per Litre (Gallon)	50 (13)
Max Tip Size @ 2000 PSI	.072" tip
Pressure Ratio	'30:1
Max Pressure	3000 PSI

Configurations

Complete with 15mtr 1/4" Airless Hose and Titan S7 Gun and Tip

Part Number	Description
T/830-451	Admiral 30:1 Cart
T/830-331	Admiral 30:1 Wall

Item	Part Number	Description
1	T/245-907	Block, Pump
2	T/240-001	Packing Set, Poly/Lthr
3	T/245-005	Packing Spring, Upper
4	T/245-013	Retainer, Spring
5	T/892-323	"O" Ring, Teflon
6	T/245-012	Cylinder
7	T/920-103	Ball, S.S
8	T/245-020	Retainer, Spring
9	T/245-014	Spring, Packing
10	T/240-001	Packing Set, Poly/Lthr
11	T/241-007	Seat, Piston
12	T/240-022	Cage, Ball
12a	T/241-109	Pin, Ball Stop
13	T/891-403	"O" Ring, Teflon
14	T/892-281	"O" Ring, Buna
15	T/245-018	Valve, Foot
16	T/314-180	Ball, S.S
17	T/245-021	Retainer, Cage
18	T/245-009	Rod, Displacement
19	T/870-401	Nut
20	T/870-004	Washer
21	T/140-016	Stanchion
22	T/245-109	Roll Pin
23	T/442-959	Rod, Connecting
24	T/138-007	Nut Coupling
	T/245-050	Fluid section minor repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Admiral 40:1 is a high production unit used for spraying heavy viscosity materials such as coal tars, high-solids, epoxies, high build tank linings, and below grade waterproofing. Extra pressure capability for hard to atomize coatings or long hoses.

Specifications


Delivery	15 l/min
Cycle per Litre (Gallon)	76 (20)
Max Tip Size	.057" tip
Pressure Ratio	'40:1
Max Pressure	4000 PSI

Configurations

Complete with 15mtr 1/4" Airless Hose and Titan S7 Gun and Tip

Part Number	Description
T/941-441	Admiral 40:1 Cart
T/941-431	Admiral 40:1 Wall

Item	Part Number	Description
1	T/185-981	Pin, Roll
2	T/185-984	Rod, Displacement
3	T/181-906	Block, Pump
4	T/178-001	Packing Set, Upper
5	T/228-002	Nipple, Hex
6	T/182-906	Spring, Packing
7	T/182-007	"O" Ring, Teflon
8	T/183-930	Cylinder
9	T/185-011	Retainer, Spring
10	T/185-010	Spring, Packing
11	T/183-001	Packing Set, Lower
12	T/920-103	Ball
13	T/182-921	Seat, Piston
14	T/183-230	"O" Ring, Buna N
15	T/182-007	"O" Ring, Teflon
16	T/183-992	Valve, Foot
17	T/314-180	Ball
18	T/240-022	Cage, Ball
18a	T/241-109	Pin
19	T/870-401	Nut
20	T/870-004	Washer
21	T/140-016	Stanchion
22	T/442-956	Rod, Connecting
23	T/868-101	Nut, (not illustrated)
	T/850-050	Repair Kit Air Motor
	T/185-050	Fluid section minor repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Admiral 60:1 is an extra high pressure unit for heavy protective coatings such as high builds, high solids coatings, cold applied roofing and mastics. Great for towers and extra long hoses or for use at lower airless pressures with only 50 psi (3.4 bar) of inbound air, the most efficient level for an air compressor.

Specifications


Delivery	10 l/min
Cycles per Litre (Gallon)	114 (30)
Max Tip Size	.047" tip
Pressure Ratio	'60:1
Max Pressure	6000 PSI

Configurations

Complete with 15mtr 1/4" Airless Hose and Titan S7 Gun and Tip

Part Number	Description
T/860-461	Admiral 60:1 Cart
T/860-355	Admiral 60:1 Wall

Item	Part Number	Description
1	T/431-007	Nut, Coupling
2	T/155-907	Block, Pump
3	T/155-053	Packing Set, Poly/Lthr
4	T/155-906	Upper Packing Spring
5	T/155-010	Washer
6	T/155-982	Rod, Displacement
7	T/155-009	Washer, Piston
8	T/155-001	Lower Packing Spring
9	T/155-225	Ball, S.S
10	T/155-921	Piston Seat Assembly
11	T/891-373	"O" Ring
12	T/155-932	Cylinder
13	T/174-113	Stop, Ball
14	T/174-102	Cage, Ball
15	T/178-700	Ball S.S
16	T/155-991	Valve, Foot
18	T/140-016	Stanchion
19	T/441-956	Rod, Connecting
20	T/868-101	Nut
21	T/870-004	Washer
22	T/870-401	Nut
	T/850-050	Repair Kit Air Motor
	T/155-055	Repair Kit Fluid



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The PowrRam 251 is a high quality Speedflo pump that can pump extremely viscous products such as caulk, silicone, stucco, putty, ink, adhesive, dope, grease, emulsion and others. This is a high pressure pneumatic pump with shovel valve and elevator to create consistent flow regardless of viscosity.

Optional Teflon™ hose allows you to transfer moisture cured coatings as well as air curing coatings.

Specifications


Delivery	8.7 l/min
Max Pressure	2900 PSI
Max Air Input	116 PSI
Weight	44 kg

Configurations

Complete pump includes 1/2" x 25' airless hose, 1/2" x 5' whip hose, and 12", 24" and 36" extensions so you can comfortably reach any area you need to extrude coatings

Part Number	Description
T/PowrRam251	PowrRam 251

Item	Part Number	Description
1	T/820-269	Packing compression ring
2	T/820-270	Upper pump flange
3	T/820-271	Upper packing body
4*	T915.00E	Upper packing
5	T/820-272	Pump rod
6	T/820-273	Tie-rod
7*	L154.06	O-ring
8	T/820-274	Pump cylinder
9	T/820-275	Valve stop
10*	T916.00E	Piston packing
11	T/820-276	Ball 9/16
12	T/820-277	Rod valve body
13	T/820-278	Rod tie
14	T/820-279	Valve body nut
15*	L156.06	O-ring
16	T/820-280	Lower pump body
17	T/820-281	Socket screw M8x45
18 ◇	B475.03A	Bush cap
19* ◇	L467.08A	Rod gasket
20 ◇	B466.03A	Valve
21	T/820-282	Lower pump flange
22	T/820-283	Self-locking nut
23	T/820-284	Follower plate connection
24	T/820-285	Cap
25	T/820-286	Nut
26	T/820-287	Washer
27	T/820-288	Shovel disk
28	T/820-289	Shovel
	T/820-145	Complete lower pump valve
	T/820-144	Service set



* = included in service set

◇ = included in complete lower pump valve



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

POWRLINER™



Benefits

The PowrLiner 550 is designed for entry level contractors and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

Easy to use, easy to transport and easy to store. Only requires one operator to transport and fits easily in most automobile trunks.

Perfect for any organisation or municipal budget

Specifications


Max Delivery	1.3 l/min
Max Operating Pressure	3000 PSI
Max Tip Size (1 Gun)	0.019"
Engine, Gas	37.7cc 4-Stroke Engine
Weight	30 kg

Configurations

Complete with 15mtr 1/4" Airless Hose and LX-40 Gun and Tip.

Part Number	Description
T/0290004	PowrLiner 550

Item	Part Number	Description
1	T/316-505	Spray hose
2	T/0293932	Suction set assembly
3	T/9805251	Front cover screw
4	T/0552432	Front cover
5	T/0293937	Cart assembly
6	T/0327226	Return tube clip
7	T/0293170	Gun cable
8	-----	Spray gun assembly
9	T/0293172	Cable assembly
10	-----	Drive assembly*
11	T/800-036	Rubber grommit
12	T/0293171	Engine cable
13	T/0293930	Shutoff switch
14	T/858-003	Washer
15	T/759-107	Engine mounting screw
16	T/0515281	Cleaning adapter
17	T/0293595	Cable pin
18	T/756-076	Screw
19	T/759-206	Pin cap
20	T/730-260	Screw
21	T/9805250	Gear housing mounting screw
22	T/9890219	Clip
23	T/9805256	Screw
24	T/0293925	Spark plug
25	T/0293929	Clutch assembly
26	T/0293928	Gas assembly
27	T/0293926	Filter
28	T/0293927	Filter cover
	T/759-365	Packing Kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The PowrLiner 800 is perfect for entry level contractors who need a basic line striper capable of higher spraying pressures for smaller jobs on pavement, grass or turf.

User friendly design is easy to operate and manoeuvre.

Specifications


Max Delivery	1.3 l/min
Max Fluid Pressure	2500 PSI
Max Tip Size	.021" tip
Engine	1.2 kW (1.6 hp)

Configurations

Complete with 15mtr 1/4" Airless Hose and LX-40 Gun and Tip.

Part Number	Description
T/759-091	PowrLiner 800

Item	Part Number	Description
1	T/759-382	Upper packing nut
2	T/759-385	Upper seal
3	T/759-384	Piston assembly (includes items 5-7)
4	T/759-383	Lower seal
5	T/759-397	Ball guide
6	T/759-396	Outlet seat
7	T/762-144	Outlet ball
8	T/759-386	O-ring
9	T/759-387	Inlet ball
10	T/759-388	Inlet o-ring
11	T/759-389	Inlet seat
12	T/759-379	Inlet valve complete (includes items 9-11)
	T/759-365	Repacking kit (includes items 1-8)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The PowrLiner 850 is designed for entry level contractors and maintenance personnel who need a basic line striper capable of high-spraying pressures for smaller jobs on pavement, grass or turf.

DirectLink™ pressure control allows the user to stencil and paint with airless technology at pressures from 200 PSI to 3000 PSI

Easy to use, easy to transport and easy to store. Only requires one operator to transport and fits easily in most automobile trucks

Perfect for any organisation or municipal budget

Specifications

Max Delivery	1.3 l/min
Max Operating Pressure	3000 PSI
Max Tip Size (1 Gun)	0.021"
Engine, Gas	37.7 cc 4-Stroke Engine
Weight	30 kg

Configurations

Complete with 15mtr 1/4" Airless Hose and LX-40 Gun and Tip.

Part Number	Description
T/0290005	PowrLiner 850

Item	Part Number	FilterDescription
1	T/316-505	Spray hose
2	T/0293169	Gun cable
3	T/0293932	Suction set assembly
4	T/9805251	Front cover screw
5	T/0293933	Front cover
6	T/0293934	Cart assembly
7	T/0327226	Return tube clip
8	-----	Spray gun assembly
9	-----	Drive assembly
10	T/0293930	Shutoff switch
11	T/858-003	Washer
12	T/759-107	Engine mounting screw
13	T/9805250	Gear housing mounting screw
14	T/0515281	Cleaning adapter
15	T/0523561	Mounting bracket
16	T/9805251	Screw
17	T/0293925	Spark plug
18	T/0293929	Clutch assembly
19	T/0293928	Gas cap assembly
20	T/0293926	Filter
21	T/0293927	Filter cover
	T/759-365	Packing Kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The PowrLiner 1800M is a simplified, lower GPM version of the PowrLiner 2800M that is perfect for entry level contractors who need a line striper for smaller jobs on pavement, fields or turf.

PowrLiners are built for precise, consistent line striping without fuzzy, uneven lines that result from conventional air spray systems.

Specifications


Max Delivery	2 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size	.023" tip
Engine	3 kW (4.3 hp)
Weight	66 kg

Configurations

Complete with 15mtr 1/4" Airless Hose and LX-40 Gun and Tip.

Part Number	Description
T/759-191	PowrLiner 1800M

Item	Part Number	Description
1	T/0508601	Filter housing
2	T/0508602	Filter spring
3	T/0508603	Adapter
4	T/730-067	Filter
5	T/757-105	Spring
6	T/704-297	Seal
7	T/0551681	Fluid section housing
8	T/0507272	Lower packing
9	T/704-551	Piston rod
10	T/704-610	Outlet cage
11	T/50164	Outlet ball
12	T/704-612	Washer
13	T/704-558	Outlet valve seat
14	T/13481	Outlet valve retainer
15	T/704-289	Bushing
16	T/704-703	Inlet cage
17	T/762-145	Inlet cage ball
18	T/700-821	Teflon O-ring
19	T/762-137	Seat
20	T/762-058	Teflon O-ring
21	T/704-054	Foot valve housing
22	T/227-028	Plug
23	T/730-508	Retaining nut
24	T/700-587	Upper piston guide
25	T/0507898	Upper packing
26	T/806-091	Washer
27	T/227-028	Plug
28	T/800-915	PRIME / SPRAY valve assembly
29	T/193-200	Return tube fitting
30	T/12440	Outlet fitting
31	T/704-552	Piston assembly (includes items 9-15)
	T/0551511	Lower packing insertion tool (not shown)
	T/730-401	Repacking kit (includes items 8,12,15,17-18,20,24 and 25)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The PowrLiner 2800M has greater paint output, a slower cycle rate and a cart configuration that is compact and highly manoeuvrable. It is ideal for smaller and medium projects.

Recommended for Heavy, Full-Time Duty on Parking and Athletic Fields.

Specifications


Max Delivery	3.2 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size	.030" tip
Engine	3 kW (4.3 hp)
Weight	63 kg

Configurations

Complete with 15mtr 1/4" Airless Hose and LX-80 Gun and Tip.

Part Number	Description
T/759-0291	PowrLiner 2800M

Item	Part Number	Description
1	T/0508601	Filter housing
2	T/0508602	Filter spring
3	T/0508603	Adapter
4	T/730-067	Filter
5	T/757-105	Spring
6	T/704-297	Seal
7	T/0551681	Fluid section housing
8	T/0507274	Lower packing
9	T/800-452	Piston rod
10	T/800-348	Outlet valve seal
11	T/800-441	Outlet cage
12	T/9841502	Outlet ball
13	T/0507454	Nylon washer
14	T/0294516	Outlet valve seat
15	T/800-336	Outlet valve retainer
16	T/0555002	Bushing
17	T/800-442	Inlet cage
18	T/51519	Inlet cage ball
19	T/762-103	Teflon O-ring
20	T/00310	Seat
21	T/762-058	Teflon O-ring
22	T/0555003	Foot valve housing
23	T/227-028	Plug
24	T/705-104	Retaining nut
25	T/705-105	Upper piston guide
26	T/0507273	Upper packing
27	T/227-028	Plug
28	T/700-258	PRIME/SPRAY valve assembly
29	T/193-200	Return tube fitting
30	T/12440	Outlet fitting
31	T/705-120	Piston assembly (includes items 9-15)
	T/0551511	Lower packing insertion tool (not shown)
	T/800-450	Repacking kit (includes items 8, 10, 12, 13, 16, 18-19, 21, 25 and 26)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Recommended for Medium and Large-Scale Projects on Airports, Roads, Parking Lots and Athletic Fields.

Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.

Specifications


Max Delivery	4.7 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.036" tip
Max Tip Size 2 Guns	.028" tip
Engine	2.6 kW (3.5 hp)

Configurations

Dual gun operation.

Part Number	Description
T/759-493	PowrLiner 4900 XLT

Item	Part Number	Description
1	T/143-019	Retainer ring
2	T/107-003	Connecting pin
3	T/106-015	O-ring, Teflon
4	T/106-002	Packing set, leather/ UHMPWPE/steel
5	T/106-005	Upper packing spring, SS
6	T/107-029	Displacement rod, Severe Service 500
7	T/106-001	Spring retainer
8	T/106-116	Sleeve
9	T/106-016	Lower packing spring, SS
10	T/569-021	Ball, SS
11	T/106-011	Piston seat
12	T/107-936	Pump cylinder, Severe Service 500
13	T/106-014	O-ring
14	T/106-012	Ball cage, SS
15	T/138-340	Ball, SS
16	T/107-013	Foot valve assembly
	T/143-050	Fluid section minor seal repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Recommended for Large-Scale Projects on Airports, Roads, Parking Lots and Athletic Fields.

Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.

Specifications


Max Delivery	8 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.048" tip
Max Tip Size 2 Guns	.033" tip
Engine	3.5 kW (4.8 hp)

Configurations

Dual gun operation.

Part Number	Description
T/759-693	PowrLiner 6900 XLT

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-120	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/ UHMPWPE/steel
5	T/142-004	Packing spring, SS
6	T/143-117	Displacement rod, Severe Service 500
7	T/138-001	Spring retainer
8	T/142-003	Packing spring, SS
9	T/138-225	Ball, SS
10	T/143-945	Piston seat
11	T/143-822	Pump cylinder, Severe Service 500
12	T/140-009	O-ring
13	T/145-032	Ball cage, SS
14	T/920-103	Ball, SS
15	T/143-998	Foot valve, assembly
	T/143-050	Fluid section minor seal repair kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Recommended for Large-Scale Projects on Airports, Roads, Parking Lots and Athletic Fields.

Heavy-duty, epoxy-finished frame resists harsh solvents and corrosion.

Specifications


Max Delivery	9 l/min
Max Fluid Pressure	3300 PSI
Max Tip Size 1 Gun	.052" tip
Max Tip Size 2 Guns	.038" tip
Engine	3.5 kW (4.8 hp)

Configurations

Dual gun operation.

Part Number	Description
T/759-893	PowrLiner 8900 XLT

Item	Part Number	Description
1	T/143-019	Retaining ring
2	T/143-120	Connecting pin
3	T/145-031	O-ring, Teflon
4	T/138-153	Packing set, leather/UHMWPE/steel
5	T/142-004	Upper packing spring
6	T/144-117	Displacement rod
7	T/138-001	Spring retainer
8	T/142-003	Lower packing spring
9	T/451-085	Outlet valve cage
10	T/138-225	Outlet valve ball
11	T/236-012	Outlet valve seat
12	T/236-032	Seal washer
13	T/236-031	Outlet valve housing
14	T/144-822	Pump cylinder
15	T/140-009	O-ring
16	T/236-030	Wave washer
17	T/236-141	Foot valve cage
18	T/178-700	Foot valve ball
19	T/143-026	Foot valve seat
20	T/143-025	Seat o-ring
21	T/236-126	Foot valve housing
	T/144-500	Fluid section service kit, major (includes items 6,14, and fluid section service kit, minor P/N 144-050)
	T/144-050	Fluid section service kit, minor (includes items 1,3,4,10,12,15,18,20, and Loctite P/N 426-051)
	T/236-010	Foot valve assembly (includes items 17-21)
	T/236-050	Outlet valve assembly (includes items 9-13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**


The PowrDriver comes complete with a variable hydrostatic drive, 6 HP electric start Subaru engine, and sealed battery - all with the shortest footprint of any sulky in the market today.

Features

- Converts almost any walk behind striper to a riding unit
- Variable hydrostatic drive
- Seat slides for adjustment to different operation heights
- Single foot pedal operation can be located on right or left side (comes standard for right foot operation)
- Remote safety shut off
- Operational rear ball hitch allows for auxiliary trailer or equipment
- Operational carrier holds up to 19 litre pails
- Can be used for surface prep and moving other machinery as well
- Two inch ball hitch

Part Number	Description
T/0290007	PowrDriver

Item	Part Number	Description
1	T/0290700	Electric Start Engine
2	T/0290702	28 Tooth Sheave
3	T/0290703	Engine Spacer
4	T/0290704	Motor / Seat Mount
5	T/0090026	Hex Bolt
6	T/9821509	Spring Lock Washer
7	T/0509285	Flat Washer
8	T/0509285	Flat Washer
9	T/9821509	Spring Lock Washer
10	T/0290762	Hex Bolt
11	T/0290705	Timing Belt
12	T/0290706	Transmission Standoff
13	T/0290707	56 Tooth Sheave
14	T/0290708	Taper Lock Bushing
15	T/0290701	Hydrostatic Pump/Motor
16	T/0509285	Flat Washer
17	T/9821509	Spring Lock Washer
18	T/0349363	Hex Bolt
19	T/0290709	16 Tooth Sprocket
20	T/0290710	Idler Spacer
21	T/0290711	Bearing
22	T/0290712	Bored Idler Sprocket
23	T/0290711	Bearing
24	T/0509285	Flat Washer
25	T/0290763	Hex Bolt
26	T/0290714	Drive Chain
27	T/0290715	Seat Track Set
28	T/0290717	Deluxe Seat
29	T/0290716	Transmission Arm
30	T/0290718	Transmission Support
31	T/0290418	Lock Nut
32	T/0290419	Mechanical stop assembly
	T/0290428	Switch, engine shutoff (not shown)
	T/0290429	Knob, hydraulic valve (not shown)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The NEW SideStriper, for smaller line striping jobs, works great for a wide variety of applications. It is the newest professional spray accessory that no contractor should be without.

Features


- Great for smaller line striping jobs
- Ideal for touching-up existing lines
- Stripes in tight spaces
- Stripes in-between parked cars, curbs, radius, parking lots, warehouses & athletic fields
- Works with ANY airless sprayer
- Simple striping instructions are included
- Compact, lightweight and portable
- Easy-to-use

Configurations

Metal pole, Wheels, SC-6 Striping Tip, Parts Kit, Striping Instructions.

Part Number	Description
T/759-150	SideStriper

Item	Part Number	Description
1	T/757-907	Handle grip
2	T/779-226	Gun pole, top
3	T/550-074	Pole clamp assembly
4	T/779-227	Gun pole, bottom
5	T/779-225	Cable
6	T/779-205	Gun mount assembly
7	T/757-911	Return spring
8	T/779-237	Wheel
9	T/779-207	Axle
10	T/779-211	Support knob
11	T/757-908	Trigger guard
12	T/756-136	Trigger
13	T/779-217	Star lock washer
14	T/779-212	Gun pole support
15	T/779-209	Gun pole knob
16	T/779-239	Wheel washer
17	T/779-238	Wheel cap
18	T/779-223	Support bracket
	T/700-203	Grease



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Capspray 8500 is a powerful and versatile turbine unit, spraying a wide range of coatings. Sprays stain to finish quality latex. Rugged, portable and dependable as you would expect.

Specifications


Air Pressure	8.5 PSI
Turbine	4 stage tangential
Weight	10 kg

Configurations

Complete with 9mtr Hose, Maxum II Gun and 1 litre pot

Part Number	Description
T/0524054	Capspray 8500
T/05240241	Gun and Cup Only

Item	Part Number	Description
1	T/0277502	Material flow adjustment knob
2	T/0295575	Needle spring
3	T/0276453	Needle assembly #3
4	T/0277510	Material flow adjustment housing
5	T/0275501	Rear air valve seal
6	T/0275578	Air valve spring
7	T/0277486	Air valve seal
8	T/0277536	Threaded air valve
9	T/0277489	Air valve snap ring
10	T/0277488	Front air valve seal (included in body assembly)
11	T/9811119	Locking nut
12	T/9805205	Screw
13	T/0277491	Air flow adjustment knob
14	T/9894242	Wave spring washer
15	T/0277498	Air flow valve nut
16	T/0277493	Air flow valve
17	T/0277185	Body assembly
18	T/0277515	Retaining clip
19	T/0524953	Handle
20	T/0277481	Handle tube
21	T/0277480	Handle tube nut
22	T/0277503	Quick disconnect fitting
23	T/0275579	Needle packing
24	T/0277508	Needle packing adjustment nut
25	T/0277505	Air tube fitting
26	T/0277468	Trigger
27	T/0277514	Trigger pin
28	T/0275250	Spring plate assembly
29	T/0276451	Air nozzle #3
30	T/0276452	Air cap #3
31	T/0277507	Air cap ring
32	T/0277482	Air tube
33	T/0276248	Check valve assembly
34	T/0277483	Long check valve tube
35	T/0277509	Fitting



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Airless Spray Equipment

Airless Spray Guns

1

LX-80 II Airless Spray Gun	1	Graco XTR 5 Gun	17
LX-80 Platinum Airless Spray Gun	3	Wagner G08	19
S3 Airless Spray Gun	5	Wagner G15	21
S5 Airless Spray Gun	7	Air Assisted Airless HVLP Automatic	
S7 Airless Spray Gun	9	Spray Gun	23
LX-70 In-Line Gun	11	Binks AA4400 Gun	27
LX-75 Pole Guns	13	Wagner AC4600	29
Graco XTR 7 Gun	15	Model 550 Spray Gun	33

Airless Spray Tips

35

SC-6 Reversible Tip	35	High Pressure Tip	36
WideSpray™ Tip	35	TR ² Tip	37
SYNERGY™ Tip	36	Understanding Airless Spray Tips	39
Line Striping Tip	36		

Accessories

41

Seals	41	Gun Adaptor	48
Head Guard SC6	41	Binks 5 Gallon Paint Strainer	48
HD Guard	41	Hydraulic Filters	48
RAC X Head Guard	41	Bypass Valve	49
Flat and Adjustable Tip Guard	42	Graco Drain Valve Repair Kit	49
Swivel Head	42	Bleed Valve	49
Tip Cleaners	42	Bleed Valve	49
Gasket Vial	42	Finish Turbine Filters	50
Titan Gun Filter	43	Capspray 8500 Filters	50
Titan and Wagner Gun Filter	43	Triggers	50
Graco Gun Filter	43	Gun Handles	50
Graco Fun Filter	43	High Pressure Swivels	51
Pump Manifold Filters	44	High Pressure Swivels	51
Pump Manifold Filters	44	LS-10 Liquid Shield	51
Pump Manifold Filters	44	Pump Shield	51
Pump Manifold Filters	44	Tip Clean	52
Manifold Filters	45	Piston Lube	52
Manifold Filters	45	Air Care	52
High Pressure Outlet Filter	45	Lanolin Spray	52
Pump Outlet Manifold Filter	45	Hydraulic Oil	53
Outlet Filter Support	46	Inner Feed Pressure Roller	53
Pump Inlet Strainer	46	Telescoping Pressure Roller	53
Pump Inlet Screens	46	Spray Roller	54
Aluminium Gun Extension	47	3 in 1 Spray / Roll Application Kit	54
Stainless Steel Gun Extension	47	Roller Head	54
Pole Extension	47	Angle Adaptor Assembly	54
Outtrigger	47	Extension Pole Coupling	55
In-Line Filter	48	Suction Hose	55

High Pressure Fluid Gauge Kit	55
Hose Cover	55
Reel Ez Hose Reel	55
Power Ware Surge Filter	56
Mixing Cups	56
Hood Calico Elastic	56
Universal Fabric Sock	56
Pump Runner	56
Paint Hopper	57
KleenGuard Overalls	57
MicroGuard 1500 Coveralls	57
Drop Sheet	57
Paint Stirrers	58
Masking Paper	58
Uni Pro Masker Blade	58
Wire Brush with Scraper	58
Uni Pro Fabric Roller Covers	58
Nook and Cranny Frames	59
Utility Synthetic Brush	59
Radiator Brush	59



Features & Benefits


- Available with 4 finger trigger or adjustable 2 finger trigger
- All metal construction
- Tungsten Carbide ball valve, seat and stainless steel swivel insures wear-resistance and durability
- In-handle filter reduces clogging and increase tip life
- Swivel assures effortless control
- Pressure rated at 3600 PSI

Configurations

Includes 517 SC-6 self-cleaning reversible tip

Part Number	Description
T/580-100A	4 Finger Trigger
T/581-085	2 Finger Trigger
T/580-050	4 Finger Gun Hose Tip Kit
T/581-150	2 Finger Gun Hose Tip Kit

Item	Part Number	Description
1	T/580-521	Gun head
2	T/580-513	Trigger screw, short
3	T/580-071	Trigger assembly, 4-finger gun (includes items 2 and 14)
4	T/580-532	Trigger guard
5	T/580-510	Seal assembly
6	T/520-093	Diffuser
7	T/651-020	Tip seal
8	T/661-517	Tip assembly, SC6
9	T/661-012	Tip guard
10	T/651-040	Tip seal retainer
11	T/226-001	Lock nut
12	T/580-003	Rear housing
13	T/580-025	Retractor pin
14	T/580-512	Trigger screw, long
15	T/540-030	30 mesh screw in, green
15a	T/540-060	60 mesh screw in, white
15b	T/540-100	100 mesh screw in, yellow
15c	T/540-150	150 mesh, screw in, red
16	T/560-038	Handle seal
17	T/580-531	Handle
18	T/580-530	Swivel
19	T/581-078	Trigger assembly, 2-finger gun
20	T/581-126	Collar assembly, 2-finger gun
	T/580-533	Handle assembly (includes items 17 and 18)
	T/580-034	Gun repair kit (includes 5,6 and 11)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Features & Benefits


- Reversible tungsten carbide seat offers twice the life of standard diffusers
- Unique two-piece seal assembly design allows removal of just the ball for easy maintenance
- Ultra-light trigger pull and form fitting handle reduces hand fatigue
- Swivel reduces hose kinks
- In-handle filter helps reduce tip clogs and increase tip life
- Pressure rated at 3600 PSI

Configurations

Includes 517 SC-6 self-cleaning reversible tip

Part Number	Description
T/584-100	Gun
T/584-050	Gun Hose Tip Kit

Item	Part Number	Description
1	T/580-003	Rear housing
2	T/580-025	Retractor pin
3	T/580-521	Gun head
4	T/580-513	Trigger screw, short
5	T/581-078	Trigger assembly
6	T/580-023	Trigger guard
7	T/584-008	Retaining ring
8	T/584-003	Retaining nut housing
9	T/584-024	Seal assembly
10	T/594-007	Ball valve assembly
11	T/594-033	Carbide seat (reversible)
12	T/594-006	Gasket
13	T/594-105	Diffuser
14	T/580-544	Handle
15	T/661-517	Tip assembly, SC6
16	T/661-012	Tip guard
17	T/651-010	Tip seal retainer
18	T/651-020	Tip seal
19	T/226-001	Lock nut
20	T/580-512	Trigger screw, long
21	T/560-038	Handle seal
22	T/540-030	30 mesh screw in, green
22a	T/540-060	60 mesh screw in, white
22b	T/540-100	100 mesh screw in, yellow
22c	T/540-150	150 mesh screw in, red
23	T/584-535	Handle tube
24	T/580-530	Swivel
	T/0286705	Label, LX-80 Platinum
	T/594-040	Ball valve kit (includes items 10-12)
	T/584-045	Repair kit (includes items 9-12 and 19)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Features & Benefits


- Stainless steel fluid passages
- In-handle filter
- Tungsten carbide ball valve & seat ensures long life and durability
- Easy 4 finger trigger pull
- 1/4" swivel reduces hose kinks
- Pressure rated at 3900 PSI

Configurations

Includes 517 SC-6 reversible tip

Part Number	Description
T/550-250	Gun
T/550-460	Gun Hose Tip Kit

Item	Part Number	Description
1	T/0502077	Gun head
2	T/0502068	Trigger screw, long
3	T/0502080	Diffuser o-ring
4	T/0502074	Trigger assembly, 4-finger gun
5	T/0296504	Trigger guard
6	T/550-257	Diffuser, 7/8" (includes item 3)
7	T/651-020	Tip seal
8	T/661-517	Tip assembly
9	T/661-012	Tip guard, 7/8"
10	T/651-040	Tip seal retainer
11	T/0502159	End cap
12	T/0502054	Packing spring
13	T/550-264	Packing seal assembly
14	T/0502-079	Retractor pin
15	T/580-513	Trigger screw, short
16	T/560-038	Handle seal
17	T/581-059	30 mesh push in, green
17a	T/581-060	60 mesh push in, white
17b	T/581-061	150 mesh push in, red
17c	T/581-062	100 mesh push in, yellow
18	T/550-266	Handle/swivel assembly, 1/4 NPS
19	T/0286707	S-3 label (not shown)
	T/550-275	Gun repair kit, 7/8" diffuser (includes items 3,6, and 13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Features & Benefits


- All metal construction
- Stainless steel fluid passages
- Tungsten carbide ball valve and seat ensures long life and durability
- Pressure rated at 5000 PSI
- Front feed, filter-less design for heavy coatings
- Easy 2 finger trigger pull

Configurations

Includes 517 SC-6 reversible tip

Part Number	Description
T/550-100	Gun
T/550-110	Gun Hose Tip Kit

Item	Part Number	Description
1	T/520-028	Trigger pivot screw
2	T/520-025	Rebuilding kit (includes items 3-5)
3	T/520-023	Seal assembly
4	T/520-020	Copper washer
5	T/520-048	Diffuser assembly
6	T/661-517	Tip complete (includes items 8 and 9)
7	T/661-012	Tip guard
8	T/651-040	Tip seal
9	T/651-020	Tip gasket
10	T/520-408	Fluid tube assembly
11	T/520-034	Plug
12	T/520-039	Gun housing
13	T/520-035	Set screw
14	T/520-031	Head screw
15	T/520-045	Trigger and lock assembly
16	T/520-033	Head screw
	T/550-025	Repair Kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Features and Benefits


- Stainless steel fluid passages
- In-handle filter
- Available in two swivel sizes for less restriction
- Tungsten carbide ball valve and seat insures long life and durability
- Easy 4 finger trigger pull
- Swivel reduces hose kinks
- Pressure rated at 7700 PSI

Configurations

Includes 517 heavy-duty reversible tip

Part Number	Description
T/550-260	Titan S7 Gun 1/4" Swivel
T/550-270	Titan S7 Gun 3/8" Swivel

Item	Part Number	Description
1	T/0502064A	Gun head
2	T/0502068	Trigger screw, long
3	T/0502080	Diffuser o-ring
4	T/0502074	Trigger assembly, 4-finger gun
5	T/0296504	Trigger guard
6	T/550-277	Diffuser, 7/8" (includes item 3)
7	T/651-020	Tip seal
8	T/721-517	Tip assembly
9	T/661-027	Tip guard, 7/8"
10	T/651-040	Tip seal retainer
11	T/0502159	End cap
12	T/0502055	Packing spring
13	T/550-264	Packing seal assembly
14	T/0502079	Retractor pin
15	T/580-513	Trigger screw, short
16	T/560-038	Handle seal
17	T/581-059	30 mesh push in, green
17a	T/581-060	60 mesh push in, white
17b	T/581-061	150 mesh push in, red
17c	T/581-062	100 mesh push in, yellow
18	T/550-508	Handle/swivel assembly, 1/4 NPS
	T/0502184A	Handle/swivel assembly, 3/8 NPS
19	T/0286711	S-7 label (not shown)
	T/550-276	Gun repair kit, 7/8" diffuser (includes items 3,6, and 13)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au


NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Features and Benefits

- All metal construction
- "In-line" design is a natural extension to any pole
- In-handle filter
- Swivel reduces hose kinks and ensures effortless control
- Pressure rate at 3600 PSI

Part Number	Description
T/550-475	Gun

Item	Part Number	Description
1	T/550-437	Seal washer
2	T/226-001	Lock nut
3	T/550-447	Seal assembly
4	T/550-451	Diffuser
5	T/550-448	Gun head
6	T/580-513	Trigger screw, short
7	T/550-455	Trigger
8	T/550-452	Trigger guard
9	T/580-530	Swivel assembly
10	T/550-488	Filter spring
11	T/550-483	Filter, medium
12	T/580-531	Gun handle
13	T/560-038	Handle seal
14	T/550-454	Trigger screw, long
	T/550-487	Gun repair kit (includes items 1 - 4)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Features and Benefits

- All metal construction
- Full length needle ensures positive shut-off at tip
- Pressure rated at 3600 PSI
- Reach those high, out of the way places that normally require the use of a ladder or scaffolding
- Gun swivel
- In-handle filter
- Ergonomic design

Part Number	Description
T/550-495	4' Pole Gun
T/550-500	8' Pole Gun

Item	Part Number	Description
1	T/520-099	Diffuser, "G" thread
2	T/651-020	Seal washer
3	T/711-010	Pole mount
4	T/611-652	Retaining nut, "G" thread
5	T/611-418	Tip swivel assembly, "G" thread
6	T/651-020	Tip seal
7	T/661-517	Tip assembly, SC6
8	T/661-012	Tip guard, "G" thread
9	T/651-040	Tip seal retainer
10	T/550-514	Ball holder assembly
11	T/580-513	Trigger screw, short
12	T/550-466	O-ring
13	T/550-456	Gun head fitting
14	T/550-437	Seal washer
15	T/550-458	Packing seal assembly
16	T/226-001	Lock nut
17	T/550-464	Extension pole assembly, 4'
	T/550-501	Extension pole assembly, 8'
18	T/580-530	Swivel assembly
19	T/550-488	Filter spring
20	T/550-483	Filter, medium
21	T/580-531	Gun handle
22	T/560-038	Handle seal
23	T/550-448	Gun head
24	T/550-454	Trigger screw, long
25	T/550-455	Trigger
26	T/550-452	Trigger guard
	T/550-521	Gun repair kit (includes items 12 and 14-16)
	T/550-518	Diffuser/ball holder repair kit, "G" thread (includes items 1, 10, and 12)
	T/651-139	Tip guard and swivel assembly, "G" thread (includes items 2-5 and 8)
	T/550-487	Repair Kit



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits


- High Pressure industrial spray gun
- XTR-7 maximum fluid pressure 7250 PSI
- Form fitted handle - lightweight design
- 2 finger trigger (optional 4 finger)
- Easy-out gun filter
- No needle adjustment required
- Rugged, ergonomic design handles the toughest protective coatings

Configurations

Includes XHD Tip and Guard

Part Number	Description
G/XTR-704	4 Finger Trigger
G/XTR-702	2 Finger Trigger

Item	Part Number	Description
1	15E178	Body, gun, sst
2*	245881	Seal, retainer assembly
3*		Gasket (kit 248837 only, not sold separately)
4	15A864	Cap, end
5	117350	Spring
6	15E088	Retainer, needle
7	15E085	Pin, actuator
8*	248591	Needle
9*	156766	Gasket
10*	245858	Seat, valve
11a†	192272	Pin, pivot
11b †	203953	Screw, cap, hex-hd; 10-24 x 3/8 in. (10mm)
13	248952	Handle, includes trigger guard, swivel, tube and o-ring
14a	276997	Handle sleeve, insulated
14b	15E083	Handle sleeve, 1 in. (25mm)
16a †	287449	Trigger kit, also includes 11a and 11b
16b †	287450	Trigger kit, also includes 11a and 11b
16c †	287451	Trigger kit, also includes 11a and 11b
21*	179733	Seal, sleeve
24		O-ring (kit 248952 only, not sold separately)
26	287032	Filter, 60 mesh, included with gun
	287034	Filter, 60 and 100 mesh combo
29 •	222385	Tag, warning (not shown)
36*	194744	Tool, repair, packing
	G/248-837	Repair Kit



• Replacement Danger and Warning labels, tags, and cards are available at no cost.

* Parts included in Repair Kit 248837, purchased separately.

† Parts included in Trigger Kits 287449 (16a), 287450 (16b), and 287451 (16c), purchased separately.



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits


- High Pressure industrial spray gun
- XTR-5 maximum fluid pressure 5000 PSI
- Form fitted handle - lightweight design
- 2 finger trigger (optional 4 finger)
- Easy-out gun filter
- No needle adjustment required
- Rugged, ergonomic design handles the toughest protective coatings

Configurations

Includes XHD Tip and Guard

Part Number	Description
G/XTR-504	4 Finger Trigger
G/XTR-502	2 Finger Trigger

Item	Part Number	Description
1	15J771	Body, gun, aluminium
2*	245881	Seal, retainer assembly
3*		Gasket (kit 248837 only, not sold separately)
4	15K000	Cap, end
5	117350	Spring
6	15E088	Retainer, needle
7	15E085	Pin, actuator
8*	248591	Needle
9*	156766	Gasket
10*	245858	Seat, valve
12 †	117602	Screw, shoulder, pan hd; 8-32 x 5/16 in. (8mm)
13	248952	Handle, includes trigger guard, swivel, tube and o-ring
14a	276997	Handle sleeve, insulated
14b	15E083	Handle sleeve, 1 in. (25mm)
15 † †	255275	Handle, includes trigger guard, swivel, and tube, 1 in. (25mm) OD
16a †	287449	Trigger kit, also includes 11a and 11b
16b †	287450	Trigger kit, also includes 11a and 11b
16c †	287451	Trigger kit, also includes 11a and 11b
21*	179733	Seal, sleeve
24		O-ring (kit 248952 only, not sold separately)
26	287032	Filter, 60 mesh, included with gun
	287034	Filter, 60 and 100 mesh combo
29 •	222385	Tag, warning (not shown)
36*	194744	Tool, repair, packing
	G/248-837	Repair Kit



• Replacement Danger and Warning labels, tags, and cards are available at no cost.

* Parts included in Repair Kit 248837, purchased separately.

† Parts included in Trigger Kits 287449 (16a), 287450 (16b), and 287451 (16c), purchased separately.



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Features


- Entry level airless gun
- Light duty gun
- Cylindrical handle with filter
- 4 finger trigger
- Hose swivel connector
- 3600 PSI rated

Configurations

Includes filter, swivel, 1/4" nozzle holder and 517 Trade Tip 2

Part Number	Description
W/0296362	Wagner G08

Item	Part Number	Description
1	W/0296228	Gun head
2	W/0296284	Trigger screw, short
3	W/0296397	Trigger assembly, 4-finger gun
4	W/0296230	Trigger guard
5	W/0296270	Seal assembly
6	W/0295404	Diffuser, 7/8"
	W/0296406	Diffuser, 11/16"
7	W/0508423	Seal
8	W/0552419	Tip assembly* (inc items 7 and 10)
	W/0552xxx	TradeTip 2
	W/0556xxx	Trade Tip 2 FineFinish
	W/0571xxx	Trade Tip 2 WideFinish
	W/0561xxx	Trade Tip 2 LineFinish
9	W/0556041	Tip guard, 7/8"
	W/0556042	Tip guard, 11/16"
10	W/0297007	Tip seal
11	W/9910201	Lock nut
12	W/0296222	Rear housing
13	W/0296286	Retractor pin (2)
14	W/0296287	Trigger screw, long
15	T/581-059	30 mesh push in, green
15a	T/581-060	60 mesh push in, white
15b	T/581-061	150 mesh push in, red
15c	T/581-062	100 mesh push in, yellow
16	W/0296289	Handle seal
17	W/0296342	Handle
18	W/0296343	Spring
19	W/0347706	Swivel
20	W/0296370	Trigger assembly, 2-finger gun
21	W/0279185	Collar assembly, 2-finger gun
	W/0296365	AG 08 label (not shown)
	W/0296345	Handle assembly (inc items 17–19)
	W/0556038	Gun repair kit, 7/8" diffuser (includes items 5, 6, and 11)



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Benefits

- Cylindrical handle
- 4 finger trigger
- Filter in handle
- Hose swivel connector
- 7700 PSI rated

Part Number	Description
W/0347001	Wagner G15

Item	Part Number	Description
1	W/0335209	Safety jet touch guard
2		Nozzle
3	W/0043052*	Sealing washer
4	W/0347200*	Intermediate piece
5	W/0347308	Trigger guard
6	W/0347300	Housing
7	W/0043411	Cylindrical pin (2)
9	W/0347312	Type plate
10	W/0347701*	Valve unit
12	W/0335704	Pressure plate
13	W/0347305	Compression spring
14	W/0335301	Cap
16	W/0043303*	Handle seal
17		Insert filter
18	W/0257312	Compression spring
19	W/0347306	Handle
21	W/0347708	Swivel joint M16 x 1.5
	W/0347709	Swivel joint NPSM 1/4 inch - 18
23	W/0347703	Trigger
24	W/0347313	Cap nut M4 (2)
25	W/0347310	Pin
	W/0042030	Gun spanner
	W/0347707*	Service set



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**


Binks AA4400A is ideally suited for medium to high production multi-gun spray finishing lines.

Binks AA4400A combines the best features of HVLP and Air Assisted Airless atomisation to provide a finely atomised “soft spray” to produce the very best spray finish with the highest possible transfer efficiencies, resulting in significant paint savings and compliance with the toughest EPA regulations.

Binks AA4400A is ideally suited for multi-gun finishing equipment such as rotary machines, reciprocators, robots, fixed and chain-on-edge type systems located in medium to high production environments.

- “Quick detach” head from base for reduced downtime
- Unique air cap design produces “softer fine spray” for superior finishes
- Air cap has optional 15° indexing for precision finishing
- Adjustable “on gun” fan pattern controls
- Fluid filter in gun head
- Manual or remote gun controls
- Tungsten carbide needle and seat
- Paint re-circ option in head or base plate

Part Number	Description
D/AA44-X-YY-ZS	Air Assisted Airless HVLP Automatic Spray Gun



Item	Part Number	Description
1	SPA-65	Body
2		Air Valve Piston
3	S-28224X-K4	O Ring
4		Piston
4a	SPA-68-K	Piston Assy 2(x2), 3(x2), 4 & 5
5	SPA-45X-K2	O Ring
6	S-28219X-K4	O Ring
7	S-28220X-K2	O Ring
8	SPA-67	End Cap
9	SPA-13	Piston Spring
10	SPA-53-K10	Gasket
11	SPA-64-K	Spray head
	SPA-64H-K	Spray head - recirc
12	SPA-97-K10	Gasket
13		Needle Seat
13a	SPA-69-K	Seat Assy (13, 20 & 24)
14	SPA-79	Fluid Needle Assy
15	SPA-77	Needle Spring
16	SPA-76	Seal Cartridge
17	SPA-73	Filter (100µm)
18	SPA-72	Filter Cap
19	SPA-70-K10	Index Plate
20	SPA-71-K10	Baffle Plate
21	54-5347	AA10 AirCap
22	SPA-99-K	Retaining Ring
23	114-xxxxx	Carbide Tip Assembly
24	SPA-98-K10	Gasket
25	SPA-52	Air Tube
26	S-28223X-K4	O Ring
27		Locking Seat
27a	SPA-74-K	Seat & Ring (27 & 28)
28		Snap Ring
29	SPA-66-K	Manifold
	SPA-66H-K	Manifold - Head Recirc
30		Cage
30a	SPA-80-K	Cage Assy (30, 33, 34(x3) & 40)
31	SPA-59	Retaining Screw
32		Cam
32a	SPA-83-K	Cam Assy (32, 38 & 39)
33		Plunger
34	SPA-81-K6	Stainless Steel Ball
35	SPA-29X-K4	O Ring
36	SPA-44X-K4	O Ring
37	SPA-54	Vent Cap
38		Spring Plug
39		Cam Spring
40	SPA-47X-K2	O Ring
41	AGG-403	Control Valve
42	S-14192-k4	Torx Screw

Item	Part Number	Description
43		Recirculation Bung
43a	SPA-93-K	Bung+O-Rings (47(x2), 43 & 44)
44		Bung Plug (For Item 43)
46	SPA-94	1/4" NPT Plug
47	SPA-48X-K2	O Ring
48	SPA-111-K2	Plug for item 41
	SPK-119	Dynamic Seal Kit (5, 3(x2), 7 & 6)
	SPK-120	Needle Seal Kit (16, 10(x2) & 12)
	SPK-121	Manifold Seal Kit (35(x2), 26 & 36(x2))
A	SPA-46X-K4	O Ring
B	SPA-29X-K4	O Ring
C	SPA-95	Housing
D	SPA-96-K4	Seal



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

AA4400M

by **BINKS**®




Benefits

The Binks AA4400M air assisted airless spray gun has been designed with the operator and environment in mind. This new gun will handle the toughest spray jobs in all industrial markets whilst providing the best fit, feel and comfort operators demand. The spray gun is available with either HVLP or Trans-Tech® air caps operating at lower fluid and air pressures than competitors to achieve an exceptionally fine finish with superior paint savings and low energy consumption.

- Lightweight and Operator friendly design with lighter trigger pull tension
- Easy to remove “in-line” needle assembly for quick maintenance
- Adjustable needle packing and “balanced” air valve design
- Solid forged gun body for maximum durability and longer life

Part Number	Description
B/0909-4400-HF0000	Binks AA4400 Gun with HVLP Air Cap (flat tip not included)
B/0909-4400-HT0000	Binks AA4400 Gun with Twist Tip Cleaner and HVLP Air Cap (no tip)

Item	Part Number	Description
1		Gun Body
2	SPA-71-K5	Baffle Plate (Kit of 5)
3	54-5799-K •	Fluid Seat (4400 PSI) (Tungsten Carbide)
3a	54-5832-K •	Twist Tip Fluid Seat
4	SPA-98-K5	Gasket (Kit of 5)
5	114-XXXXX	Flat Tip
5a	9-XXX-75	Twist Tip
5b	54-5801-K2	Twist Tip Brace (Kit of 2)
6	54-5795-K	Flat Tip HVLP AirCap
6a	54-5796-K	Twist Tip HVLP AirCap
7	54-5852	Retaining Ring
8	54-5794	Flat Tip Guard
8a	54-5793	Twist Tip Guard
9	SN-402-K	Air Valve Assembly
10	‡	Trigger
11	54-5780	Fluid Tube Assembly
12	54-5788-K5	Fluid Filter 60 mesh (Kit of 5)
13	+	Fluid Inlet Swivel (1/4" NPS)
14	+	Filter Adapter Nut
15	SN-9-K3	Air Inlet Fitting 1/4" NPS (Kit of 3)
16	#	Filter Bracket Screw
17	#	Filter Bracket
18	*	Fluid Needle Assembly (4400 PSI)
19	54-5850	Blanking Needle Nut
20	*	Needle Spring Pad
21	*	Needle Spring (4400 PSI)
22	54-5815	Spreader Valve Assembly
23	**	Body Bushing
24	**	Body Bushing Gasket
25	‡	Trigger Nut
26	‡	Trigger Screw



- Pre-assembled with gasket SPA-98.
- ‡ Available as part of kit 54-5835.
- + Available as part of kit 54-5838. Order Filter (12) separately.
- # Available as part of kit 54-5827.
- * Available as part of repair kit 54-5826. (Includes 4400 PSI Fluid Needle.)
- ** Available as part of kit 54-5829.



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Green Air Cap
Water & Solvent Based Materials



Red Air Cap
Solvent Based Materials



Blue Air Cap
Water Based Materials



**Reversible Tip Base
and FineFinish Tip**


Benefits

The combination of an innovative Tip and three different Air Caps makes the Wagner AirCoat gun range a high grade all round system for the application of all water based and solvent based lacquers (such as acrylic, 2 component, lacquer, stains and varnishes).

The perfect combination to help achieve a superior finish.

- High coating speed
- Uniform application of material
- Soft run out at edges
- Less overspray than with airless or airspray products
- Reduced working pressure of 870 PSI
- Ergonomic guns with many extras for greater working convenience

Part Number	Description
W/0394158	Wagner AC4600 with Green Air Cap (No Tip)
W/0394157	Wagner AC4600 with Red Air Cap (No Tip)
W/0364005E	Wagner AirCoat Gun and Hose Kit (enamel) Comprises 10 metre ultra flexible Dual Hose Package with protective cover, AC4600 AirCoat Gun with Green Air Cap, Reversible Tip Base and Seal, 1 x TradeTip2 and 1 x AirCoat Tip of your choice.



Item	Part Number	Description
1	W/0394150	AC 4600 Professional; NPSM 1/4" (blue) complete
1	W/0394151	AC 4600 Professional; NPSM 1/4" (red) complete
1	W/0394152	AC 4600 Professional; NPSM 1/4" (green) complete
2	W/9999501	Screwspring Paint
3	W/9999500	Screwspring Air
4	W/0394256	Tension sleeve complete
5	W/0394333	Spring cover 25 MPa; 2625 PSI
6	W/0394924	Air tappet compete
10	W/0394327	Sealing screw
11*#	W/0394328	Gasket
12*#	W/9971445	O-ring
13*	W/0379411	Nozzle ACF3000 11/40
14*#	W/0394339	Sealing ring
15*#	W/9974245	O-ring
16*#	W/0394922	Valve seat complete
17*#	W/0394338	Seal Nozzle
18	W/0394330	Chuck
19	W/0394257	Valve tappet complete
20	W/0394318	Nut
21	W/0394310	Trigger
22	W/0394319	Screw
23	W/0394334	Safety catch
24	W/9935088	Cylindrical shaft
34*#	W/0394920	Valve rod complete
35*#	W/0394323	Rod seals
36*	W/0394910	Air cap LV complete (red)
36*	W/0394911	Air cap HV complete (blue)
36*	W/0394912	Air cap (green)
50	W/0394309	Valve tappet
51*#	W/0179338	Air valve seal
52*#	W/0179395	Seal
53*#	W/0394322	Cap
55+	W/0394336	Nozzle body
56*+	W/0128327	Sealing nipple
57*+	W/0132516	Nozzle screw connection complete
58+	W/0132351	Nozzle screw connection holder
59+	W/0394308	Union nut
60+	W/0394337	Nozzle nut
61*+	W/0132...	Nozzle insert R
62+	W/0394180	Round jet nozzle cap
63*+	W/0132922	Nozzle screw connection complete
64*	W/0043235	Filter insert yellow, 100 mesh
65*#	W/0128389	Seal
66*#	W/0043590	Compression spring
67*	W/0347706	Swivel complete paint
68	W/0364349	Handle tube
69*	W/0364938	Swivel Air

Item	Part Number	Description
70	W/0394615	Filter tube AC 4600 Pro NPS 1/4"
	W/0394942	Service set AC 4600 Professional
80+	W/9992831	Loctite 542
81+	W/9992833	Loctite 638 green
82+	W/9992590	Loctite 222
83+	W/9992698	Vaseline white PHHV II
84 #+	W/0394342	Tool valve rod seal

* Wearing Part

Included in service set

+ Not part of standard equipment for spray gun. Available, however as additional extra



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**

For spraying protective coatings such as lacquers, enamels, water based emulsions, mould release agents and sound deadener. Spray gun equipped with tip guard, stainless steel fluid passages and forged aluminium spray gun body. Actuating air pressure is 40-60 PSI. The material body may be installed in any of four positions to facilitate fluid hose connection. Mounting hose is 1/2" diameter, furnished with set screw. (Maximum operating pressure is 3000 PSI).

Specifications


Air Inlet	1/4" NPS (m)
Fluid Inlet	1/4" NPS (m)
Weight	680 gm

Configurations

Spray nozzle not included, order separately.

Part Number	Description
B/550	Model 550 Spray Gun

Item	Part Number	Description
1a	20-6705	Set Screw 1/4-20 x 3/16" Long
1b	20-6130	Set Screw 1/4-20 x 1/2" Long, with Nylock
2	54-2931 †	Seat
3	54-2229 †	Gasket
4	54-3085	Tip Guard Assembly
5	54-2927 †	Seal
6	54-2956 †	Wire Assembly
7	54-3042	Material Body Assembly
8	54-3039	Gun Body Assembly
9	20-1359	Set Screw 5/16-18 x 5/8" Long
10	54-3060	Cap Assembly
11	54-3051 †	Diaphragm
12	54-3054	Back Plate
13	54-3052 †	Spring
14	20-5351	Nut 8-32
15	20-5352	Lock Washer
16	71-28	Fitting 1/8 NPT x 1/4 NPS
17	54-3055	Washer
18	54-3053 †	Packing
19	54-3059	Bearing Screw Assembly
20	54-3056	Stem
21	54-2964	Gland Nut
22	54-2949*	Gland Set
23	54-2928	Set Cap



† Also available in 54-3121 Repair Kit. Please order separately.

* Furnished with Wire Assembly (6).



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

F 03 9752 5654

www.sprayandblast.com.au

SC-6 Reversible Tip

Product ID: 661-XXX

Applications

- Buildings / Houses
- Bridges
- Tanks



Features & Benefits

- New ergonomic design assures comfort when rotating to spray or reverse position for cleaning.
- Exclusive flow indicator indicates that tip is in spray or clean position.
- Highest quality tungsten carbide assures longest life, durability, and fewer passes for better coverage.

Available In The Following Popular Sizes: (And Many More)

211	311	411	513	615	715
213	313	413	515	617	717
215	315	415	517	619	719
217	317	417	519	621	721
219	319	419	521	623	723
221	321	421	523	625	725
223	323	423	525	633	733

WideSpray™ Tip

Product ID: 661-XXX

Applications

- Commercial Building
- Warehouses
- Track Housing



Features & Benefits

- Perfect for high production applications.
- Increase production up to 100%
- Widespray will save you time and money.

Available In The Following Sizes:

1219	1223	1227	1231	1235
1221	1225	1229	1233	1237

Airless Spray Tips

SYNERGY™ Tip

Product ID: 671-XXX

Applications

- Cabinets
- Shutters / Doors
- Trimwork



Features & Benefits

- Partial size up to 27% smaller than a standard tip.
- Interchangeable with industry standard safety guards.
- Idea for lacquers, stains, and clear coats.
- Increased transfer efficiency.

Available In The Following Sizes:			
208	210	212	214
308	310	312	314
408	410	412	414
	510	512	
		612	

Line Striping Tip

Product ID: 665-XXX

Applications

- Parking Lots
- Sports Fields
- Athletic Courts/Fields



Features & Benefits

- The SC-6™ Reversible Striping Tip used with the proper spraying pressure and speed, virtually eliminates jagged lines caused by excessive edge paint.
- Features Titan's proprietary "Extended Life" tungsten carbide proven to outlast competitive tips by 20%.
- Each tip is precision ground to apply paint at an even mil thickness across the width of the line.

Available In The Following Sizes:				
1302	1702	2112	2712	3512
1304	1704	2308	2908	3908
1308	1708	2312	2912	3912
1502	1904	2508	3108	4308
1504	1908	2512	3112	4312
1508	2108	2708	3508	

High Pressure Tip

Product ID: 721-XXX

Applications

- Bridges
- Ship yards
- Watertowers



Features & Benefits

- Heavy duty reversible tip.
- Pressure rated to 7700 psi.

Available in the following orifice sizes:				
117	217	517	525	533
119	219	519	527	535
221	521	529	539	
123	223	523	531	

TR² Tip

Product ID: 692-XXX

Applications

- Standard paints
- Lacquers
- Marking paints



Features & Benefits

- Optimal adjustment to the particular, object and spraying material with one tip
- The TR² tip can be easily assembled
- Switch quickly between two tip sizes - work flexible and fast
- Speed for highest rate of application
- Control for precise painting

Tip Size Trim spray	Tip Size Wide spray	Recommended filter	Colour of tip	Part Number
Regular TR ² tips (692-xxx)				
107	311	red-extra fine	red	692-311
109	313	red-extra fine	red	692-313
111	415	yellow-fine	red	692-415
211	515	yellow-fine	red	692-515
113	417	white-medium	red	692-417
213	517	white-medium	red	692-517
213	519	white-medium	red	692-519
215	521	white-medium	red	692-521
223	535	green-coarse	red	692-535
321	627	green-coarse	red	692-627
327	635	green-coarse	red	692-635
321	831	green-coarse	red	692-831
Wide Spray TR ² tips (692-xxxx)				
315	1223	white-medium	red	692-1223
317	1231	white-medium	red	692-1231
Fine Finish TR ² tips (693-xxx)				
208	510	red-extra fine	purple	693-510
210	512	red-extra fine	purple	693-512
212	514	red-extra fine	purple	693-514
Line Striping TR ² tips (694-xxxxxxx)				
517	1708	white-medium	yellow	694-1708517
519	1908	white-medium	yellow	694-1908519
621	2108	white-medium	yellow	694-2108621
623	2308	white-medium	yellow	694-2308623

Airless Spray Tips



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

TITAN™ TIP TECHNOLOGY

Understanding Airless Tips

Airless spray tips are a key component to the successful operation of an airless spray system. They define the spray pattern, control the flow of the coating being sprayed & ultimately tell the pump how hard it must work. A proper understanding of airless tips is critical to the success of any airless application.

Airless Spray Tip Characteristics


It is important to remember that the orifice size, in conjunction with the fan-width size, determines the spray characteristics of the tip.

Tip Wear



When beginning a project, choosing the right tip size & fan width will determine how profitable you will be through both coating consumption & production time. If the tip size being used is wrong — by either choice or through wear — mil thicknesses will be too heavy & the finish will be unprofessional.

The spray pattern chart demonstrates what happens as a tip wears. As wear occurs, the pattern size decreases & the orifice size increases. You will find that you have to make more passes to cover the same area. There is no standard rate of tip wear due to the variation of the abrasiveness of all coatings. Replace your tips after 100 gallons (378 liters); it's one of the most profitable things you can do.


Examples: The larger the orifice with the same fan width, the greater the volume of paint applied to the same area.



Conversely, the larger the fan width with the same orifice means the same amount of material is being applied over a greater area. The result is less volume of paint per square inch.



Understanding Tip Product Numbers



EXAMPLE: Product Number 661-519 is:

• SC-6 Reversible Tip • 10"-12" Fan Pattern • .019 orifice

When ordering airless spray tips from this chart, precede the tip number with "661" for SC-6 & "002" for Flat.

Orifice Size In Inches	Fan Width In Inches	GPM Flow Rate	Flat & SC-6 Tip Number*	Orifice Size In Inches	Fan Width In Inches	GPM Flow Rate	Flat & SC-6 Tip Number*	Orifice Size In Inches	Fan Width In Inches	GPM Flow Rate	Flat & SC-6 Tip Number*
.007 (.018 cm)	2"-4" 4"-6" 6"-8" 8"-10"	.05 (.2 lpm)	107 207 307 407	.019 (.048 cm)	4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18" 18"-20"	.40 (1.5 lpm)	219 319 419 519 619 719 819 919	.031 (.078 cm)	6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18"	1.1 (4.1 lpm)	331 431 531 631 731 831
.009 (.023 cm)	2"-4" 4"-6" 6"-8" 8"-10" 10"-12" 12"-14"	.08 (.3 lpm)	109 209 309 409 509 609	.021 (.053 cm)	4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18" 18"-20"	.47 (1.7 lpm)	221 321 421 521 621 721 821 921	.033 (.084 cm)	10"-12" 12"-14" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18"	1.2 (4.5 lpm) 1.3 (4.9 lpm)	533 633 335 435 535 635 735 835
.011 (.028 cm)	2"-4" 4"-6" 6"-8" 8"-10" 10"-12" 12"-14"	.12 (.5 lpm)	111 211 311 411 511 611	.023 (.058 cm)	4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18" 18"-20"	.57 (2.1 lpm)	223 323 423 523 623 723 823	.039 (.099 cm)	10"-12" 16"-18"	(6.2 lpm)	539 839
.013 (.032 cm)	2"-4" 4"-6" 6"-8" 8"-10" 10"-12" 12"-14"	.18 (.7 lpm)	113 213 313 413 513 613	.025 (.064 cm)	4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18"	.66 (2.5 lpm)	225 325 425 525 625 725	.043 (.109 cm)	8"-10" 10"-12"	2.05 (7.8 lpm)	443 543
.015 (.038 cm)	2"-4" 4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18" 18"-20"	.23 (.9 lpm)	115 215 315 415 515 615 715 815 915	.027 (.069 cm)	4"-6" 6"-8" 8"-10" 10"-12" 12"-14"	.66 (2.5 lpm)	225 325 425 527 627	Spray width measured with gun tip 12 inches (30 cm) from work surface. Other sizes available, call 800-526-5362 for more information.			
.017 (.043 cm)	2"-4" 4"-6" 6"-8" 8"-10" 10"-12" 12"-14" 14"-16" 16"-18" 18"-20"	.30 (1.1 lpm)	117 217 317 417 517 617 717 817 917	.029 (.074 cm)	8"-10" 10"-12" 12"-14" 14"-16"	(2.9 lpm)	427 527 629 729				



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Airless Spray Equipment | Accessories

Seals

- Solvent resistant tip seal
- All metal retainer

Part No	Description
T/651-020	SC6 Tip Seal
T/651-040	SC6 Tip Retainer
T/651-060	SC6 Tip Seal & Retainer
T/651-020-K5	SC6 Tip Seal Kit 5



Head Guard SC6

- Design allows guard to be installed without tools
- Seal cavity on safety guard has large "flats" for quick and easy installation of seal
- 5000 PSI

Part No	Description
T/651-012	SC6 Base Head Assy Titan
T/651-015	SC6 Base Head Assy Wagner
T/651-016	SC6 Base Head Assy Binks



HD Guard

- Design allows guard to be installed without tools
- Seal cavity on safety guard has large "flats" for quick and easy installation of seal
- 7700 PSI
- Guard to suit H/D 721-XXX Tips

Part No	Description
T/661-027	Head Guard Titan Thread "G"
T/661-028	Head Guard Wagner Thread "F"



RAC X Head Guard

- Suit Graco Guns
- Suit RAC X Tips

Part No	Description
G/246-215	RAC X Head Guard 7/8"



Accessories

Flat and Adjustable Tip Guard

- Used with adjustable tips and flat tips


Part No	Description
T/450-100A	Flat & Adjustable Tip Guard



Swivel Head

- For use with Titan Gun Extensions and Extension Poles
- Permits a 260° rotation for greater spraying versatility and accessibility

Part No	Description
T/651-139	7/8" G Thread - Standard Titan, Graco
T/651-140	Swivel Wagner
T/711-600	Swivel Head Male



Tip Cleaners

- Helps remove unwanted particulars from tip orifice

Part No	Description
E/36-703/00-K12	Tip Cleaners Packet of 12



Gasket Vial

- Used with adjustable and flat tips.

Part No	Description
T/711-611	Gasket Vial 1/8
T/711-612	Gasket Vial 1/8 (Packet of 12)



Titan Gun Filter

Reverse thread design prevents filter from unscrewing when handle is removed for cleaning and replacement.

- To fit Titan LX80, LX80 Platinum

Part No	Description
T/540-030	30 Mesh non packaged screw in
T/500-200-030	30 Mesh twin pack filter
T/540-060	60 Mesh non packaged screw in
T/500-200-060	60 Mesh twin pack filter
T/540-100	100 Mesh non packaged screw in
T/500-200-100	100 Mesh twin pack filter
T/540-150	150 Mesh non packaged screw in
T/500-200-150	150 Mesh twin pack filter



Titan and Wagner Gun Filter

- Plasma welded joints for stability against mechanical stress of all kinds
- Durable and consistent
- To fit Titan S3, S5, S7 and Wagner AG08, G-15

Part No	Description
T/581-059	30 Mesh non packaged push in
T/581-060	60 Mesh non packaged push in
T/581-061	100 Mesh non packaged push in
T/581-062	150 Mesh non packaged push in



Graco Gun Filter

Gun filters help reduce tip plugging and provide a better quality finish by eliminating large unwanted particles from the spray pattern.

Part No	Description
G/218-133B	100 Mesh Coarse Gun Filter Assy
G/287-032B	60 Mesh Gun Filter XTR 5 and 7
G/287-033B	100 Mesh Gun Filter XTR 5 and 7



Graco Fun Filter

- Suits Contractor Gun

Part No	Description
G/218-131B	60 Mesh
G/218-133B	100 Mesh
G/179-731B	50 Replacement Mesh Only
G/179-732B	100 Replacement Mesh Only



Accessories

Pump Manifold Filters

- For use on Speedflo, PowrTwin and Hydra Series, Air Operated

Part No	Description
T/920-003	50 Mesh short
T/920-004	50 Mesh long
T/920-002	100 Mesh short
T/920-005	100 Mesh long



Pump Manifold Filters

- For use on Speedflo, PowrTwin, and Linemarking machines
- Built in ball

Part No	Description
T/930-005	Coarse 5 Mesh
T/930-006	Medium 50 Mesh
T/930-007	Fine 100 Mesh



Pump Manifold Filters

- For use on Titan 440, 447, 550, 640, 740, 840, 1140, 450, 650, 750, 850, 1150 Machines

Part No	Description
T/730-067-30	Coarse 30 Mesh
T/730-067-60	Medium 60 Mesh
T/730-067-100	Fine 100 Mesh



Pump Manifold Filters

Part No	Description
G/167-053B	60 Mesh short
G/167-054B	100 Mesh short
G/167-055B	200 Mesh short
G/167-024B	30 Mesh long
G/167-025B	60 Mesh long
G/167-026B	100 Mesh long
G/167-027B	200 Mesh long



Manifold Filters

Manifold filter will help filter grit and dirt out of the paint and give you more trouble free spraying.

Part No	Description
G/244-067	Filter Ultra II Long 395, 495, 695



Manifold Filters

Manifold filters are the second line of defence against troublesome particles entering your sprayer and help maintain a proper spraying pressure resulting in a better quality finish.

Part No	Description
G/246-384	60 Mesh short



High Pressure Outlet Filter

- Operating Pressure 3300 PSI

Part No	Description
G/214-500B	High Pressure Outlet Filter



Pump Outlet Manifold Filter

Part No	Description
T/920-554	Filter Assembly Manifold 5000 PSI
T/920-605	Filter Assembly Manifold 6000 PSI
T/930-515	Filter Assembly PowrLiner



Accessories

Outlet Filter Support

Part No	Description
T/757-105	Spring - Suit Titan
G/171-939	Spring - Suit Graco



Pump Inlet Strainer

Prevents large particles from entering and damaging the pump.

- Use with Graco Airless Sprayers

Part No	Description
G/246-385	Pump Inlet Strainer



Pump Inlet Screens

Part No	Description
T/710-046	Mesh Coarse - Suit 840, 1140. 850, 1150 Pumps
T/700-805	Mesh Coarse - Suit Small Titan Pumps
T/700-900	Mesh Fine - Suit Small Titan Pumps
T/103-625	Rock Catcher Ass 3/4
T/103-627	Rock Catcher Ass 1



Aluminium Gun Extension

- Suit Titan, Graco and Wagner Guns
- Operating Pressure 3600 PSI
- G Thread Suit Titan, Graco and Wagner (New Style)
- F Thread Suit Wagner (Old Style)

Part No	Description
T/651-070	6" (15cm) 7/8" G Thread Extension
T/651-121	6" (15cm) 11/16" F Thread Extension
T/651-071	12" (30cm) 7/8" G Thread Extension
T/651-122	12" (30cm) 11/16" F Thread Extension
T/651-072	18" (45cm) 7/8" G Thread Extension
T/651-123	18" (45cm) 11/16" F Thread Extension
T/651-073	24" (60cm) 7/8" G Thread Extension
T/651-124	24" (60cm) 11/16" F Thread Extension



Stainless Steel Gun Extension

- Suit Titan, Graco and Wagner Guns
- Operating Pressure 7700 PSI
- G Thread Suit Totan, Graco and Wagner (New Style)
- F Thread Suit Wagner (Old Style)

Part No	Description
T/611-280	6" (15cm) 7/8" G Thread Extension
T/611-281	12" (30cm) 7/8" G Thread Extension
T/611-282	18" (45cm) 7/8" G Thread Extension
T/611-283	24" (60cm) 7/8" G Thread Extension



Pole Extension

- Suit Titan, Graco and Wagner Guns

Part No	Description
T/310-383-1	3' (8cm) Pole Titan
T/310-383-3	3' (8cm) Pole Wagner
T/310-386-1	6' (15cm) Pole Titan
T/310-938	Telescoping Pole Only



Outrigger

- Convert existing gun to 6" (2m) pole gun and back in seconds
- Allows you to increase production and profits
- Constructed of lightweight and rigid aluminium to reduce arm fatigue
- Gun not include

Part No	Description
T/757-920	6" Outrigger



Accessories

In-Line Filter

Nothing destroys a piston or a gun tip faster than debris in the coating. That's why you need the best paint filters available. TITAN gun filters and manifold filters are designed for long life and maximum protection.

- Made from stainless steel for strength and service
- Wide variety of mesh sizes from 10 to 100
- Engineered for durability and long life



Part No	Description
T/550-223	In-Line Filter 3600 PSI

Gun Adaptor

Allows you to clean filter without de-pressurising

Part No	Description
G/181-085B	Gun Adaptor
G/205-264B	Tip Filter 100 Mesh Fine
G/205-265B	Tip Filter 60 Mesh Coarse
G/164-120B	Filter Retainer SS



Binks 5 Gallon Paint Strainer

Binks Prospector™ strainers are an economical way to remove foreign material from paint, stain, lacquer and coatings. Treated with an "anti-stat" additive to minimize static electricity build-up in shipping and handling, the Prospector™ strainer is ideal for use with all products compatible with polyethylene.

- Pot not included

Part No	Description
B/PTS-5GAL	Binks 5 Gallon Paint Strainer



Hydraulic Filters

- Suit PowrTwin and PowrLiner Pumps

Part No	Description
T/451-220	Hydraulic Filters



Bypass Valve

- Suit Epic and I Series Pumps

Part No	Description
T/800-915	Bypass Valve



Graco Drain Valve Repair Kit

Part No	Description
G/235-014B	Graco Drain Valve Repair Kit



Bleed Valve

Part No	Description
T/944-620	Bleed Valve Steel Nickel Plate 1/8 NPT F Outlet



Bleed Valve

Part No	Description
T/944-030	Bleed Valve



Accessories

Finish Turbine Filters

Part No	Description
T/770-460	Pro Finish 300/350 - Packet of 3
T/773-655	Pro Finish TS40/TS50 - Packet of 2



Capspray 8500 Filters

Part No	Description
T/0279938	First and Second Stage Filter Kit



Triggers

Part No	Description
T/580-071	4 Finger Trigger LX80
T/581-078	2 Finger Trigger LX80
T/550-256	Trigger Assembly S3 and S7



Gun Handles

- Suit Titan S3 and S7 Handle

Part No	Description
T/580-021	Handle LX80 Old
T/580-531	Handle LX80 New
T/580-538	Handle LX80 and Swivel
T/580-508	Handle and Swivel 1/4 Assembly
T/580-509	Handle and Swivel 3/8 Assembly



High Pressure Swivels

Part No	Description
E/70-220/34	High Pressure Swivel 1/4" 7500 PSI
E/70-222/34	High Pressure Swivel 1/4" 7500 PSI Stainless Steel
E/70-520/1	High Pressure Swivel 1/4"F x 3/8M 5800 PSI
E/70-290/1	High Pressure Swivel 1/4" NPS M x M 14 x 1 M 7500 PSI



High Pressure Swivels

- Working Pressure 5000 PSI

Part No	Description
T/500-428	Gun to Hose / Hose to Pump 1/4" (.63cm) NPS (F) x 1/4" (.63cm) NPS (M)
T/500-424	Hose to Hose 1/4" (.63cm) NPS (M) x 1/4" (.63cm) NPS (M)



LS-10 Liquid Shield

Cleans and protects your spray system against rust and corrosion

Extends the life of your pump

Part No	Description
T/314-482	1 Litre Bottle
T/314-483	4 Oz. Bottle



Pump Shield

Cover your sprayer to prevent paint overspray from sticking to it

Keeps your sprayer looking new

Part No	Description
T/0297055	12 Oz. Bottle



Accessories

Tip Clean

Hour-glass design allows easy cleaning of all airless tips and safe storage

Cleaning fluid removes contamination and paint residue, ensuring best spraying results

Part No	Description
T/314-207	Tip Clean 200ml
T/314-208	Tip Clean Refill



Piston Lube

Specially formulated to dissolve material on displacement rods and reduce premature wear on cylinders, pistons and upper packings from dried pigment particles

Part No	Description
T/700-926	1 Litre Bottle
T/314-480	8 Oz. Bottle
T/314-481	4 Oz. Bottle



Air Care

Specially formulated to prevent corrosion in air motors

Suitable for use with most air driven sprayers

Part No	Description
T/311-101	Air Care



Lanolin Spray

Allows you to stop unwanted paint build up on your machine

Part No	Description
SUN/Lanolin	Lanolin Spray



Hydraulic Oil

- Suits Speeflo Hydraulic Pumps and also used in air motor oilers

Part No	Description
OIL/HD46	Hydraulic Oil



Inner Feed Pressure Roller

Instead of dipping the roller into the paint, why not feed the paint into the roller? You get the best of both application worlds, increasing the speed and efficiency of your work.

- Up to 40% faster than standard roller application
- The roller never leaves the surface
- Easy to use and easy to clean up

Part No	Description
T/310-934	9" (23cm) Roller Head
T/310-905	Inner Feed Repair Kit



Telescoping Pressure Roller

- For high production paint applications where spraying is impractical
- Patented auger head design evenly distributes coating for a professional finish every time
- Comes with light weight aluminium adjustable pole with a working pressure of 1200 PSI

Part No	Description
T/310-938	Telescoping Pole Only 1100 PSI
T/310-950	LX-70 Telescoping Roller Kit with 9" (23cm) roller head 1/2" (1.3cm) nap



Accessories

Spray Roller

Part No	Description
T/310-049	9" Spray Roller Head Assembly



3 in 1 Spray / Roll Application Kit

The Spray / Roll Application Kit offers the proper airless spray painting tools for just about every possible painting condition

Includes

- LX70 Inline Gun
- 3 ft Pole
- Swivel Head Assy
- 9" Spray Roller Head Assy
- 9" Pressure Roller Head Assy



Part No	Description
T/310-110	Application Kit

Roller Head

Part No	Description
T/312-037-9	9" (23cm) x 3/8" (.81cm) NAP
T/312-050-19	9" (23cm) x 1/2" (1.2cm) NAP
T/312-075-9	9" (23cm) x 3/4" (1.9cm) NAP
T/312-125-9	9" (23cm) x 1-1/4" (3.1cm) NAP



Angle Adaptor Assembly

- Adapt any extension pole to any standard airless gun
- Allows pole to extend from the gun at the same angle as the handle
- Greater efficiency and comfort
- Pressure rated at 3600 PSI

Part No	Description
T/310-072-1	Angle Adaptor Assembly - Titan
T/310-072-3	Angle Adaptor Assembly - Wagner



Extension Pole Coupling

Allows you to connect different length extruded poles together to create different lengths for any application

- Do not exceed 12'

Part No	Description
T/310-062	Extension Pole Coupling



Suction Hose

Part No	Description
T/704-300	Suit 440, 640, 740, 450e, 650e, 750e
T/710-203	Suit 840, 1140, 1100hpx
T/103-808A	1" Suction Hose Complete Suit 40:1
T/103-808B	1" Suction Hose Complete Suit 60:1



High Pressure Fluid Gauge Kit

Part No	Description
T/730-420	Fluid Gauge Kit 3/8 x 3/8
T/730-397	Fluid Gauge Kit 1/4 x 1/4 Complete Glass
T/730-394	Fluid Gauge Only - Glass Face
T/730-394A	Fluid Gauge Only - Plastic Face
T/730-397A	Fluid Gauge Kit 1/4 x 1/4 Complete Plastic Face



Hose Cover

Protect your airless hose from paint and abrasion damage with durable 4mm poly hose cover. Comes in 1000 feet lengths with four perforation every 50 feet to fit any length of hose.

Part No	Description
T/05211424	Hose Cover



Reel Ez Hose Reel

The Reel EZ virtually eliminates hose hassles and increases your production. The Reel EZ 16 mounts to the frame of all Titan & Speeflo cart style paint sprayers with a heavy duty universal mounting bracket. The Reel EZ 10 mounts to the frame of all the Titan skid style paint sprayers such as the 450e. Both the Reel EZ 16 & the Reel EZ 10 mount to most major manufacturer's paint sprayers with similar designs. Reel EZ 16 can hold up to 100' of 1/4" airless hose. Reel EZ 10 can hold up to 50' of 1/4" airless hose.

- Both rated at 3600 PSI

Part No	Description
T/769-100	Reel EZ 16 Cart Mount 30mtr
T/769-200	Reel EZ 10 Skid Mount 15mtr



Accessories

Power Ware Surge Filter

Stop those costly power surges with a power ware super filter

Part No	Description
SUN/SurgeFilter	Power Ware Surge Filter



Mixing Cups

DeVilbiss easy-to-use, disposable mixing cups are ideal for pre mixing paint prior to spray applications.

- Handy, disposable, easy stacking mixing cups.
- Made from solvent resistant clear polypropylene.
- Permanently marked with 2:1, 3:1 and 4:1 mix ratios.
- Calibrated with a 0-600 volumetric measurement scale.

Part No	Description
D/MC-1-K50	Mixing Cup
D/MC-23	2.3 Litre Mixing Cup
D/MC-23L	2.3 Litre Mixing Cup Lid



Hood Calico Elastic

Part No	Description
SAF/AC-248A	Hood Calico Elastic



Universal Fabric Sock

Part No	Description
SAF/41-1497B	Universal Fabric Sock



Pump Runner

The Pump Runner is the ideal accessory for your piston pump.

- Prevents the inlet valve from drying out,
- Ensures clean transport
- Reduces clean up time.

Part No	Description
T/0286008	Pump Runner



Paint Hopper

- Hopper with squeeze table for material-gabs and agitator
- The smooth, easily cleanable container is solvent resistant

Part No	Description
T/759-130	45 Litre Paint Hopper
T/704-453	Hopper Accessory



KleenGuard Overalls

Designed to assist in the protection against hazardous dust and particulate matter, while also providing a good level of repellency against light sprays of water-based liquids.

- Contoured Hood
- Full Length Body Zipper
- Elasticised Waist
- Generous Sizing and
- Superior Cut

Part No	Description
SAF/DISP OVERALLS	KleenGuard Blue - Medium
SAF/DISP OVERALLS	KleenGuard Blue - Large
SAF/DISP OVERALLS	KleenGuard Blue - X Large



MicroGuard 1500 Coveralls

- Breathable, anti-static SMS fabric
- Elasticated hood, waist, wrist & ankles
- 3-thread overlocked seams

Part No	Description
SAF/MICROGUARD(O/A)	1500 Coverall Medium
SAF/MICROGUARD(O/A)	1500 Coverall Large
SAF/MICROGUARD(O/A)	1500 Coverall X Large
SAF/MICROGUARD(O/A)	1500 Coverall 2X Large
SAF/MICROGUARD(O/A)	1500 Coverall 3X Large



Drop Sheet


Part No	Description
PA/00051	Dispenser 550mm x 33mtr
PA/00051A	Refills 550mm x 33mtr
PA/00051B	Dispenser 1.8m x 33m
PA/00051C	Refills 1.8m x 33m
PA/00051D	Dispenser 2.6m x 17m
PA/00051E	Refills 2.6m x 17m



Accessories

Paint Stirrers

Part No	Description
PA/00061	4 Litre Drill Operated
PA/00061A	4-10 Litre Drill Operated
PA/00061B	10-20 Litre Drill Operated
PA/00061C	20 Litre Heavy Duty Drill Operated
PA/00061D	20 Litre Heavy Duty 4 Blade Drill Operated



Masking Paper

Part No	Description
PA/00046	Masking Paper Brown 150mm Pk 2
PA/00046A	Masking Paper Brown 288mm Pk 2



Uni Pro Masker Blade

- Strong metal construction whilst being lightweight
- Easy pistol grip handle
- Stainless steel blade provided (150mm)
- Accepts up to 48mm masking tape on spool
- Spring loaded tape and mask guide

Part No	Description
PA/00046	Uni Pro Masker with 150mm Blade
PA/00046A	Uni Pro Masker Blade 300mm



Wire Brush with Scraper

Part No	Description
PA/00080	Wire Brush with Scraper



Uni Pro Fabric Roller Covers

- Suitable for all paints
- For low sheen and matt finishes
- Made from fabric

Part No	Description
PA/00020	Fabric Roller Covers - Packet of 10



Nook and Cranny Frames

Part No	Description
PA/00021	Nook and Cranny Frames 100mm
PA/00021A	Nook and Cranny Frames 100mm 16"



Utility Synthetic Brush

Part No	Description
PA/00003	Utility 25mm Synthetic Brush
PA/00003A	Utility 50mm Synthetic Brush



Radiator Brush

Part No	Description
PA/00006	25mm Radiator Brush Wood Handle
PA/00006B	50mm Radiator Brush Wood Handle
PA/00006C	63mm Radiator Brush Wood Handle
PA/00007	25mm Radiator Brush Plastic Handle
PA/00007A	38mm Radiator Brush Plastic Handle
PA/00007B	50mm Radiator Brush Plastic Handle
PA/00007C	63mm Radiator Brush Plastic Handle



Accessories



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Conventional Spray Equipment

DeVilbiss Spray Guns

1

JGA HD range of Suction and Pressure feed Spray Guns	1	GTI-HD of Suction and Pressure feed Spray Guns	7
ADVANCE HD range of Conventional Suction and Pressure feed Spray Guns	3	GFG PRO - Gravity Spray Gun	9
ADVANCE HD range of HVLP and TRANSTECH® Suction and Pressure feed Spray Guns	5	ADVANCE HD Conventional Gravity Spray Gun	11
		HD range of Gravity Spray Guns	13
		SRI-HD range of Gravity Spray Guns	15

Suction Guns

17

Touch up gun 1.4mm	17	Samson S90 Series II - Suction Feed	17
Arnold SLS Gun	17	SS770 Spray Gun W/Pot	17

Gravity Guns

18

Star 106 Mini Gun 1.2mm	18	ATS Gravity Gun	18
Spray Gun .5mm Gravity	18		

Pressure Guns

19

Samson S90 Series II - Pressure Feed	19	DeVilbiss SKG Pressure Gun	20
Arnold SLS Pressure Gun	19	DeVilbiss JGV 570 Zinc Gun	20
Star S770 Pressure Gun	19		

Air Brushes

21

DeVilbiss Dagr Gravity Air Brush	21	Paasche VL Set Air Brush Set	21
Paasche H Set Air Brush Set	21	AC-500S Compressor with Air Tank	21

Pressure Pots

22

2ltr Samson Pot	22	10ltr Binks Direct Drive Rotary	
2ltr DeVilbiss Pot	22	Agitation Pot	23
4ltr Pressure Pot (No Wheels)	22	10ltr Hand Agitated Pot	23
10ltr Binks Non Agitation Pot	22	20ltr Pressure Pot	24
Pressure Pots	23	20ltr Pressure Pot	24
10ltr Pro Pressure Pot (No Wheels)	23	Binks Galvanised Carbon Steel 40ltr Pot	24
10ltr Pressure Pot	23	Binks Fully Stainless Steel Electro	
		Polished 60ltr Pot	24

Automatic Conventional Spray

25

DeVilbiss Cobra 1	25	AGN Automatic Spray Gun	25
DeVilbiss Cobra 2	25	Binks 460 Automatic Spray Gun	26
Tungsten Carbide Tips and Needles	25	DeVilbiss AGMD Automatic Spray Gun	26

Manual Electrostatic Spray Guns

27

Solo 65kV Electrostatic - Low Pressure Air Spray	27	Solo 85kV Electrostatic Solvent/ Waterborne - Low Pressure Air Spray	27
--	----	--	----

Solo AA90 85kV Air Assisted Airless Electrostatic	27	R90 Classic Electrostatic Solvent/ Waterborne - Low Pressure Air Spray	28
R90 Cascade Electrostatic Solvent/ Waterborne - Low Pressure Air Spray	27	R70 Classic Electrostatic - Low Pressure Air Spray	28
R70 Cascade Electrostatic Low Pressure Air Spray	28	AA90 Air Assisted Airless Electrostatic	28

Accessories

29


Disposable Spraybooth Filter Paper	29
Super Efficiency Spraybooth Filter Paper	29
Filter Media	29
In Line Air Filters	29
Cone Strainers	30
DeVilbiss Cup Filters	30
Drip Free Diaphragms	30
DeVilbiss Gravity Cup Filters	30
Viscosity Cups	31
Fluid Filter Inlet Kit	31
In Line Air Adjusting Valve	31
Digital Air Pressure Gauge	31
Professional Spray Gun Cleaning Kit	32
Gun Cleaning Brushes	32
12pc Master Spray Gun Cleaning Kit	32
Gravity Gun Stand	32
Gravity Gun Stands	33
Gravity Gun Wall Brackets	33
Disposable Pressure Tank Liners	33
Spot Pots	33
DeVilbiss Gravity Cups	34
600 mill Gravity Pot Female Thread	34
DeVilbiss 1ltr Suction Pot	34
1ltr Suction Pot	34
Mixing Cups	35
SSL 10 Gun Lube	35
Spray Gun Service Kits	35
Spray Gun Service Kits	35
Nozzle Kit for S-90 Spray Gun	36



Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	PRO-405-K	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
6	Aircap & Ring		1
8	Fluid Nozzle		1
9	Spray Head	-	1
*10	Spray Head Seal (kit of 2)	SN-18-1-K2	1
11	Spray Head & Seal Kit	SN-17-1-K	1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1
*17	Needle Spring Pad	-	1

Ref. No	Description	Part No.	Qty
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	PRO-3-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	1
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	1
*24	Spreader Valve Pin	-	2
25	Spreader Valve Assembly	PRO-404-K	1
*26	Needle Packing	-	1
*27	Packing Spring	-	1
28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	

Ref. No	Description	Part No.	Qty
31	Air Valve Cage	-	1
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1



Ref. No	Description	Part No.	Qty
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-21-K	1
42	Air Inlet	SN-40-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	PRO-411-K	1
45	Circlip	-	1
46	Valve Head	-	1
47	Washer	-	1
48	Valve Body	-	1
49	Valve Stem	-	1
50	Baffle plate	SN-41-K	1
51	Stud and Screw kit	SN-405-K5	1
52	Air valve Service Tool	-	1
53	Torx Key	SPN-8-K2	1
54	Fluid Inlet Connector	-	1
55	Lock Nut	-	1
56	Seal	-	1
57	Fluid Inlet Connector Kit	PRO-12-K	1
Suction Cup Models only			
58	Suction Cup	TGC-545-E-K	1
59	Cup Lid Gasket - kit of 5	TGC-9-K5	1
60	Drip Check Diaphragm- Kit of 5	KR-115-K5	1
61	Filter – Kit of 10	KR-484-K10	1
62	Lid Assembly	TGC-404-E	1
63	Valve Kit of 3	TGC-407-1-K3	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 E sales.vic@sprayandblast.com.au


www.sprayandblast.com.au



Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1
2	Slip Ring	-	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
5	Retaining Ring Seal	-	1
6	Aircap & Ring		1
7	Air Cap Retaining Ring & Seals	ADV-403-K	1
8	Fluid Nozzle		1
9	Separator	SP-626-K5	1
10	Fluid Nozzle Kit		1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1

Ref. No	Description	Part No.	Qty
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	ADV-6-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	2
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	2
*24	Spreader Valve Pin	-	2

Ref. No	Description	Part No.	Qty
25	Spreader & Airflow Valve Assembly	ADV-401-K	2
*26	Needle Packing	-	1
*27	Packing Spring	-	1
*28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	1
31	Air Valve Cage	-	1



Ref. No	Description	Part No.	Qty
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-63-K	1
42	Air Inlet	SN-9-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
45	Stud and Screw kit	SN-405-K5	1
46	Air valve Service Tool	-	1
47	Torx Key	SPN-8-K2	1
54	Fluid Inlet Connector	-	1
55	Lock Nut	-	1
56	Seal	-	1
57	Fluid Inlet Connector Kit	ADV-7-K	1
Suction Cup Models only			
58	Suction Cup	TGC-545-E-K	1
59	Cup Lid Gasket - kit of 5	TGC-9-K5	1
60	Drip Check Diaphragm- Kit of 5	KR-115-K5	1
61	Filter – Kit of 10	KR-484-K10	1
62	Lid Assembly	TGC-404-E	1
63	Valve Kit of 3	TGC-407-1-K3	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1
2	Slip Ring	-	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
5	Retaining Ring Seal	-	1
6	Aircap & Ring		1
7	Air Cap Retaining Ring & Seals	ADV-403-K	1
8	Fluid Nozzle		1
9	Separator	SP-626-K5	1
10	Fluid Nozzle Kit		1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1

Ref. No	Description	Part No.	Qty
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	ADV-6-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	2
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	2
*24	Spreader Valve Pin	-	2
25	Spreader & Airflow Valve Assembly	ADV-401-K	2
*26	Needle Packing	-	1
*27	Packing Spring	-	1
*28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	1
31	Air Valve Cage	-	1

Ref. No	Description	Part No.	Qty
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-63-K	1
42	Air Inlet	SN-9-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
45	Stud and Screw kit	SN-405-K5	1

Ref. No	Description	Part No.	Qty
46	Air valve Service Tool	-	1
47	Torx Key	SPN-8-K2	1
54	Fluid Inlet Connector	-	1
55	Lock Nut	-	1
56	Seal	-	1
57	Fluid Inlet Connector Kit	ADV-7-K	1
Suction Cup Models only			
58	Suction Cup	TGC-545-E-K	1
59	Cup Lid Gasket - kit of 5	TGC-9-K5	1
60	Drip Check Diaphragm- Kit of 5	KR-115-K5	1
61	Filter – Kit of 10	KR-484-K10	1
62	Lid Assembly	TGC-404-E	1
63	Valve Kit of 3	TGC-407-1-K3	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au


www.sprayandblast.com.au



Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	PRO-405-K	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
6	Aircap & Ring		1
8	Fluid Nozzle		1
9	Spray Head	-	1
*10	Spray Head Seal (kit of 2)	SN-18-1-K2	1
11	Spray Head & Seal Kit	SN-17-1-K	1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	PRO-3-K	1
*20	Retaining Clip	-	2

Ref. No	Description	Part No.	Qty
21	Spreader Valve Body	-	1
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	1
*24	Spreader Valve Pin	-	2
25	Spreader Valve Assembly	PRO-404-K	1
*26	Needle Packing	-	1
*27	Packing Spring	-	1
28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	
31	Air Valve Cage	-	1
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1

Ref. No	Description	Part No.	Qty
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-21-K	1
42	Air Inlet	SN-40-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	PRO-411-K	1
45	Circlip	-	1



Ref. No	Description	Part No.	Qty
46	Valve Head	-	1
47	Washer	-	1
48	Valve Body	-	1
49	Valve Stem	-	1
50	Baffle plate	SN-41-K	1
51	Stud and Screw kit	SN-405-K5	1
52	Air valve Service Tool	-	1
53	Torx Key	SPN-8-K2	1
54	Fluid Inlet Connector	-	1
55	Lock Nut	-	1
56	Seal	-	1
57	Fluid Inlet Connector Kit	PRO-12-K	1
Suction Cup Models only			
58	Suction Cup	TGC-545-E-K	1
59	Cup Lid Gasket - kit of 5	TGC-9-K5	1
60	Drip Check Diaphragm- Kit of 5	KR-115-K5	1
61	Filter – Kit of 10	KR-484-K10	1
62	Lid Assembly	TGC-404-E	1
63	Valve Kit of 3	TGC-407-1-K3	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

ice (WA)

oad, Wangara WA 6065

599

099

ayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272 F 03 9752 5654

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1
2	Slip Ring	-	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
5	Retaining Ring Seal	-	1
6	C1 Aircap & Ring	PROC-120-C1-K	1
	C2 Aircap & Ring	PROC-120-C2-K	1
7	Air Cap Retaining Ring & Seals	PRO-405-K	1
8	Fluid Nozzle		1
9	Spray Head	-	1
*10	Spray Head Seal (kit of 2)	SN-18-1-K2	1
11	Spray Head & Seal Kit	SN-17-1-K	1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle	GFGPRO-320-K	1

Ref. No	Description	Part No.	Qty
*16	Needle Spring	-	1
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	PRO-3-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	1
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	1
*24	Spreader Valve Pin	-	2
25	Spreader Valve Assembly	PRO-402-K	1
*26	Needle Packing	-	1
*27	Packing Spring	-	1
28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	

Ref. No	Description	Part No.	Qty
31	Air Valve Cage	-	1
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	-	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-21-K	1
41	Plug	-	1
42	Air Inlet	SN-40-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	PRO-411-K	1
45	Circlip	-	1
46	Valve Head	-	1
47	Washer	-	1

Ref. No	Description	Part No.	Qty
48	Valve Body	-	1
49	Valve Stem	-	1
50	Baffle plate	SN-41-K	1
51	Gravity Cup Kit	GFC-501	1
52	Drip Check Lid (kit of 5)	GFC-2-K5	1
53	Gravity Cup Lid	GFC-402	1
54	Gravity Cup	-	1
55	Filter	KGP-5-K5	1
56	Air valve Service Tool	-	1
57	Torx Key	SPN-8-K2	1
58	Stud and Screw kit	SN-405-K5	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

F 03 9752 5654

www.sprayandblast.com.au




Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1
2	Slip Ring	-	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
5	Retaining Ring Seal	-	1
6	Aircap & Ring		1
7	Air Cap Retaining Ring & Seals	ADV-403-K	1
8	Fluid Nozzle	-	1
9	Separator	SP-626-K5	1
10	Fluid Nozzle Kit		1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1

Ref. No	Description	Part No.	Qty
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	ADV-6-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	1
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	1
*24	Spreader Valve Pin	-	2
25	Spreader Valve Assembly	ADV-402-K	1
*26	Needle Packing	-	1
*27	Packing Spring	-	1
*28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	1

Ref. No	Description	Part No.	Qty
31	Air Valve Cage	-	1
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-63-K	1
42	Air Inlet	SN-9-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	ADV-402-K	1
48	Valve Body	-	1

Ref. No	Description	Part No.	Qty
49	Valve Stem	-	1
51	Gravity Cup Kit	GFC-501	1
52	Drip Check Lid (kit of 5)	GFC-2-K5	1
53	Gravity Cup Lid	GFC-402	1
54	Gravity Cup	-	1
56	Air valve Service Tool	-	1
57	Torx Key	SPN-8-K2	1
58	Stud and Screw kit	SN-405-K5	1
59	Spanner	SN-28-K	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1
2	Slip Ring	-	1
3	Air Cap	-	1
4	Air Cap Retaining Clip	JGA-156-K5	1
5	Retaining Ring Seal	-	1
6	Aircap & Ring		1
7	Air Cap Retaining Ring & Seals	PRO-405-K	1
8	Fluid Nozzle		1
9	Spray Head	-	1
*10	Spray Head Seal (kit of 2)	SN-18-1-K2	1
11	Spray Head & Seal Kit	SN-17-1-K	1
*12	Body Bushing Seal	-	1
13	Body Bushing	-	1
14	Body Bushing & Seal	SN-6-K	1
15	Fluid Needle		1
*16	Needle Spring	-	1

Ref. No	Description	Part No.	Qty
*17	Needle Spring Pad	-	1
18	Fluid Adjusting Knob	-	1
19	Fluid Adjusting Knob, Spring & Pad Kit	PRO-3-K	1
*20	Retaining Clip	-	2
21	Spreader Valve Body	-	1
*22	Spreader Valve Seal	-	2
23	Spreader Valve Adjusting Knob	-	1
*24	Spreader Valve Pin	-	2
25	Spreader Valve Assembly	PRO-402-K	1
*26	Needle Packing	-	1
*27	Packing Spring	-	1
28	Packing Nut	-	1
29	Packing, Spring & Packing Nut Kit	SN-404-K	1
30	Air Valve Body	-	
31	Air Valve Cage	-	1

Ref. No	Description	Part No.	Qty
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-21-K	1
41	Plug	-	1
42	Air Inlet	SN-40-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	PRO-411-K	1
45	Circlip	-	1
46	Valve Head	-	1

Ref. No	Description	Part No.	Qty
47	Washer	-	1
48	Valve Body	-	1
49	Valve Stem	-	1
50	Baffle plate	SN-41-K	1
51	Gravity Cup Kit	GFC-501	1
52	Drip Check Lid (kit of 5)	GFC-2-K5	1
53	Gravity Cup Lid	GFC-402	1
54	Gravity Cup	-	1
55	Filter	KGP-5-K5	1
56	Air valve Service Tool	-	1
57	Torx Key	SPN-8-K2	1
58	Stud and Screw kit	SN-405-K5	1
SERVICE PARTS			
Spray Gun repair kit (includes items marked *)		PRO-415-1	
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)		GTI-428-K5	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

F 03 9752 5654

www.sprayandblast.com.au




Ref. No	Description	Part No.	Qty	Ref. No	Description	Part No.	Qty
1	Air Cap Retaining Ring	-	1	19	Fluid Adjusting Knob, Spring & Pad Kit	PRO-3-K	1
2	Slip Ring	-	1	*20	Retaining Clip	-	1
3	Air Cap	-	1	21	Spreader Valve Body	-	1
5	Retaining Ring Seal	-	1	*22	Spreader Valve Seal	-	2
6	Aircap & Ring		1	23	Spreader Valve Adjusting Knob	-	1
8	Fluid Nozzle		1	*24	Valve Pin	-	1
9	Separator	SRIPRO-2-K5	1	25	Spreader Valve Assembly	SRIPRO-401-K	1
*12	Body Bushing Seal	-	1	*26	Needle Packing	-	1
13	Body Bushing	-	1	*27	Packing Spring	-	1
14	Body Bushing & Seal	SN-6-K	1	28	Packing Nut	-	1
15	Fluid Needle		1	29	Packing, Spring & Packing Nut Kit	SN-404-K	1
*16	Needle Spring	-	1	30	Air Valve Body	-	
*17	Needle Spring Pad	-	1	31	Air Valve Cage	-	1
18	Fluid Adjusting Knob	-	1				

Ref. No	Description	Part No.	Qty
32	Air Valve Poppet	-	1
33	Air Valve Spring	-	1
34	Air Valve Spring Pad	-	1
35	Air Valve Seal	SN-34-K5	1
36	Air Valve Assembly	SN-402-K	1
*37	Trigger Stud Screw (T20 TORX)	-	1
38	Trigger	-	1
*39	Trigger Stud	-	1
40	Trigger, Stud & Screw Kit	SN-42-K	1
41	Stud and Screw kit	SN-405-K5	1

Ref. No	Description	Part No.	Qty
42	Air Inlet	SN-40-K	1
43	Colour ID Ring Kit (4 Colours)	SN-26-K4	1
44	Airflow Valve	PRO-404-K	1
45	Circlip	-	1
49	Spanner kit of 2	SRI-50-K2	1
50	Funnel kit of 12	SRI-51-K12	1
51	Gravity Cup Kit	SRI-510	1
52	Drip Check Lid (kit of 5)	GFC-2-K5	1
53	Gravity Cup Lid (kit of 2)	SRI-414-K2	1
54	Gravity Cup	-	1
55	Filter	SRI-42-K3	1
56	Air valve Service Tool	-	1
57	Torx Key	SPN-8-K2	1

SERVICE PARTS

Spray Gun repair kit (includes items marked *)	PRO-415-1
Seal and Pin Kit, kit of 5 (items 20, 22 and 24)	GTI-428-K5



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Conventional Spray Equipment | Suction Guns

Touch up gun 1.4mm

Part No	Description
STAR/SJ-108	Touch up gun 1.4mm



Arnold SLS Gun

Part No	Description
B/S106255	1.5mm Set Up
B/S106251	2mm Set Up



Samson S90 Series II - Suction Feed

Part No	Description
B/S-90 Black-S	S90 Black
	Application: Refinish
	Nozzle Size: 1.5mm
	CFM Required: 16 at 70 PSI
B/S-90 Blue-S	S90 Blue
	Application: DIY Handyman
	Nozzle Size: 1.8mm
	CFM Required: 8-10 at 70 PSI
B/S-90 Grey-S	S90 Grey
	Application: General Purpose
	Nozzle Size: 1.8mm
	CFM Required: 17 at 70 PSI



SS770 Spray Gun W/Pot

Part No	Description
STAR/S770S-1	1.5mm Set Up
STAR/S770S-3	2.0mm Set Up
STAR/S770-4	2.5mm Set Up
STAR/S770-5	3.0mm Set Up



Conventional Spray Equipment | Gravity Guns

Star 106 Mini Gun 1.2mm

Part No	Description
STAR/S106TG-4	Star 106 Mini Gun 1.2mm



Spray Gun .5mm Gravity

Part No	Description
STAR/S2-F05	Spray Gun .5mm Gravity



ATS Gravity Gun

Part No	Description
I/ATS25	ATS 2.5mm Gravity Gun
I/ATS35	ATS 3.5mm Gravity Gun



Samson S90 Series II - Pressure Feed

Part No	Description
B/S-90Green	S90 Green Application: Low Viscosity Nozzle Size: 1.2mm CFM Required: 23 @ 70 PSI
B/S-90Black	S90 Black Application: Refinish Nozzle Size: 1.5mm CFM Required: 16 @ 70 PSI
B/S-90Blue	S90 Blue Application: DIY Handyman Nozzle Size: 1.8mm CFM Required: 8-10 @ 70 PSI
B/S-90Grey	S90 Grey Application: General Purpose Nozzle Size: 1.8mm CFM Required: 17 @ 70 PSI
B/S-90Red	S90 Red Application: High Performance Nozzle Size: 1.8mm CFM Required: 21 @ 70 PSI
B/S-90Gold	S90 Gold Application: Metal Finishing Nozzle Size: 2.2mm CFM Required: 14 @ 70 PSI



Arnold SLS Pressure Gun

Part No	Description
B/S2106250	2mm Arnold SLS Gun
B/S2106252	1.5mm Arnold SLS Gun



Star S770 Pressure Gun

Part No	Description
STAR/S770H-1	1.5mm Star S770 Gun
STAR/S770H-3	2mm Star S770 Gun
STAR/S770H-4	2.5mm Star S770 Gun
STAR/S770H-5	3mm Star S770 Gun



Gravity Guns

DeVilbiss SKG Pressure Gun

Part No	Description
D/SGK-505-622-11	1.1mm DeVilbiss SKG Gun
D/SGK-505-622-14	1.4mm DeVilbiss SKG Gun



Devilbiss JGV 570 Zinc Gun

Part No	Description
D/JGA-570-Zinc	2.2mm DeVilbiss zinc gun



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Conventional Spray Equipment | Air Brushes

DeVilbiss Dagr Gravity Air Brush

Part No	Description
D/DGR-501G-13	DeVilbiss Dagr Gravity Air Brush .35mm



Paasche H Set Air Brush Set

Part No	Description
P/H-SET	Paasche H Set Airbrush Set



Paasche VL Set Air Brush Set

Part No	Description
P/VL-SET	Paasche VL Set Airbrush Set



AC-500S Compressor with Air Tank

Part No	Description
P/SPAC500S	AC-500S Compressor with Air Tank



Conventional Spray Equipment | Pressure Pots

2ltr Samson Pot

Part No	Description
B/S810	2ltr Samson Pot



2ltr DeVilbiss Pot

Part No	Description
D/KB-555	2ltr DeVilbiss Pot



4ltr Pressure Pot (No Wheels)

Part No	Description
B/T02104	4ltr Pressure Pot (No Wheels)



10ltr Binks Non Agitation Pot

Part No	Description
B/83C-210	Zinc Plated Carbon Steel 10ltr Binks Non Agitation Pot



10ltr Pro Pressure Pot (No Wheels)

Part No	Description
B/T02105	10ltr Pro Pressure Pot (No Wheels)



10ltr Pressure Pot

Part No	Description
B/TS10LC	10ltr Pressure Pot



10ltr Binks Direct Drive Rotary Agitation Pot

Part No	Description
B/83C-211	Zinc Plated Carbon Steel 10ltr Binks Direct Drive Rotary Agitated Pot



10ltr Hand Agitated Pot

Part No	Description
B/TS10L	10ltr Agitated Pot



Pressure Pots

20ltr Pressure Pot

Part No	Description
B/TS20L	20ltr Pressure Pot



20ltr Pressure Pot

Part No	Description
B/T02220-A	20ltr Pressure Pot



Binks Galvanised Carbon Steel 40ltr Pot

Part No	Description
B/83G-1010	Binks Galvanised Carbon Steel 40ltr Pot Non Agitated
B/83G-1013	Binks Galvanised Carbon Steel 40ltr Pot Gear Reduction Rotary Agitated
B/83G-1016	Binks Galvanised Carbon Steel 40ltr Pot Reciprocating Pot



Binks Fully Stainless Steel Electro Polished 60ltr Pot

Part No	Description
B/83S-1510	Binks Fully Stainless Steel Electro Polished 60ltr Pot Non Agitated
B/83S-1512	Binks Fully Stainless Steel Electro Polished 60ltr Pot Manual Agitated



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

DeVilbiss Cobra 1

A completely new design of automatic spray gun, purpose made to provide a long working life in tough working conditions.


Part No	Description
D/CBA1-522-12	DeVilbiss Cobra 1



DeVilbiss Cobra 2

Fast and easy removal of gun from the mounting block provides quick and easy replacement or maintenance with Reduced Production Downtime.

Part No	Description
D/CBA2-153-14	DeVilbiss Cobra 2



Tungsten Carbide Tips and Needles

Easy and fast cleaning is provided by the unique and instant 1/4 turn air cap and fluid tip removal system.

Part No	Description
D/VPR-XXX-YYC	Tungsten Carbide Tips and Needles



AGN Automatic Spray Gun

AGN is a diaphragm operated automatic spray gun for use with ceramic glaze, vitreous enamels, liquid polishing compounds and similar materials.

Part No	Description
D/AGN-502-YYZ-XX	AGN - Automatic Spray Gun for ceramic and enamel applications



Automatic Conventional Spray

Binks 460 Automatic Spray Gun

Small precision gun designed with accuracy in mind, for ease of fitting to existing automatic and semi-automatic machines.

Part No	Description
B/200831-J92S	1.0mm Nozzle Diameter
B/200833-J92P	0mm, 0.75mm, 1.0mm Nozzle Diameter
B/200838-K929	0.75mm and 1.5mm Nozzle Diameter



DeVilbiss AGMD Automatic Spray Gun

Exceptional spray performance

Part No	Description
D/AGMD-514-XXX	DeVilbiss AGMD Automatic Spray Gun



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Solo 65kV Electrostatic - Low Pressure Air Spray

- Reduced Barrel Length.....Lightweight, user-friendly design is easily handled
- Ransburg Aircaps.....Provide best in class atomisation and superior transfer efficiency
- Low Trigger Pull Force..... Reduces operator fatigue improving productivity
- Low Motor Speed...Minimises the vibration transmitted to the handle for a secure grip
- FM and ATEX (CE listed).....Tested and approved for worldwide use in paint booths and in hazardous locations.



Solo 85kV Electrostatic Solvent/Waterborne - Low Pressure Air Spray

This 85kV cordless gun has the extra electrostatic power to handle a wider range of materials than the 65kV.

- Minimal Air Consumption...Power source requires only 85kV an additional 4 scfm (120 slpm) over a corded applicator



Solo AA90 85kV Air Assisted Airless Electrostatic

- Balanced Electrode Design... Provides the best transfer efficiency in the industry
- Easily Maintained.....Modular design makes it easy to repair and replace components. (if needed)
- Single Turn Fan Pattern Adjustment... Reduces overall pattern size by 30%



R90 Cascade Electrostatic Solvent/Waterborne - Low Pressure Air Spray

- Conventional air spray
- Reduced overspray - High transfer efficiency
- Modular design - Easy maintenance
- Highly manoeuvrable - Light trigger pull
- Operator friendly - Controls on the gun
- Rugged construction for durability 85kV sprays most types of fluid
- Gun has triple voltage set point adjustment on the gun and voltage on/off on the gun



Manual Electrostatic Spray Guns

R70 Cascade Electrostatic Low Pressure Air Spray

Designed for improved access into tight or restricted areas, the R70 is the standard for productions where Class A finishes and high durability are a must. Small compact design is ideal for all painters.



R90 Classic Electrostatic Solvent/Waterborne - Low Pressure Air Spray

Designed to apply solvent based coatings with extremely high transfer efficiency. Simple, rugged, reliable and ideally suited to reducing coating usage and providing maximum up-time.



R70 Classic Electrostatic - Low Pressure Air Spray

The R70 is a very light and compact spray gun which can be used in "very tight" application areas. Wrap around as well as transfer efficiency are excellent which results in significant paint savings.



AA90 Air Assisted Airless Electrostatic

- Classic - The perfect combination of lightweight and simplicity
- Cascade - Designed for those applications where "on the gun" control of electrostatic power output is desired
- "Triple set point" voltage control "on the Cascade gun"
- Spray fan adjustment "on the gun"
- Ultra Lightweight gun with reduced trigger pull tension means reduced operator fatigue
- Solvent and waterborne paint compatibility
- FM and ATEX/CE approved



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181


VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au


Disposable Spraybooth Filter Paper

Part No	Description
B/20-72-29	H 90cm x L 924cm (H36" x L30ft)
B/20-72-00	H 75cm x L 1346cm (H36" x L30ft)
B/20-72-01	H 90cm x L 1115cm (H36" x L30ft)
B/20-72-02	H 100cm x L 1038cm (H36" x L30ft)




Super Efficiency Spraybooth Filter Paper

Part No	Description
B/20-72-29-SEF	H 90cm x L 600cm
B/20-79-02-SEF	H 100cm x L 800cm



Filter Media

Part No	Description
SUN/FILTERMEDIA (E)	Filter Media (E) 50m x 1.5m wide
SUN/FILTERMEDIA 1.5	Filter Media (H) 1m x 1.5m wide
SUN/FILTERMEDIA 2.0	Filter Media (H) 20m x 2.1m wide
SUN/FILTERMEDIA 20MTR	Filter Media (E) 20m x 1.5m wide



In Line Air Filters

Part No	Description
D/HAF-507	In Line Air Filters



Accessories

Cone Strainers

Part No	Description
D/6000-250P	Cone Strainers Pkt 250
D/6000-50P	Cone Strainer Pkt 50



DeVilbiss Cup Filters

Part No	Description
D/KR484-K2	DeVilbiss Cup Filters Pkt 2
STAR/SA32-K5	STAR Cup Filters Pkt 5



Drip Free Diaphragms

Part No	Description
D/KR-115	DeVilbiss Drip Free Diaphragms
B/S801-04	Samson Drip Free Diaphragms



DeVilbiss Gravity Cup Filters

Part No	Description
D/KGP-5-K5	DeVilbiss Cup Filters



Viscosity Cups

Part No	Description
D/7000-11-4-K2	Viscosity Cups



Fluid Filter Inlet Kit

- Gun not included

Part No	Description
D/VSA-512	Fluid Filter Inlet Kit
D/VSA-3	Replacement Filter 60 Micron Green
D/VSA-4	Replacement Filter 112 Micron Blue
D/VSA-5	Replacement Filter 280 Micron White



In Line Air Adjusting Valve

Part No	Description
D/HAV-501	In Line Air Adjusting Valve



Digital Air Pressure Gauge

Part No	Description
D/DGIPRO-502-XXX	Digital Air Pressure Gauge



Accessories

Professional Spray Gun Cleaning Kit

Part No	Description
D/KK4584	Professional Spray Gun Cleaning Kit



Gun Cleaning Brushes

Part No	Description
D/42884-215B	Cleaning Brush 5/8 Dia
D/42884-214B	Cleaning Brush 3/8 Dia



12pc Master Spray Gun Cleaning Kit

Part No	Description
STAR/03150	12pc Master Spray Gun Cleaning Kit



Gravity Gun Stand

Part No	Description
STAR/03100	Gravity Gun Stand



Gravity Gun Stands

Part No	Description
D/GFV-50F	1 Gun Stand
D/GGS-1	3 Gun Stand




Gravity Gun Wall Brackets

Part No	Description
D/GFG-6	Gravity Gun Wall Bracket



Disposable Pressure Tank Liners

Part No	Description
D/PT-78	Binks Disposable Pressure Tank Liners



Spot Pots

- 1 Litre Cup not included

Part No	Description
D/KR-110-K3	Spot Pots



Accessories

DeVilbiss Gravity Cups

Part No	Description
D/GFG-501	568 mills Acetal
D/GFC-502	1 Litre Aluminium
D/GFC-511	568 mil Polyester for difficult fluids



600 mill Gravity Pot Female Thread

Part No	Description
D/G1-12	600 mill Gravity Pot Female Thread



DeVilbiss 1ltr Suction Pot

Part No	Description
D/KR-566-1-B	DeVilbiss 1ltr Suction Pot



1ltr Suction Pot

Part No	Description
B/S801-02	1ltr Suction Pot



Mixing Cups

Part No	Description
D/MC-1-K50	Mixing Cup
D/MC-23	2.3ltr Mixing Cup
D/MC23L	2.3ltr Mixing Cup



SSL 10 Gun Lube

Part No	Description
D/SSL-10	SSL 10 Gun Lube
D/SSL-10-K12	SSL 10 Gun Lube



Spray Gun Service Kits

Part No	Description
D/KK-4585	Spray Gun Service Kits



Spray Gun Service Kits

- Suit DeVilbiss JGA Guns

Part No	Description
D/KK-4502-FZ	1.2mm Spray Gun Service Kit
D/KK-4502-FF-L	1.4mm Spray Gun Service Kit
D/KK-4502-FX-H	1.6mm Spray Gun Service Kit
D/KK-4502-EX-L	1.8mm Spray Gun Service Kit
D/KK-4502-D-L	2.2mm Spray Gun Service Kit
D/KK-4502-C-L	2.8mm Spray Gun Service Kit



Accessories

Nozzle Kit for S-90 Spray Gun

Part No	Description
B/S102371	Suit Black Samson S90 1.5mm
B/S102372	Suit Blue Samson S90 1.8mm
B/S102373	Suit Grey Samson S90 1.8mm
B/S102374	Suit Red Samson S90 1.8mm
B/S102371	Suit Gold Samson S90 2.2mm
B/S102372	Suit Green Samson S90 1.2mm



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Blast Equipment

Blast Pots

1

SuperFlow Blast Pots	1	FatBoy Blast Pot	5
Standard Blast Pots	3		

Blast Cabinets

7

Scorpion Blast Cabinets	7
-------------------------	---

Spray Painting Booths

11

Spray Painting Booth	11
----------------------	----

Blastrooms

13

Blastroom Applications	13	Coldroom Panel Blastroom	19
------------------------	----	--------------------------	----

Portable Ventilators

21

Portable Ventilator	21
---------------------	----

Spares and Accessories

23

Remote Control Valves	23	Normally Closed Urethane	71
Compact Remote Valve	23	Isolator Valve	73
RAV125 Inlet Valve	25	Pop Up Valve and Seating Rings	75
RAV125 Outlet Valve	27	Standard Pop Up Valves and Seating	
RAV125 Combination Valve	29	Rings	75
Combination Valve	31	Pop Up Valve Sleeved	75
Mini Combination Valve	33	S Series Pop Up Valves and Seating Rings	75
Auto Air Valve	35	Climate Control	76
Silencer	37	Climate Control Tube	76
Remote Control Handles	39	Cold Air Tube	76
CRV Pneumatic Deadman Handle	39	Aluminium Cool Air Tube	76
CRV Electric Deadman Handle	41	Miscellaneous	77
RAV Pneumatic Deadman Handle	43	Hi-Vis Cape	77
RAV Electric Deadman Handle	45	Leather Cape	77
Electric Conversion Kit Cable	47	Nylon Cape	77
Ball Stop Control Handle	49	Blast Gloves	77
Pneumatic	49	Diameter Screen	78
Dual Switch	51	Diameter Lid	78
Blasting Light	53	Nozzle Pressure Gauge	78
Abrasive Metering Valves	55	Blasting Suit	78
Pinch Valve	55	Safety Gear	79
Sand Valve	57	Nova 2000 Blast Helmet	79
Mini Sand Valve	59	Nova 3 Blast Helmet	83
Abrasive Saver Valve	61	Radex Breathing Airline Filter	85
MV2™	63	Breathing Filter Cartridges	87
TVII Polyurethane	65	APF3100 Air Filter Cartridge	87
TVII Tungsten Carbide	67	AFC100 Air Filter Cartridge	87
Normally Closed Tungsten Carbide	69	Double Slot Filter Cartridge	87

Standard Blast Hose Heavy Wall	88	Nozzle Holders	97
Light Weight Blast Hoses	89	Aluminium Nozzle Holders	97
Blasting Nozzles	90	Nylon Nozzle Holders	97
Tungsten Carbide Nozzles	90	NHP Nylon Nozzle Holders	98
Nylon Jacket	90	Nozzle Holder with Claw	98
Tungsten Carbide Nozzles	91	Hose Couplings	99
Tungsten Carbide Nozzles	91	CQP Nylon Quick Coupling	99
Water Jacket Nozzle	91	Nylon Hose Coupling	99
Blasting Nozzles	92	Metal Hose Coupling	100
Silicon Carbide Nozzles	92	Threaded Pot Couplings	101
Syclone Carbide Nozzles	92	Nylon Threaded Coupling	101
Angle Nozzles	93	Threaded Coupling	101
Rubbers and Gaskets	94	Air Filtration and Manifolds	103
Nozzle Rubber Gaskets	94	Air Pig	103
Brass and Steel Hose Coupling Gaskets	94	Knock Out Moisture Separator	103
Metal Pot Coupling Gasket	94	Moisture Separator	103
Nylon Hose and Pot Coupling Gaskets	94	Micromist Kit	104
Safety Clips and Screws	95	Stork Eliminator	104
Self Tapper Blast Hose	95	DVFR-2 Filter Regulator Coalescer	104
Safety Clips	95	Filter	104
Safety Locking Pins (Nylon)	95	Dryza Blast	105
Safety Locking Pins (Brass)	95		
Whip Checks	96		

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Blast Equipment | Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Pots



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Please call us for more
information on Spray
Painting Booths

NO IMAGE
AVAILABLE

Please call us for more
information on Spray
Painting Booths



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blast Rooms



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Please call us for more
information on Blastrooms

NO IMAGE
AVAILABLE

Please call us for more
information on Blastrooms



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Please call us for more
information on Portable
Ventilators

NO IMAGE
AVAILABLE

Please call us for more
information on Portable
Ventilators

Part Number	Description
SB/VF-BP-801102	Portablast Ventilator Electric 5,000 CFM
SB/VF-BP-801103	Portablast Ventilator Electric 10,000 CFM
SB/VF-BP-801110	Portablast Dust Hose 500mm x 7.5mtr



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

A large rectangular box with a thin black border, intended for an image of the Compact Remote Valve. The text 'NO IMAGE AVAILABLE' is centered within this box.

NO IMAGE
AVAILABLE

Benefits

Lightweight, sturdy and reliable the alpha-blast Compact Remote Valve is an air operated inlet/exhaust valve which is easily retro fitted to control systems and allows quick start and stop response to the remote control handle.

Why is the Compact Remote Valve ideal for you? Because the complete valve can be serviced without removing it from the blast pot, eliminating costly down time, maintenance costs and ensures the operator spends more time blasting.

Simple and reliable this control valve is suitable for use with all abrasive and blast pot set up types.

Part Number	Description
SB/RC-BP-301001	Compact Remote Valve

Item	Part Number	Description	Qty
1	SB/RC-BP-301534	Main Body	1
2		M6 x 20mm Cap Screw	1
3	SB/RC-BP-301546	Piston Rod	1
4	SB/RC-BP-301547	Bush	1
5	SB/RC-BP-301541	Circlip	1
6	SB/RC-BP-301453	Diaphragm-Pkt 3	1
7	SB/RC-BP-301135	Exhaust Champer (Cap)	1
8	SB/RC-BP-301542	M8 x 50mm Hex Head Bolt	1
9	SB/RC-BP-301542	M8 Flat Washer	1
10	SB/RC-BP-301231	Exhaust Nipple	1
11	SB/RC-BP-301437	Exhaust Pad-Pkt 3	1
12	SB/RC-BP-301544	M6 x 20mm Cap Screw	1
13	SB/RC-BP-301543	Piston	1
14	SB/RC-BP-301545	Backing Washer	1
15		O'Ring ID41mm x Dia 3.53mm	1
16		O'Ring ID15mm x Dia 2.62mm	1
17	SB/RC-BP-301538	Spring	1
18	SB/RC-BP-301537	Piston End Cap	1
19		O'Ring ID28mm x Dia 3.53mm	1
20	SB/RC-BP-301535	Retaining Disc	1
	F/Logic 1/4	Mini Ball Valve M/F 1/4 BSP	1
	F/Ryco 201	Coupling 1/4 Male BSP	1
	F/Ryco 202	Adaptor 1/4 Male BSP	1
	SB/RC-BP-301010	CRV Repair Kit Incl. Items 11,6,15,16,17,19	1
	SB/RC-BP-301475	Piston Repair Kit Incl. Items 2,3,4,58,9,12,13,14,17,18,20	1
	SB/RC-BP-301476	Seal Kit Incl. Items 6,11,15,16,19	1
	SB/RC-BP-301477	Top End Kit Incl. Items 6,10,11,13	1
	SB/RC-BP-301478	Major Repair Kit Incl. Items 2,3,4,5,6,10,11,12,13,14,15,16,17,18,19,20	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

Normally closed air operated inlet valve with 1 1/4" ports ensures minimal air pressure loss. Contains no springs to close.

The blasting industries favourite remote control valve. Simple springless design ensures continuous reliable service for thousands of cycles. Removable end caps provides quick and simple access to the valve interior for servicing. Fitment of mini ball valve allows the valve to be deactivated in case of emergency.

Use in conjunction with RAV125 Outlet Valve.

Part Number	Description
SB/RC-BP-301002	RAV125 Inlet Valve 1" 1/4
SB/RC-BP-301495	RAV 150 Inlet Valve 1" 1/2

Item	Part Number	Description	Qty
1	SB/RC-BP-301555	Valve Housing	1
2	SB/RC-BP-301555	Inlet Valve (Piston)	1
3	SB/RC-BP-301556	Piston	1
4	SB/RC-BP-301557	Bottom Plate	1
5	SB/RC-BP-301559	Piston Seal	1
6	SB/RC-BP-301560	O'Rings	2
7	SB/RC-BP-301558	Cover Gasket	2
8	SB/RC-BP-301561	M8 x 20mm Piston Screw	1
9	F/HP4	1/4" BSP Plug	1
10	SB/RC-BP-301562	Screw M8 x 25mm Long	8
11	F/HN4/4	Nipple 1/4" BSP x 1/4" BSP	2
12	SB/RC-BP-301557	Top Plate	1
13	F/HN4/4	Nipple 1/4" BSP x 1/4" BSP	1
14	F/HN4/4	Nipple 1/4" BSP x 1/4" BSP	1
	F/logic 1/4	1/4 M/F Ball Valve	1
	SB/RC-BP-301384	Rav 125 Seal Kit Incl. Items 5,(2x7),(2x6)	1
		Major Repair Kit Incl. Items 2,3,5,(2x6),(2x7),8	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Benefits

The blasting industries favourite remote control valve. Simple springless design ensures continuous reliable service for thousands of cycles. Removable end caps provides quick and simple access to the valve interior for servicing. Exhaust air noise is greatly reduced by fitment of silencer to top cover.

Use in conjunction with RAV125 Inlet Valve.

Part Number	Description
SB/RC-BP-301003	Rav125 Outlet Valve

Item	Part Number	Description	Qty
1	SB/RC-BP-301566	Bleed Off Cylinder Housing	1
2	SB/RC-BP-301100	Bleed Off Manifold	1
3	SB/RC-BP-301383	Top Cover	1
4	SB/RC-BP-301565	Bleed Off Cylinder Piston	1
5	SB/RC-BP-301556	Piston	1
6	SB/RC-BP-301557	Bottom Plate	1
7	SB/RC-BP-301564	Diaphragm Pkt 3	1
8	SB/RC-BP-301559	Piston Seal Pkt 3	1
9	SB/RC-BP-301560	O'Ring Pkt 5	1
10	SB/RC-BP-30158	Gasket Pkt 5	1
11	SB/RC-BP-301561	Piston Screw M8 15mm Long	1
12	F/00050	Nipple 3/4" BSP x 3/4" BSP	1
13	SB/RC-BP-301562	Screw M8 25mm Long	4
14		O'Ring Manifold	1
15		Nut M8	4
16	F/HN4/4	Nipple 1/4" BSP x 1/4" BSP	1
17	SB/RC-BP-301562	Screw M8 35mm Long	4
18		Washer M8	4
19		Spring Washer M8	4
	SB/RC-BP-301487-SK	Rav 125 Outlet Seal Kit Incl. Items 7,8,9,10,14	1
		Major Repair Kit Incl. Items 3,4,5,6,7,8,9,10,11,12,14	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

A large rectangular placeholder box with a thin black border. Inside the box, the text 'NO IMAGE AVAILABLE' is centered.

NO IMAGE
AVAILABLE

Benefits

The RAV125 Combination Valve allows for ease of installation and maintenance with only one valve requiring removal for quick change over of respective diaphragms, gaskets and o rings, meaning down time is kept to an absolute minimum. Supplied complete with exhaust silencer.

Part Number	Description
SB/RC-BP-301004	Rav125 Combination Valve

Item	Part Number	Description	Qty
1	SB-RC-BP-301554	Valve Housing	1
2	SB-RC-BP-301566	Bleed Off Cylinder Housing	1
3	SB/RC-BP-301100	Bleed Off Manifold	1
4	SB/RC-BP-301383	Top Cover	1
5	SB/RC-BP-301555	Inlet Valve	1
6	SB/RC-BP-301565	Bleed Off Cylinder Piston	1
7	SB/RC-BP-301556	Piston	2
8	SB/RC-BP-301557	Bottom Plate	1
9	SB/RC-BP-301564	Diaphragm Pkt 3	1
10	SB/RC-BP-301559	Piston Seal Pkt 3	2
11	SB/RC-BP-301560	O'Ring Pkt 5	3
12	SB/RC-BP-301558	Gasket Pkt 5	2
13	F/HN4/4	Nipple 1/4" BSP x 1/4" BSP	2
14	SB/RC-BP-301562	Screw M8x25mm Long	1
15	SB/RC-BP-301561	Piston Screw M8 20mm Long	1
16	F/00050	Nipple 3/4" BSP x 3/4" BSP	1
17		Screw M8 30mm Long	4
18	SB/RC-BP-301562	O'Ring Manifold 95.9x89.5 3.2	1
19	SB/RC-BP-301561	Screw M8x15mm Long	1
20	SB/RC-BP-301562	Screw M8x25mm Long	8
21		Screw M8 35mm Long	4
22		Silencer Top Plate	1
23		Silencer Bottom Plate	1
24		Silencer Housing Pin	3
25		Silencer Cartridge	1
26		Silencer Cartridge Supporting	1
27		Nyloc Nut	6
28	F/00050	Nipple 3/4" BSP x 3/4" BSP	1
29		Union Elbow	1
30		Union Nut	1
31		Union Nipple	1
32	F/Logic 1/4	1/4" M/F Ball Valve	1
	SB/RC-BP-301004-SK	Rav-125 Combination Seal Kit Incl. Items 9,10 (x2),11 (x3),12 (x2),18,	1
		Rav-125 Combination Major Kit Incl. Items 3,5,6,7 (x2),9,10 (x2),11 (x3),12 (x2),15,18,19	1
	SB/RC-BP-301009	Silencer Incl. Items 21,22,23,24,25,26,27	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

This valve is a one piece normally closed air inlet and outlet valve. A short length of blast hose is used for the blow down function that eliminates any abrasive coming into contact with the valve. As no abrasive passes through the valve there is no wear on the valve thus providing years of trouble free service.

Large internal bore reduces air pressure loss through the valve which results in less pressure drop at the nozzle.

Part Number	Description
SB/RC-BP-301005	Combination Valve

Item	Part Number	Description	Qty
1	SB/RC-BP-301005-1	End Cap (Pinch End)	1
2	SB/RC-BP-301577	Pinch Ram	1
3	SB/RC-BP-301578	Upper Rod Guide	1
4	SB/RC-BP-301579	Seal (Upper Rod)	1
5	SB/RC-BP-301580	Spring	1
6	SB/RC-BP-301581	Bolt 3/8" x 6" With Washer	4
7	SB/RC-BP-301582	Cylinder	1
8	SB/RC-BP-301583	O'Ring (Shaft)	1
9	SB/RC-BP-301584	Snap Ring	1
10	SB/RC-BP-301585	Seal (Lower Rod)	1
11	SB/RC-BP-301586	Piston	1
12	SB/RC-BP-301587	Shaft	1
13	SB/RC-BP-301588	Piston Seal	1
14	SB/RC-BP-301589	Hex Nut With Washer	4
15	SB/RC-BP-301590	Lower Rod Guid	1
16	SB/RC-BP-301591	O'Ring (Lower Rod Guide)	1
17	SB/RC-BP-301592	Base (Air Inlet)	1
18	SB/RC-BP-301593	Valve Plug	1
19	SB/RC-BP-301594	Lock Nut With Washer 1/4"	1
20	SB/RC-BP-301596	Ehaust Filter Vent 1/8"	1
21	SB/RC-BP-301597	1/8 BSP M Elbow 1/4 Female	1
22	SB/RC-BP-301598	1/4 BSP M Elbow 1/4 Female	1
23	SB/RC-BP-301595	O'Ring	1
24	SB/RC-BP-301599	Pin	1
	SB/RC-BP-301012	Combination Seal Kit Incl. Items 4,8,9,10,13,16,18,19	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Benefits

The RAV50 Mini Combination Valve allows for ease of installation and maintenance with only one valve requiring removal for quick change over of respective diaphragms, gaskets and o rings, meaning down time is kept to an absolute minimum. Supplied complete with exhaust silencer.

Same reliable design as the RAV125 Inlet/Outlet Valve but fitted with 1/2" threaded ports for fitment to smaller blast pots.

Part Number	Description
SB/RC-BP-301171	Mini Combination Valve

Item	Part Number	Description	Qty
1	SB/RC-BP-301230	Nipple 3/8"	2
2	SB/RC-BP-301230	Nipple 3/8"	
3	SB/RC-BP-301637	Valve Housing	1
4	SB/RC-BP-301638	Bleed Off Cylinder	1
5	SB/RC-BP-301639	Bleed Off Manifold	1
6	SB/RC-BP-301640	Top Cover	1
7	SB/RC-BP-301641	Inlet Piston	1
8	SB/RC-BP-301642	Bleed Off Piston	1
9	SB/RC-BP-301643	Outlet Piston	2
10	SB/RC-BP-301644	Bottom Cover	1
11	SB/RC-BP-301645	Diaphragm	1
12	SB/RC-BP-301646	Piston Seal	2
13	SB/RC-BP-301647	O Ring	3
14	SB/RC-BP-301647	Piston Screw	1
15	SB/RC-BP-301648	Gasket	2
16	SB/RC-BP-301650	Screw	12
17	SB/RC-BP-301651	Outlet O Ring	1
18	SB/RC-BP-301652	Silencer	1
19	SB/RC-BP-301653	Union	1
20	SB/RC-BP-301563	Plug 1/4"	1
	SB/RC-BP-301171-SK	Mini Combination Seal Kit	



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Benefits

Utilised in conjunction with the Normally Closed Valve, the alpha-blast Auto Air Valve is ideal for use with multiple outlet and bulk blast machines and provides the on/off supply of compressed air to the pusher line to allow independent operation or blow down function.

Part Number	Description
SB/RC-BP-301006	Auto Air Valve - 25mm (1") ports
SB/RC-BP-301007	Auto Air Valve - 32mm (1.25") ports
SB/RC-BP-301008	Auto Air Valve - 38mm (1.5") ports

Item	Part Number	Description
2	SB/RC-BP-301422	Diaphragm for Auto Air Valve 1" Packet 5
2	SB/RC-BP-301423	Diaphragm for Auto Air Valve 1.25" Packet 5
2	SB/RC-BP-301424	Diaphragm for Auto Air Valve 1.5" Packet 5
	SB/RC-BP-301427	Repair Kit for Auto Air Valve 1" incl. items 1,2,3,4,5,6,7,8,9,10
	SB/RC-BP-301427	Repair Kit for Auto Air Valve 1.25" incl. items 1,2,3,4,5,6,7,8,9,10
	SB/RC-BP-301429	Repair Kit for Auto Air Valve 1.5" incl. items 1,2,3,4,5,6,7,8,9,10

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Benefits

Reduce the noise of the compressed air exiting the blast pot when depressurising. Simple lightweight screw on design allows quick and easy replacement when worn out.

Part Number	Description
SB/RC-BP-301009	Silencer



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Benefits

This non air bleed type deadman handle is recommended for use with the Combination Valve. The internal 3 way normally closed valve provides a fast activation and deactivation response time.

The handle will only activate once the operator makes a deliberate two step action to press in the safety button and push down the lever.

Part Number	Description
SB/RC-BP-301015	CRV Pneumatic Deadman Handle

Item	Part Number	Description	Qty
1	SB/RC-BP-301623	Lever	1
2	SB/RC-BP-301622	Body	1
3	SB/RC-BP-301626	Plunger	1
4	SB/RC-BP-301624	Hinge Pin	1
5		Grub Screw	1
6		Button	1
7	SB/RC-BP-301628	Spring	1
8		Screw M4 x 6mm	1
9		Washer 4.5mm x 9mm x 0.8mm	1
10	F/HN2/4	Hex Nipple 1/8" x 1/4" BSP	2
11		Plunger Sleeve	1
12		Plunger Plug	1
13		O'ring 9.5mmID x 1.78mm Dia	1



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Benefits

The CRV Electric Deadman Handle operates as an electrical switch style handle. The Electric Handle is connected to the blast pot control valve using either a 12 Volt or 240 Volt electrical cable arrangement.

When activated by the operator, the electric handle switch sends an electrical signal to the solenoid control valve, which then in turn activates the remote control system control valve.

Part Number	Description
SB/RC-BP-301631	CRV Electric Deadman Handle

Item	Part Number	Description
1	SB/RC-BP-301631	Body
2	SB/RC-BP-301632	Lever
3	SB/RC-BP-301633	Hinge Pin
4	SB/RC-BP-301634	Button
5	SB/RC-BP-301635	Dust Cover
6	SB/RC-BP-301636	Spring



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

A large rectangular placeholder box with a thin black border. In the center, the text 'NO IMAGE AVAILABLE' is displayed in a black, sans-serif font.

NO IMAGE
AVAILABLE

Benefits

The alpha-blast RAV Pneumatic remote control handle is lightweight, tough and reliable and is used in combination with a blast pot remote valve and up to 40 meters of twinline hose.

The handle will only activate once the operator makes a deliberate two step action to fold down the safety lock and pushes down the lever.

Part Number	Description
SB/RC-BP-301013	RAV Pneumatic Remote Control Handle

Item	Part Number	Description	Qty
1	SB/RC-BP-301608	Lever	1
2	SB/RC-BP-301347	Bumper Button Pkt 10	1
3	SB/RC-BP-301455	Lever Safety Lock	1
4	SB/RC-BP-301457	Lever Safety Lock Spring	1
5	SB/RC-BP-301458	Lever Spring	1
6	SB/RC-BP-301453	Gasket	1
7	SB/RC-BP-301135	Exhaust Champer (Cap)	1
8	SB/RC-BP-301609	Gasket	1
9	SB/RC-BP-301459	Inlet Nipple Pkt 2	2
	SB/RC-BP-301013-SK	Service Repair Kit Incl. Items 1,2(x6),3,4,5,6	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Benefits

When using blast hoses over 40 meters long the RAV Electric remote handle will provide instant activation of the pot remote valve and eliminate the delay encountered with pneumatic handles. The handle operates on 12VDC supply.

The handle will only activate once the operator makes a deliberate two step action to fold down the safety lock and pushes down the lever.

Part Number	Description
SB/RC-BP-301014	RAV Electric Remote Control Handle

Item	Part Number	Description	Qty
1	SB/RC-BP-301608	Lever	1
2	SB/RC-BP-301621	Electric Switch	1
3	SB/RC-BP-301455	Lever Safety Lock	1
4	SB/RC-BP-301457	Lever Safety Lock Spring	1
5	SB/RC-BP-301458	Lever Spring	1
	SB/RC-BP-301014-SK	Service Repair Kit Incl. Items 1,2,3,4,5	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Electrical control system is ideally suited to overcoming the signal delay problems associated with pneumatically operated control systems when operating over lengths in excess of 40m.

Part Number	Description
SB/RC-BP-301310	12 Volt Conversion Kit 40m Cable
SB/RC-BP-301310-A	12 Volt Conversion Kit 20m Cable



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

The Ball Stop Pneumatic Control Handle is designed as a basic deadman device which allows the operator to operate the blast without the need to hold down a lever or handle.

This means the Ball Stop handle can lead to reduced operator fatigue.

Part Number	Description
SB/RC-BP-301174	Ball Stop Control Handle Pneumatic
SB/RC-BP-301532	Wedge and Plate Assy for Ball Deadman
SB/RC-BP-301360	Ball and Strap



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

The Dual Switch electric remote control handle is ideal for use with blast pots with valves configured for blasting and blow down. When blasting the lever is depressed to open the pusher line air valve and the abrasive metering valve. When blow down is required the lever is raised up to open only the pusher line air valve allowing the operator to remove excess dust and abrasive from the work piece.

The Dual Switch remote control handle is manufactured from tough polyurethane, the internal wiring is fully encased in silicon sealant after assembly to provide a reliable, long lasting handle.

Part Number	Description
SB/RC-BP-301219	Dual Switch Control Handle c/w 3 meter 3 core wire
SB/RC-BP-301220	Dual Switch Control Handle c/w 50 meter 3 core wire

Item	Part Number	Description
1	SB/RC-BP-301399	Switch
2	SB/RC-BP-301431	3 core electric wire - 1 meter

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

Increased visibility increases productivity. These rugged 12V DC blast lights are made from lightweight cast aluminium and fitted with a replaceable glass. Particularly effective when blasting in enclosed areas.

The perfect solution for blasting in areas with poor visibility, such as inside and under ship blocks and inside tanks. Powered by a 12VDC LED lamp this cost effective solution will make a huge difference in productivity.

Instead of guessing where they should blast, and consequently blasting areas already blasted, the operators will blast only in the correct areas; saving time, abrasive consumption and energy.

Part Number	Description
SB/BL-BP-301093	Blast Light Assembly c/w lamp and 3.5m wire 12 VDC
SB/BL-BP-301093-A	Blast Light Assembly w/ 30m Cable
SB/BL-BP-301500	Blast Light 12v LED
SB/BL-BP-301502	Battery Pack Complete W/Pouch
SB/BL-BP-301503	Battery Charger 220V
SB/BL-BP-0003	Cable 2 Core per metre
SB/BL-BP-301094	Blast Light Glass



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

The pinch valve is used to shut off the abrasive and air flow through the blast hose after it leaves the metering valve. The pinch valve is normally open and requires a compressed air supply to close it. Most commonly used on pressure hold blast systems. As no abrasive passes through the valve it is not subject to wear. When the portion of blast hose being pinched wears out it is simply cut off and a new section inserted.

Tough, simple and reliable the alpha-blast Pinch Valve is used to shut off abrasive and air flow in the blast hose as it leaves the abrasive metering valve. Simple pneumatic operation and minimal moving parts ensure reliable continuous operation.

As no abrasive actually passes through the valve there is nothing to wear out or fail. Once the portion of blast hose passing through the valve wears out it is simply replaced with a new section.

Part Number	Description
SB/RC-BP-301101	Pinch Valve



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE
AVAILABLE

Benefits

Abrasive metering valve suitable for all expendable abrasives. 45 degree design aids abrasive flow into airstream and reduces wear on valve.

The alpha-blast Sand Valve is the perfect valve for metering expendable abrasives, i.e. garnet, crushed glass and minerals slags to the blast nozzle.

The 45 degree free flow design of the valve ensures a consistent uninterrupted abrasive flow which results in higher productivity and less abrasive wastage.

In case of foreign particle blockage the Sand Valve is fitted with a removable clean out plate to provide quick easy access and reduce maintenance downtime.

Part Number	Description
SB/VA-BP-301025	Sand Valve

Item	Part Number	Description	Qty
1	SB/VA-BP-301373	Upper Cover	1
2	SB/VA-BP-301374	Lower Cover	1
3	SB/VA-BP-301375	Clean Out Plate	1
4	SB/VA-BP-301376	Metering Handle	1
5	SB/VA-BP-301377	Metering Gauge	1
6	SB/VA-BP-301168	Rubberised Nipple	1
7	SB/VA-BP-301169	Rubberised "Y" Piece	1
8	SB/RC-BP-301600	Spring	1
9	SB/RC-BP-301601	Brass Bush	1
10	SB/RC-BP-301602	Disc	1
11	SB/RC-BP-301603	Valve	1
12	SB/RC-BP-301604	Gasket	2
13	SB/RC-BP-301605	O'Ring	1
14	SB/RC-BP-301606	Gasket	1
	SB/VA-BP-301033	Repair Kit Suit 1"1/2 Incl. Items 8,9,10,11,12,13,14	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

The Mini Sand Valve is designed for use on smaller sized blast pots and is fitted with 0.5" threaded ports.

Internal plate and stem are manufactured from stainless steel to increase valve life. Precise metering of all abrasive types is achieved with this valve to reduce abrasive wastage.

Part Number	Description
SB/RC-BP-301172	Mini Sand Valve

Item	Part Number	Description	Qty
1	SB/RC-BP-301608	Control Handle	1
2	SB/RC-BP-301609	Pin	1
3	SB/RC-BP-301610	Spring	1
4	SB/RC-BP-301611	Bolt (4)	4
5	SB/RC-BP-301612	Upper Cover	1
6	SB/RC-BP-301613	Nylon Washer	1
7	SB/RC-BP-301614	Valve	1
8	SB/RC-BP-301615	O Ring	1
9	SB/RC-BP-301616	Gasket	1
10	SB/RC-BP-301617	Lower Cover	1
11	SB/RC-BP-301618	Nut (4)	4

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

Abrasive metering valve suitable for all abrasive types. Screw in metering knob allows very precise abrasive metering and reduces abrasive consumption. Low profile height permits fitting to almost any blast pot. 1 1/2" X 1 1/4" pipe nipple.

Reduce abrasive consumption and save money. The alpha-blast Abrasive Saver Valve will save a fortune in wasted abrasive. The screw in plunger permits very accurate adjustment to allow just the right amount of abrasive to the blast nozzle.

The valve is ideally suited to all fine abrasive types, ie glass beads, garnet, aluminium oxide, plastic media, ceramic beads etc.

To reduce maintenance costs the valve internals are made from tungsten carbide, hardened steel and polyurethane.

Part Number	Description
SB/VA-BP-301026	Abrasive Saver Valve

Item	Part Number	Description	Qty
1	SB/VA-BP-301285	Metering Knob	1
2	SB/VA-BP-301549	Roll Pin	1
3	SB/VA-BP-301286	Tungsten Carbide Plunger	1
4	SB/VA-BP-301551	Plunger Seal	1
5	SB/VA-BP-301137	Polyurethane Sleeve Pkt 3	1
6	SB/VA-BP-301432	Gasket Pkt 3	1
	SB/VA-BP-301136	Steel Pipe Nipple 1"1/4 x1"1/2	1
	SB/VA-BP-301226	Steel Pipe Nipple 1"1/2 x1"1/2	1
	SB/VA-BP-301227	Steel Pipe Nipple 1"1/4 x1"1/4	1
	SB/VA-BP-301034	Repair Kit Incl. Items 2,3,4,5,6	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



Benefits

Axxiom Manufacturing Inc. MV2™ (patent pending) includes a new virtual position indicator (VPI). The VPI is an external indicator that accurately displays the position of the plunger relative to the abrasive orifice inside the valve.


The improved design of the MV2™ also utilises the motive blast air to “fluff” the abrasive sitting above the valve to produce a more consistent media flow. For longer life, the internal components of the MV2™ are made from improved abrasive resistant materials. Because of its re configured body and fewer wearing parts, the new MV2™ is easier to disassemble and rebuild that its predecessor resulting in parts and labour cost savings, more productivity and reduced abrasive consumption.

Features

- New Virtual Position Indicator (VPI) allows a more user friendly interface for precise and consistent abrasive flow.
- Higher controlled abrasive flow rate
- Using the ‘cleanout’, obstructions can be cleared without removing valve from blast vessel.
- Components made from durable, abrasive resistant materials

Part Number	Description
SB/VA-BP-301441	MV2 Valve Assembly, Urethane 1-1/4" & 1"
SB/VA-BP-301442	MV2 Valve Assembly, Urethane 1-1/12"

Item	Part Number	Description	Qty
	SB/VA-BP-301607	Repair Kit Micro Valve II Seals Only 7,8,12,9x2	
	SB/VA-BP-301443	Replacement Parts Kit 2,5,7,8,9,12	
1		Knob	1
2		Socket Head Cap Screw, 5/16" x 1" Lg. Self Sealing	1
3		Hex Bolt, 3/8" x 1" Lg.	2
5		Plunger	1
6		Body	1
7		Plunger Seal	1
8		Polyurethane Sleeve	1
9		Gasket	1
10	SB/VA-BP-301446	Base, 1 1/4"	1
10	SB/VA-BP-301467	Base, 1 1/2"	1
11		Flat Washer, 3/8"	2
12		Ball	1
13		Orifice Indicator Decal	1
14		Cleanout Ball Valve Adder	1
15		Ball Valve, 3/4" Full Port	1
16		Street Elbow 90	1
17		Pipe Cap, 3/4" Galv	1



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**

The TVII is a normally closed, self sealing, abrasive metering valve with instant, smooth response to either pneumatic or electric deadman controls.

This fail-safe valve shuts off abrasive flow to the nozzle and seals the tank at the same instant. A remote abrasive cutoff is available, allowing the operator to stop the flow of air. The clean-out feature provides a quick and easy to clear the blast hose and blasting area of abrasive.


The TVII is ideal for multiple outlet use and is easily adaptable to most existing blasting systems. A lower overall profile allows for more room between the valve and blast pot for easy access.

Features

- Bolt-on cap provides easy access to piston and seal
- Anti-vibration disc standard to prevent knob from moving during transit
- Alternative sleeves available for particular abrasives and applications

Part Number	Description
SB/VA-BP-301447	Thompson Valve Urethane 1" 1/4
SB/VA-BP-301448	Thompson Valve Urethane 1" 1/2

Item	Part Number	Description	Qty
	SB/VA-BP-301450	Replacement Part Kit with Urethane Sleeve	
	SB/VA-BP-301452	Thompson Valve Urethane Seal Kit Includ Seat	
1		Knob	1
2		Breather Vent	2
3		Spring Retainer	1
4		O-Ring	1
5		Washer	8
6		Hex Bolt, 3/8" UNC x 1-1/4" Lg.	4
7		Cap Plate	1
8	SB/VA-BP-301489	Cap Gasket	1
10		Vibration Disc	1
11		Spring	1
12		Nut	1
13		Piston Seal	1
14		Piston	1
15	SB/VA-BP-301472	Tungsten Carbide Plunger	1
16		Cylinder	1
17		Plunger Seal (Molythane)	1
18	SB/VA-BP-301490	Plunger Seal (Urethane)	2
19		Body	1
20		Urethane Sleeve	1
21	SB/VA-BP-301468	Base, 1" NPT	1
	SB/VA-BP-301469	Base, 1 1/4" NPT	1
	SB/VA-BP-301470	Base, 1 1/2" NPT	1
22		Hex Bolt, 3/8" UNC x 4 3/4" Lg.	4
23		Plug	1
24		O-Ring	1



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

**Benefits**

The TVII is a normally closed, self sealing, abrasive metering valve with instant, smooth response to either pneumatic or electric deadman controls.

This fail-safe valve shuts off abrasive flow to the nozzle and seals the tank at the same instant. A remote abrasive cutoff is available, allowing the operator to stop the flow of air. The clean-out feature provides a quick and easy to clear the blast hose and blasting area of abrasive.


The TVII is ideal for multiple outlet use and is easily adaptable to most existing blasting systems. A lower overall profile allows for more room between the valve and blast pot for easy access.

Features

- Bolt-on cap provides easy access to piston and seal
- Anti-vibration disc standard to prevent knob from moving during transit
- Alternative sleeves available for particular abrasives and applications

Part Number	Description
SB/VA-BP-301138	Thompson Valve Tungsten Carbide 1" 1/4
SB/VA-BP-301445	Thompson Valve Tungsten Carbide 1" 1/2

Item	Part Number	Description	Qty
	SB/VA-BP-301449	Replacement Part Kit with Tungsten Carbide Sleeve	
	SB/VA-BP-301451	Thompson Valve Tungsten Carbide Seal Kit Includ Seat	
1		Knob	1
2		Breather Vent	2
3		Spring Retainer	1
4		O-Ring	1
5		Washer	8
6		Hex Bolt, 3/8" UNC x 1-1/4" Lg.	4
7		Cap Plate	1
8	SB/VA-BP-301489	Cap Gasket	1
10		Vibration Disc	1
11		Spring	1
12		Nut	1
13		Piston Seal	1
14		Piston	1
15	SB/VA-BP-301472	Tungsten Carbide Plunger	1
16		Cylinder	1
17		Plunger Seal (Molythane)	1
18	SB/VA-BP-301490	Plunger Seal (Urethane)	2
19		Body	1
20		Seat	1
21	SB/VA-BP-301468	Base, 1" NPT	1
	SB/VA-BP-301469	Base, 1 1/4" NPT	1
	SB/VA-BP-301470	Base, 1 1/2" NPT	1
22		Hex Bolt, 3/8" UNC x 4 3/4" Lg.	4
23		Plug	1
24		O-Ring	1
25		Tungsten Carbide Sleeve	1
26		O Ring	1



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

Similar operation to the minor valve except also has abrasive shut off feature. Can be set up on pressure hold pot to seal the tank and shut off abrasive flow, or on standard pot to shut off abrasive flow to the blast hose when the remote control handle is released to reduce abrasive wastage. Fitted with tungsten carbide internal sleeve to allow use with any abrasive.

The perfect valve for instant start/stop blast nozzle activation. Ideally suited for multiple outlet blast machines the Normally Closed Valve allows each operator independent blasting on/off control of their nozzle.

The Normally Closed Valve can also be utilised to allow abrasive cut off giving the operator an air only blow down feature, very handy in blast room scenarios to ensure valuable abrasive does not leave the room with the work piece.

Part Number	Description
SB/VA-BP-301027	Tungsten Major Valve - 1.25" Pipe Nipple
SB/VA-BP-301028	Tungsten Major Valve - 1.5" Pipe Nipple

Item	Part Number	Description	Qty
1	SB/VA-BP-301128	Steel Pipe Nipple 1"	1
1	SB/VA-BP-301129	Steel Pipe Nipple 1" 1/2	1
1	SB/VA-BP-301131	Steel Pipe Nipple 1" 1/4	1
2	SB/VA-BP-301108	Metering Knob	1
3	SB/VA-BP-301115	Tungsten Carbide Plunger	1
5	SB/VA-BP-301123	Tungsten Carbide Sleeve	1
6	SB/VA-BP-301112	Piston Seal	1
7	SB/VA-BP-301551	Plunger Seal	1
8	SB/VA-BP-301027-8	Seat Pkt 5	1
9	SB/VA-BP-301126	Insert	1
10	SB/VA-BP-301127	O'Ring	1
	SB/VA-BP-301224	Seal Kit Incl. Items 6,7,8,9,10	1
	SB/VA-BP-301036	Major Kit Suit Tungsten Carbide Incl. Items 3,5,6,8,9,10	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599


F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au



NO IMAGE
AVAILABLE

Benefits

Similar operation to the minor valve except also has abrasive shut off feature. Can be set up on pressure hold pot to seal the tank and shut off abrasive flow, or on standard pot to shut off abrasive flow to the blast hose when the remote control handle is released to reduce abrasive wastage. Fitted with urethane internal sleeve, recommended for use with softer abrasives, ie plastic, glass beads, ceramic etc.

The perfect valve for instant start/stop blast nozzle activation. Ideally suited for multiple outlet blast machines the Normally Closed Valve allows each operator independent blasting on/off control of their nozzle.

The Normally Closed Valve can also be utilised to allow abrasive cut off giving the operator an air only blow down feature, very handy in blast room scenarios to ensure valuable abrasive does not leave the room with the work piece.

Part Number	Description
SB/VA-BP301029	Urethane Major Valve - 1.25" Pipe Nipple
SB/VA-BP-301030	Urethane Major Valve - 1.5" Pipe Nipple

Item	Part Number	Description	Qty
1	SB/VA-BP-301128	Steel Pipe Nipple 1"	1
1	SB/VA-BP-301129	Steel Pipe Nipple 1" 1/2	1
1	SB/VA-BP-301131	Steel Pipe Nipple 1" 1/4	1
2	SB/VA-BP-301108	Metering Knob	1
3	SB/VA-BP-301115	Tungsten Carbide Plunger	1
4	SB/VA-BP-301124	Urethane Sleeve	1
6	SB/RC-BP-301112	Piston Seal	1
7	SB/RC-BP-301114	Plunger Seal	1
	SB/VA-BP-301035	Major Kit Suit Urethane Incl. Items 3,4,6,7	1

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

NO IMAGE AVAILABLE

Benefits

The alpha-blast Isolator Valve is a great maintenance time saving device. Fitted above the abrasive metering valve it permits the metering valve to be removed from the blast pot for service, without the need to empty the abrasive from the pot, which saves a huge amount of time.

The alpha-blast Isolator Valve is particularly useful for bulk blasters and multiple outlet blast pots as it allows each individual abrasive metering valve to be removed from the pot without affecting the other outlets. Fitted with 1.5" ports to ensure unrestricted abrasive flow.

Part Number	Description
SB/VA-BP-301217	Isolator Valve

Item	Part Number	Description
	SB/VA-BP-301217	Isolator Valve
	SB/VA-BP-301380	Isolator Valve Diaphragm

NO IMAGE AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Standard Pop Up Valves and Seating Rings

- Internal stem pop up valve for use with blast pots with 1" internal piping.
- Mini pop up valve. For use with small blast pots fitted with 1/2" internal piping.
- Seating Rings are manufactured from synthetic rubber with a Shore hardness of 55 - 65.

Part Number	Description
SB/PV-BP-301037	Pop Up Valve Cone Top Stem
SB/PV-BP-301038	Pop Up Valve Flat Top
SB/SR-BP-301040	Seating Ring - Large
SB/PV-BP-301099	Pop Up Valve Mini
SB/SR-BP-301228	Seating Ring Mini

NO IMAGE AVAILABLE

Pop Up Valve Sleeved

Part Number	Description
SB/PV-BP-301039	Pop Up Valve Cone Top External Sleeve
SB/SR-BP-301040	Seating Ring - Large



S Series Pop Up Valves and Seating Rings

- Large valve suits 3.5, 6.5, 8.0, 10.0 cu ft machines

Part Number	Description
SB/PV-BP-301164	S Series Pop Up Valve and Shaft - Large
SB/SR-BP-301225	S Series Pop Up Seating Ring - Large



Climate Control Tube

Regulates the temperature of the air entering the blasting helmet. Increase or decrease the temperature of the air by up to 17 degrees Celsius.

Part Number	Description
SB/AF-NV-4000-01	Nova 2000 Climate Control Tube Assembly BSP thread
SB/AF-NV-2022	Nova 2000 Belt

NO IMAGE AVAILABLE

Cold Air Tube

The Cold Air Tube Assembly cools compressed breathing air coming into respirators by as much as 32°F (18°C). The Cold Air Tube helps to maximise worker comfort and increase productivity whilst working in hot climates. The Cold Air Tube is fitted with an airflow regulator which allows the user to adjust the outgoing air temperature.

- Easy to disassemble and clean and manufactured from non toxic engineering plastic which provides an extremely robust construction to withstand the rigours of the workplace

Part Number	Description
SB/AF-NV-4000-02	Cold Air Tube Assembly
SB/AF-NV-2022	Nova 2000 Belt

NO IMAGE AVAILABLE

Aluminium Cool Air Tube

The alpha-blast aluminium air cooler is used to cool the incoming hot air supply from the compressor prior to it entering the helmet. The cooler will reduce the temperature of the incoming air supply up to 32°F (18°C). This cooler incoming air ensures maximum operator comfort in hot climates. When the blaster is comfortable productivity increases.

- Manufactured from tough aluminium extrusion to provide extended life.

Part Number	Description
SB/AF-BP-501034	Aluminium Cool Air Tube
SB/AF-BP-501038	Belt



Hi-Vis Cape

The alpha-blast Hi-Vis cape was originally developed for blasters working on sites where the wearing of a high visibility jacket is compulsory. A great safety device also for use where there are many blasters working closely together and there is a likelihood of blasters accidentally blasting each other.

Part Number	Description
SB/BH-BP-501027	Hi-Vis Cape Yellow



Leather Cape

- Often worn in blast rooms using steel abrasive grit

Part Number	Description
SB/BH-NV-2002L	Nova Leather Cape



Nylon Cape

Part Number	Description
SB/BH-NV-2002	Nova Inner and Outer Nylon Cape
SB/BH-NV-3-750	Nova 3 Nylon Cape



Blast Gloves

Part Number	Description
SB/BLASTGLOVES16	Black and Gold Blast Gloves
SB/BLASTGLOVES16-2	Hot Shot Red Blast Gloves



Miscellaneous

Diameter Screen

Part Number	Description
SB/BS-BP-301291	35kg Blast Pot Screen
SB/BS-BP-301292	100kg Blast Pot Screen
SB/BS-BP-301293	200kg Blast Pot Screen
SB/BS-BP-301294	400kg Blast Pot Screen



Diameter Lid

Part Number	Description
SB/BL-BP-301295	35kg Blast Pot Lid
SB/BL-BP-301296	100kg Blast Pot Lid
SB/BL-BP-301297	200kg Blast Pot Lid
SB/BL-BP-301298	400kg Blast Pot Lid



Nozzle Pressure Gauge

Part Number	Description
SB/NZ-BP-301571	Nozzle Pressure Gauge comes with 3 Needles



Blasting Suit

Part Number	Description
SB/OC-BP-501005	Leather Cotton Sml
SB/OC-BP-501006	Leather Cotton Med
SB/OC-BP-501207	Leather Cotton Lrg
SB/OC-BP-501008	Leather Cotton XL
SB/OC-BP-501009	Leather Cotton XXL

Part Number	Description
SB/OC-BP-501010	Nylon Cotton S
SB/OC-BP-501011	Nylon Cotton M
SB/OC-BP-501012	Nylon Cotton L
SB/OC-BP-501013	Nylon Cotton XL
SB/OC-BP-501014	Nylon Cotton XXL

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au


www.sprayandblast.com.au



Benefits

Using the Nova 2000 you'll enjoy more comfort, less fatigue and improved productivity. This revolutionary helmet is in a class of its own, and has been designed to provide the blaster a comfortable and pleasant working environment with lighter weight and enhanced visibility. Once tried there is no going back.

- Super tough helmet shell made of high density polyethylene, U.V. Stabilized and characteristically abrasion resistant.
- Evenflow™ Air Distribution diffuses an even flow of breathing air throughout the helmet to cool head and face. Prevents lens from clogging.
- ComfortZone™ lightweight pillow foam padding ensures the helmet always sits comfortably on head. The padding is easily removed for hygienic cleaning.
- Large double lens provides optimum vision without irritating sideglare.
- Rugged removable face frame mounted on an integral moulded hinge and secured with a super strong latch.
- Multi layer sound deadening foam significantly reduces noise levels inside helmet.
- Strongly attached cape fitted with 8 studs ensures cape stays on.
- Abrasion resistant cape cover band seals the cape and prevents abrasive from entering the helmet
- Optional low flow indicator allows the wearer to check that the airflow is sufficient to provide the necessary respiratory protection.
- Safety Approvals include: NIOSH, AS/NZS1716:2000, ANSI Z87.1-03+, ANSI Z89.1-1997, EN:166:2002, AS/NZS1337:1992



Item	Part Number	Description
1	NV 2001	Helmet shell
2	NV 2002	Nylon cape complete with inner bib
	NV 2002L	Leather cape complete with inner bib
	NV 2002XL	Nylon cape extra length
3	NV 2003	Window frame gasket
4	NV 2004	Visor with hinge and screws
5	NV 2006/7	Air Inlet Assembly
6	NV 2008	Visor latch and screws
7	NV 2009	Polystyrene helmet liner Sizes (S,M,L)
8	NV 2010	Sidewings Sizes (S,M,L)
	NV 2010G	Sidewings for wearers of glasses Sizes (S,M,L)
9	NV 2012	Inner bib for cape
10	NV 2013	Cape cover band
11	NV 2016	Flow control valve and belt
12	NV 2018	Inner lens pkt 10
13	NV 2031	Outer lens pkt 50
14	NV 2017	Tear off lens pkt 50
15	NV 2020	Buckles
16	NV 2022	Belt with buckles
17	NV 2021	Breathing air tube
18	NV 2023	Breathing tube and flow control assembly
19	NV 2024	Quick Disconnect tail
20	NV 2025	Quick Disconnect coupler
21	NV 2028	Air supply hose 25ft
	NV 2029	Air supply hose 50ft
22	NV 2032	Quick disconnect tail
23	NV 2035	Air supply hose 1/2" 50ft
	NV 2036	Air supply hose 1/2" 100ft
24	NV 2015	Constant flow valve assembly
25	NV 2034	Quick disconnect tail 1/2" thread

Part Number	Description
SB/BH-NV-2000S	Nova 2000 Blast Helmet with Cool Tube

Part Number	Description
Nova 2000 Respirator Assemblies	
NV2000	c/w NV20002, NV2016, NV2021
NV2000CT	c/w NV20002, NV2021, 400-01
NV2000HT	c/w NV20002, NV2021, 4000-20
NV2000LP	c/w NV20002, NV2021, NV2015
NV2000XL	c/w NV20002XL, NV2021, NV2016
NV2000XL CT	c/w NV20002XL, NV2021, 4000-01
NV2000XL HT	c/w NV2002XL, NV2021, 4000-20
NV2000XL LP	c/w NV2002XL, NV2021, NV2015
NV2000L	c/w NV2002L, NV2021, NV2016
NV2000L CT	c/w NV2002L, NV2021, 4000-01
NV2000L HT	c/w NV2002L, NV2021, 4000-20
NV2000L LP	c/w NV2002L, NV2021, NV2015
Nova 2000 Respirator Packages	
NV2000PFC	c/w NV2002, NV2021, NV2016, NV2029 & 04-900
NV2000PCT	c/w NV2002, NV2021, 4000-01, NV2029 & 04-900
NV2000PHT	c/w NV2002, NV2021, 4000-20, NV2029 & 04-900
NV2000PLP	c/w NV2002, NV2021, NV2015, NV2029 & 06-100
Nova 2000 Replacement Respirator Capes	
NV2002	28" nylon respirator cape
NV2002XL	38" nylon respirator cape
NV2002L	28" leather respirator cape
NV2002SO	28" safety orange nylon respirator cape
NV2002XL SO	38" safety orange nylon respirator cape
NV2012	inner bib
Nova 2000 Replacement Helmet Linings	
NV2009/10	helmet lining kit size medium
NV2009/10SH	helmet lining kit size small
NV2009/10LH	helmet lining kit size large
NV2009	head dome size medium
NV2009SH	head dome size small
NV2009LH	head dome size large
NV2010	sidewings pair size medium
NV2010SH	sidewings pair size small
NV2010LH	sidewings pair size large
NV2010G	sidewings for wearers of glasses size medium
NV2010GSH	sidewings for wearers of glasses size small

Part Number	Description
NV2010GLH	sidewings for wearers of glasses size large
NV2028	velstuds pk 6
Nova 2000 Replacement Helmet Parts	
NV2003	window frame gasket
NV2004	visor kit
NV2006/7	air inlet assembly
NV2006/7CE	air inlet assembly with outlet for low flow indicator
NV2008	latch kit
NV2013	cape coverband
Nova 2000 Replacement Lenses	
NV2018	inner lens pk 10
NV2017	tears off lens pk 50
NV2031	outer lens pk 50



Benefits

Using the Nova 2000 you'll enjoy more comfort, less fatigue and improved productivity. This revolutionary helmet is in a class of its own, and has been designed to provide the blaster a comfortable and pleasant working environment with lighter weight and enhanced visibility. Once tried there is no going back.

The RPB® Nova 3® series respirator combines breakthrough protection technology with advanced comfort & functionality, surpassing even the most rigorous industry standards and the demands of the most quality-conscious companies. Designed to optimize safety and productivity, and to minimize worker downtime, the helmet has many features that maximize its lifetime value.

Part Number	Description
SB/BH-NV-3-703-50	Nova 3 Blast Helmet with Cool Tube

Part Number	Description	Part Number	Description
Nova 3 Respirator Assemblies		NV3-735	Nova 3 Head Liner Foam Padding
NV3-702-50	Nova 3 - Flow Control, Nylon Cape	NV3-735-1	Nova 3 Neck Pad
NV3-702-51	Nova 3 - Flow Control, XL Nylon Cape	Nova 3 Replacement Lenses	
NV3-702-52	Nova 3 - Flow Control, Leather Cape	NV3-721	Nova 3 Inner Gasket
NV3-702-53	Nova 3 - Flow Control, XL Leather Cape	NV3-722	Nova 3 Inner Lens (Pack of 10)
NV3-702-54	Nova 3 - Flow Control, XL Blast Jacket	NV3-723	Nova 3 Inner Lens Frame
NV3-702-55	Nova 3 - Flow Control, XXL Blast Jacket	NV3-724	Nova 3 Outer Lens (Pack of 50)
NV3-703-50	Nova 3 - Cold Air Tube, Nylon Cape	NV3-725	Nova 3 Tear Off Lens (Pack of 50)
NV3-703-51	Nova 3 - Cold Air Tube, XL Nylon Cape	NV3-726	Nova 3 Visor Kit (Incl. Hinge & Latch)
NV3-703-52	Nova 3 - Cold Air Tube, Leather Cape	NV3-727/8	Nova 3 Mount Kit
NV3-703-53	Nova 3 - Cold Air Tube, XL Leather Cape	NV3-727-2	Nova 3 Hinge Mount Kit
NV3-703-54	Nova 3 - Cold Air Tube, XL Blast Jacket	07-900	Nova 3 Adjustable Head Support
NV3-703-55	Nova 3 - Cold Air Tube, XXL Blast Jacket	NV2021B	Nova 3 Breathing Tube
NV3-704-50	Nova 3 - Hot Air Tube, Nylon Cape		
NV3-704-51	Nova 3 - Hot Air Tube, XL Nylon Cape		
NV3-704-52	Nova 3 - Hot Air Tube, Leather Cape		
NV3-704-53	Nova 3 - Hot Air Tube, XL Leather Cape		
NV3-704-54	Nova 3 - Hot Air Tube, XL Blast Jacket		
NV3-704-55	Nova 3 - Hot Air Tube, XXL Blast Jacket		
Nova 3 Replacement Respirator Capes			
NV3-750	Nova 3 28" Nylon Cape		
NV3-751	Nova 3 38" Nylon Cape		
NV3-752	Nova 3 28" Leather Cape		
NV3-753	Nova 3 38" Leather Cape		
NV3-754	Nova 3 Blast Jacket Size XL		
NV3-755	Nova 3 Blast Jacket Size XXL		
NV3-759	Nova 3 Cape Cover Band		
Nova 3 Replacement Helmet Linings			
NV3-729	Nova 3 Air Inlet Kit		
NV3-730	Nova 3 Padding Connectors (Pair)		
NV3-731	Nova 3 Side Padding Frames (Pair)		
NV3-732-A10	Nova 3 Side Padding Foam, Size A-10		
NV3-732-A15	Nova 3 Side Padding Foam, Size A-15		
NV3-732-A20	Nova 3 Side Padding Foam, Size A-20		
NV3-733	Nova 3 Side Padding Covers (5 pairs)		
NV3-734	Nova 3 Head Liner Kit - incl pad & clips		
NV3-734-1	Nova 3 Head Liner Clips (Pack of 4)		



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au




Benefits

Radex Breathing filter assembly suitable for single operator. Supplied with pressure regulator, pressure gauge and pressure relief valve. Versatile mounting bracket enables floor or wall mounting.

The Radex Airline Filter System offers more capacity, more filtration and more versatility. Can be floor or wall mounted with same mounting bracket. Large capacity 6 stage filter cartridge removes moisture and particulates to 0.5 micron and odor from the compressed air providing the operator with clean breathable air. Large range of optional equipment allows the filter to be configured to meet specific breathing air requirements.

Part Number	Description
SB/AF-BP-04-900	Radex Breathing Airline Filter
SB/AF-BP-04-900-A	Radex Breathing Airline Filter with Micromist
SB/AF-BP-04-900-B	Radex Dual Breathing Airline Filter with Micromist
SB/AF-BP-04-906	Radex Breathing Airline Filter 6 Operator Complete

Item	Part Number	Description
1	SB/AF-BP-04-911	Quick Disconnect Coupler
2	SB/AF-BP-04-912	3/8" Tee
3	SB/AF-BP-04-913	3/8" Cap
4	SB/AF-BP-04-914	Pressure Regulator
5	SB/AF-BP-04-915	Pressure Gauge
6	SB/AF-BP-04-916	Pressure Relief Valve 125 PSI
7	SB/AF-BP-04-917	3/8" Hex Nipple
8	SB/AF-BP-04-918	Lid
9	SB/AF-BP-04-919	Oring (set of 2)
10	SB/AF-BP-501004	Filter Cartridge APF 3100
11	SB/AF-BP-04-920	Bolt, Nut Washer (set of 4)
12	SB/AF-BP-04-921	Body
13	SB/AF-BP-04-922	Drain Tap
14	SB/AF-BP-04-923	Base Mount
15	SB/AF-BP-04-924	Auto Drain Unit
16	SB/AF-BP-04-925	Micro Mist Filter 1/2
17	SB/AF-BP-04-926	1" x 1/2 Reducing Nipple
18	SB/AF-BP-04-927	Main Line Pre Filter
19	SB/AF-BP-04-928	Brass Elbow



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

F 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

APF3100 Air Filter Cartridge

The APF3100 Air Filter Cartridge can offer extended filter life. Quality filtration materials which are manufactured to exacting standards ensure the most efficient and effective filtration in every cartridge. Materials with greater surface area provide increased absorption of water, oils and odours. The natural fibre felts very efficiently absorb oils from the air stream allowing air to flow through to the further stages of moisture and odour removal.

- The APF3100 can multi fit many brands of Air Filter
- Suit Bullard / Radex Filter

Part Number	Description
SB/AF-BP-APF3100	APF3100 Air Filter Cartridge

NO IMAGE
AVAILABLE

AFC100 Air Filter Cartridge

The AFC100 Air Filter Cartridge can offer extended filter life. Quality filtration materials which are manufactured to exacting standards ensure the most efficient and effective filtration in every cartridge. Materials with greater surface area provide increased absorption of water, oils and odours. The natural fibre felts very efficiently absorb oils from the air stream allowing air to flow through to the further stages of moisture and odour removal.

- The AFC100 can multi fit many brands of Air Filter
- Suit Clemco Filter

Part Number	Description
SB/AF-BP-100AFC	AFC100 Air Filter Cartridge

NO IMAGE
AVAILABLE

Double Slot Filter Cartridge

Part Number	Description
SB/AF-BP-501025	Double Slot Filter Cartridge



Standard Blast Hose Heavy Wall

Standard heavy wall blast hose manufactured from a tough abrasive resistant natural rubber inner liner for maximum blast hose life. Anti static compound dissipates static from the hose.

Working pressure 10 bar / Bursting pressure 30 bar.

Tough outer wrapping prevents damage to the hose even when used in the most demanding environments such as shipyards and construction work sites.

Part Number	Description
SB/HB-BP-301042	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047	Standard Blast Hose 38mm ID x 58mm OD - 20m

Fitted Blast Hose W/ Nozzle Holder and Coupling	
SB/HB-BP-301042-C	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372-C	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043-C	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045-C	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047-C	Standard Blast Hose 38mm ID x 58mm OD - 20m

Fitted Extension Blast Hose W/ Nylon Couplings	
SB/HB-BP-301042-D	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372-D	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043-D	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045-D	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047-D	Standard Blast Hose 38mm ID x 58mm OD - 20m

NO IMAGE
AVAILABLE



Light Weight Blast Hose

Part Number	Description
SB/HB-BP-301049-B	Lightweight Blast Hose 13mm ID x 28mm OD -10m
SB/HB-BP-301222-B	Lightweight Blast Hose 19mm ID x 34mm OD -10m

Part Number	Description
SB/HB-BP-301049	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054	Lightweight Blast Hose 38mm ID x 55mm OD -20m

Fitted Blast Hose W/ Nozzle Holder and Coupling	
SB/HB-BP-301049-C	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222-C	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050-C	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052-C	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054-C	Lightweight Blast Hose 38mm ID x 55mm OD -20m

Fitted Extension Blast Hose W/ Nylon Couplings	
SB/HB-BP-301049-D	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222-D	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050-D	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052-D	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054-D	Lightweight Blast Hose 38mm ID x 55mm OD -20m

NO IMAGE
AVAILABLE



Tungsten Carbide Nozzles

Recognised as the industry standard for general blasting applications alpha-blast tungsten venturi nozzles are extremely durable for use in applications where rough handling is unavoidable, providing maximum resistance to impact or flexing.

Alpha-Blast tungsten carbide long venturi nozzles are particularly suitable for use with steel abrasives, expendable slag abrasives and crushed glass.

The wide throat entry design increases productivity by up to 15% compared to standard venturi nozzles.

Part Number	Description
SB/NZ-BP-301175	#3 Tungsten Carbide Nozzle Aluminium Jacket 4.8mm bore
SB/NZ-BP-301075	#4 Tungsten Carbide Nozzle Aluminium Jacket 6.4mm bore
SB/NZ-BP-301076	#5 Tungsten Carbide Nozzle Aluminium Jacket 8mm bore
SB/NZ-BP-301077	#6 Tungsten Carbide Nozzle Aluminium Jacket 9.5mm bore
SB/NZ-BP-301078	#7 Tungsten Carbide Nozzle Aluminium Jacket 11mm bore
SB/NZ-BP-301079	#8 Tungsten Carbide Nozzle Aluminium Jacket 12.7mm bore
SB/NZ-BP-301176	#10 Tungsten Carbide Nozzle Aluminium Jacket 16mm bore
SB/NZ-BP-301177	#12 Tungsten Carbide Nozzle Aluminium Jacket 19mm bore

NO IMAGE
AVAILABLE

Nylon Jacket

SB/NZ-BP-301140	#3 Tungsten Carbide Nozzle Nylon Jacket 4.8mm bore
SB/NZ-BP-301141	#4 Tungsten Carbide Nozzle Nylon Jacket 6.4mm bore
SB/NZ-BP-301142	#5 Tungsten Carbide Nozzle Nylon Jacket 8mm bore
SB/NZ-BP-301143	#6 Tungsten Carbide Nozzle Nylon Jacket 9.5mm bore
SB/NZ-BP-301144	#7 Tungsten Carbide Nozzle Nylon Jacket 11mm bore
SB/NZ-BP-301145	#8 Tungsten Carbide Nozzle Nylon Jacket 12.7mm bore
SB/NZ-BP-301146	#10 Tungsten Carbide Nozzle Nylon Jacket 16mm bore
SB/NZ-BP-301147	#12 Tungsten Carbide Nozzle Nylon Jacket 19mm bore

NO IMAGE
AVAILABLE

Tungsten Carbide Nozzles

Part Number	Description
SB/NZ-BP-301185	#2 Short Blast Nozzle Straight Aluminium Jacket 3mm bore
SB/NZ-BP-301186	#3 Short Blast Nozzle Straight Aluminium Jacket 3mm bore
SB/NZ-BP-301187	#4 Short Blast Nozzle Straight Aluminium Jacket 3mm bore
SB/NZ-BP-301188	#5 Short Blast Nozzle Straight Aluminium Jacket 3mm bore
SB/NZ-BP-301189	#6 Short Blast Nozzle Straight Aluminium Jacket 3mm bore
SB/NZ-BP-301190	#8 Short Blast Nozzle Straight Aluminium Jacket 3mm bore



Tungsten Carbide Nozzles

Part Number	Description
SB/NZ-BP-301527	#6 Double Venturi Blast Nozzle 9.5mm bore
SB/NZ-BP-301528	#7 Double Venturi Blast Nozzle 11mm bore
SB/NZ-BP-301529	#8 Double Venturi Blast Nozzle 12.7mm bore



Water Jacket Nozzle

You can easily reduce the dust levels by 80-90% by using the alpha-blast Water Jacket Nozzle. Simply connect a low pressure mains or tank water supply hose to the rear of the nozzle. The water mixes with the exiting air and abrasive mixture and forms a dust suppressing slurry.

Fitted with extremely durable tungsten carbide venturi liner encased in a tough aluminium jacket and fitted with 50mm contractor thread.

Part Number	Description
SB/NZ-BP-301366	#3 Aluminium Jacket Waterjet Nozzle 4.8mm bore
SB/NZ-BP-301311	#4 Aluminium Jacket Waterjet Nozzle 6.4mm bore
SB/NZ-BP-301312	#5 Aluminium Jacket Waterjet Nozzle 8mm bore
SB/NZ-BP-301313	#6 Aluminium Jacket Waterjet Nozzle 9.5mm bore
SB/NZ-BP-301314	#7 Aluminium Jacket Waterjet Nozzle 11mm bore

NO IMAGE
AVAILABLE

Blasting Nozzles

Silicon Carbide Nozzles

Silicon carbide venturi nozzles offer a longer lasting light weight alternative to tungsten carbide. The 50% weight reduction relieves operator fatigue and provides higher productivity.

Alpha-Blast silicon venturi nozzles are particularly suitable for use with steel abrasives, expendable slag abrasives, garnet and crushed glass.

Part Number	Description
SB/NZ-BP-301148	#3 Silicon Carbide Nylon Jacket 4.8mm bore
SB/NZ-BP-301149	#4 Silicon Carbide Nylon Jacket 6.4mm bore
SB/NZ-BP-301150	#5 Silicon Carbide Nylon Jacket 8mm bore
SB/NZ-BP-301151	#6 Silicon Carbide Nylon Jacket 9.5mm bore
SB/NZ-BP-301152	#7 Silicon Carbide Nylon Jacket 11mm bore
SB/NZ-BP-301153	#8 Silicon Carbide Nylon Jacket 12.7mm bore

NO IMAGE
AVAILABLE

Syclone Carbide Nozzles

Syclone venturi nozzles are extremely wear resistant and will provide twice the life of equivalent silicon carbide nozzles. Weighing 50% less than tungsten nozzles, the weight reduction relieves operator fatigue and provides higher productivity.

Alpha-Blast syclone venturi nozzles are particularly suitable for use with aggressive abrasives such as aluminium oxide and silicon carbide.

The wide throat entry design increases productivity by up to 15% compared to standard venturi nozzles.

Encased in a tough shock absorbing nylon jacket that allows easy access into and out of the nozzle holder. Fitted with 50mm contractor thread.

Part Number	Description
SB/NZ-BP-301321	#4 Syclone Carbide Nylon Jacket 6.4mm bore
SB/NZ-BP-301322	#5 Syclone Carbide Nylon Jacket 8mm bore
SB/NZ-BP-301323	#6 Syclone Carbide Nylon Jacket 9.5mm bore
SB/NZ-BP-301324	#7 Syclone Carbide Nylon Jacket 11mm bore
SB/NZ-BP-301325	#8 Syclone Carbide Nylon Jacket 12.7mm bore

NO IMAGE
AVAILABLE

Angle Nozzles

Alpha-Blast angle nozzles are designed to increase productivity in inaccessible and hard to reach areas, i.e. behind beams, inside pipes, around lattice etc.

Part Number	Description
SB/NZ-BP-301197	#2 Single Outlet Angle Nozzle 3.2 mm bore
SB/NZ-BP-301198	#3 Single Outlet Angle Nozzle 4.8 mm bore
SB/NZ-BP-301199	#4 Single Outlet Angle Nozzle 6.4 mm bore
SB/NZ-BP-301200	#5 Single Outlet Angle Nozzle 8 mm bore
SB/NZ-BP-301201	#6 Single Outlet Angle Nozzle 9.5 mm bore
SB/NZ-BP-301202	#8 Single Outlet Angle Nozzle 12.7 mm bore

SB/NZ-BP-301203	#2 Double Outlet Angle Nozzle 3.2 mm bore
SB/NZ-BP-301204	#3 Double Outlet Angle Nozzle 4.8 mm bore
SB/NZ-BP-301205	#4 Double Outlet Angle Nozzle 6.4 mm bore
SB/NZ-BP-301206	#5 Double Outlet Angle Nozzle 8 mm bore
SB/NZ-BP-301207	#6 Double Outlet Angle Nozzle 9.5 mm bore
SB/NZ-BP-301208	#8 Double Outlet Angle Nozzle 12.7 mm bore

SB/NZ-BP-301209	#2 Triple Outlet Angle Nozzle 3.2 mm bore
SB/NZ-BP-301210	#3 Triple Outlet Angle Nozzle 4.8 mm bore
SB/NZ-BP-301211	#4 Triple Outlet Angle Nozzle 6.4 mm bore
SB/NZ-BP-301212	#5 Triple Outlet Angle Nozzle 8 mm bore
SB/NZ-BP-301213	#6 Triple Outlet Angle Nozzle 9.5 mm bore

SB/NZ-BP-301214	#6 90 degree Single Outlet Angle Nozzle 9.5 mm bore
SB/NZ-BP-301215	#8 90 degree Single Outlet Angle Nozzle 12.7 mm bore

NO IMAGE
AVAILABLE

NO IMAGE
AVAILABLE

Rubbers and Gaskets

Nozzle Rubber Gaskets

Part Number	Description
SB/NZ-BP-301085	Stepped Nozzle Washer 13mm (0.5") - pkt 10
SB/NZ-BP-301086	Stepped Nozzle Washer 25mm (1.0") - pkt 10
SB/NZ-BP-301087	Stepped Nozzle Washer 32mm (1.25") - pkt 10

NO IMAGE
AVAILABLE

Brass and Steel Hose Coupling Gaskets

Part Number	Description
SB/HC-BP-301089	Coupling Rubber Suit 34mm Hose Coupling - pkt 10
SB/HC-BP-301090	Coupling Rubber Suit Brass Hose Coupling #1, 2, 3 - pkt 10



Metal Pot Coupling Gasket

Part Number	Description
SB/HC-BP-301089	Metal Pot Coupling Gasket Suit 13mm Coupling - pkt 10
SB/HC-BP-301090	Metal Pot Coupling Gasket Suit 1" 1/4 and 1" 1/2 Coupling - pkt 10



Nylon Hose and Pot Coupling Gaskets

Part Number	Description
SB/HC-BP-301091	Hose Coupling Rubber Suit Nylon Hose Coupling #1 - pkt 10
SB/HC-BP-301092	Coupling Rubber Suit Nylon Hose Coupling #2, 3 - pkt 10

Part Number	Description
SB/HC-BP-301092	Coupling Rubber Suit Nylon Pot Coupling 1" 1/4 Thread - pkt 10

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Self Tapper Blast Hose

Part Number	Description
SB/SCREW 1/2	1/2 Self Tapper Light Wall Blast Hose
SB/SCREW 5/8	5/8 Self Tapper Heavy Wall Blast Hose



Safety Clips

- Couplings not included

Part Number	Description
BAC-11-011/00	Safety Clip
BAC-11-011-10	Safety Clip Pkt 10
BAC-11-011-50	Safety Clip Pkt 50



Safety Locking Pins (Nylon)

Part Number	Description
NCP-1	Safety Locking Pin



Safety Locking Pins (Brass)

- Couplings not included

Part Number	Description
BCP-1	Safety Locking Pin



Safety Clips and Screws

Whip Checks

Safety whip restraint for blast hoses in case couplings accidentally disconnect during blast operation.

- Small Whip Check suits hoses 3/8 to 1" 1/4
- Medium Whip Check suits hoses 1" 1/4 to 2"

Part Number	Description
SB/WC1	Small Whip Check
SB/WC2	Medium Whip Check



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Aluminium Nozzle Holders

Light weight, yet extremely tough, alpha-blast aluminium nozzle holders provide quick and easy attachment of blast nozzles to the blast hose. Ideal for use where knocking or damage is likely to occur.

Precision cast alloy moulding ensures tight size accuracy. Fitted with an internal raised thread to ensure tight and secure fitting to the blast hose.

Part Number	Description
SB/NZ-BP-301060	Aluminium Nozzle Holder 1 - 38mm (1.5") ID. Contractor
SB/NZ-BP-301061	Aluminium Nozzle Holder 2 - 48mm (1.875") ID. Contractor
SB/NZ-BP-301062	Aluminium Nozzle Holder 3 - 54mm (2.187") ID. Contractor
SB/NZ-BP-301102	Aluminium Nozzle Holder 4 - 60mm (2.375") ID. Contractor
SB/NZ-BP-301306	Aluminium Nozzle Holder 1/2 - 34mm ID. Fine
SB/NZ-BP-301307	Aluminium Nozzle Holder 1 - 38mm ID. Fine
SB/NZ-BP-301308	Aluminium Nozzle Holder 2 - 48mm ID. Fine
SB/NZ-BP-301309	Aluminium Nozzle Holder 3 - 54mm ID. Fine

NO IMAGE
AVAILABLE

Nylon Nozzle Holders

Light weight, yet extremely tough, alpha-blast nylon nozzle holders provide quick and easy attachment of blast nozzles to the blast hose.

Precision injection moulding ensures very tight dimensional accuracy. Fitted with an internal raised thread the alpha-blast nylon nozzle holder fits tightly and securely to the blast hose. The combination of the internal raised thread and air pressure inside the blast hose ensures the nozzle holder will not disengage from the blast hose.

Part Number	Description
SB/NZ-BP-301174	Nylon Nozzle Holder 0 28mm OD
SB/NZ-BP-301056	Nylon Nozzle Holder 1 38mm OD
SB/NZ-BP-301057	Nylon Nozzle Holder 2 48mm OD
SB/NZ-BP-301058	Nylon Nozzle Holder 3 54mm OD
SB/NZ-BP-301059	Nylon Nozzle Holder 4 60mm OD

NO IMAGE
AVAILABLE

Nozzle Holders

NHP Nylon Nozzle Holders

The Clemco fibre-reinforced nylon nozzle holder attaches to the end of a blast hose and holds a contractor-thread blast nozzle.

- Fibre-reinforced nylon material springs back from most impacts that would dent or deform metal nozzle holders
- Lighter weight than metal nozzle holders
- Precision dimensions
- Large thread makes changing nozzle easy

Part Number	Description
SB/NZ-CL-04126	NHP1 Nylon Nozzle Holder 38mm OD
SB/NZ-CL-04127	NHP2 Nylon Nozzle Holder 48mm OD
SB/NZ-CL-04128	NHP3 Nylon Nozzle Holder 54mm OD



Nozzle Holder with Claw

Part Number	Description
SB/NZ-BP-301531	Nozzle Holder Claw with 50mm Thread
TORBO/22787	Steel Nozzle Holder with Claw 50mm



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

CQP Nylon Quick Coupling

The Clemco fibre-reinforced nylon quick couplings attach to blast hose to facilitate connecting blast hose to blast machine, blast hose to blast hose, and blast hose to quick-coupling nozzle holders.

- Fibre-reinforced nylon material springs back from most impacts that would dent or deform metal couplings
- Built-in lock-springs eliminate need for safety pins
- Lighter weight than metal couplings
- Injection moulded for precise dimensions, ensuring positive fit

Part Number	Description
SB/HC-CL-11395	Nylon CQP 3/4 Clemco Hose Coupling
SB/HC-CL-08412	Nylon CQP 1 Clemco Hose Coupling
SB/HC-CL-08413	Nylon CQP 2 Clemco Hose Coupling
SB/HC-CL-08414	Nylon CQP 3 Clemco Hose Coupling
SB/HC-CL-07714	Nylon CQP 4 Clemco Hose Coupling



Nylon Hose Coupling

Tough, precision injection moulded, nylon couplings are fitted with an internal thread to ensure an air tight fit onto the blast hose.

Light weight, corrosion proof and durable. Supplied with locking pin and fixing screws. Light weight, yet extremely tough, alpha-blast nylon hose couplings provide quick and easy attachment of the blast hose to the blast pot, or another blast hose.

Precision injection moulding ensures very tight dimensional accuracy. Fitted with an internal raised thread the alpha-blast nylon hose coupling fits tightly and securely to the blast hose. An integral spring locking pin locks into the mating coupling and prevents the couplings accidentally separating

Part Number	Description
SB/HC-BP-301420	Nylon Hose Coupling 3/4mm OD
SB/HC-BP-301063	Nylon Hose Coupling 1 38mm OD
SB/HC-BP-301064	Nylon Hose Coupling 2 48mm OD
SB/HC-BP-301065	Nylon Hose Coupling 3 54mm OD
SB/HC-BP-301066	Nylon Hose Coupling 4 58mm OD

NO IMAGE
AVAILABLE

Hose Couplings

Metal Hose Coupling

The toughest of all couplings, alpha-blast metal hose couplings are available in a variety of materials to meet specific needs. Corrosion resistant gun metal provides excellent strength and service life for most general purpose applications.

Part Number	Description
SB/HC-BP-301067	#0 Gunmetal Hose Coupling 28mm OD (40mm CLAW)
SB/HC-BP-301409	Gunmetal Hose Coupling suit 34mm OD (45mm CLAW)
SB/HC-BP-301068	#1 Gunmetal Hose Coupling 38mm OD
SB/HC-BP-301069	#2 Gunmetal Hose Coupling 48mm OD
SB/HC-BP-301070	#3 Gunmetal Hose Coupling 54mm OD

Part Number	Description
SB/HC-BP-301300	Brass Hose Coupling - 38mm (1.5") ID.
SB/HC-BP-301301	Brass Hose Coupling - 48mm (1.875") ID.
SB/HC-BP-301302	Brass Hose Coupling - 54mm (2.187") ID.
SB/HC-BP-301303	Brass Hose Coupling - 60mm (2.375") ID.

Part Number	Description
SB/HC-BP-301438	Steel Hose Coupling - 38mm (1.5") ID.
SB/HC-BP-301071	Steel Hose Coupling - 48mm (1.875") ID.
SB/HC-BP-301439	Steel Hose Coupling - 54mm (2.187") ID.

NO IMAGE
AVAILABLE



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Nylon Threaded Coupling

Manufactured from injection moulded nylon, all couplings are identical ensuring they accurately coupled together every time.

Part Number	Description
SB/HC-BP-301381	Nylon Threaded Coupling - 1.25" BSP.



Threaded Coupling

Alpha-Blast threaded couplings are available in a variety of materials to meet specific needs. When used in steel grit blasting applications the gun metal threaded couplings will provide maximum durability.

In applications where the risk of explosion must be eliminated, as far as is possible, the alpha-blast brass couplings offer a non sparking solution.

Precision investment casting to ensure quality repeatability with CNC machined internal threads with safety pin holes.

Part Number	Description
SB/HC-BP-301072	Gunmetal Threaded Coupling 13mm BSP (40mm CLAW)
SB/HC-BP-301494	Gunmetal Threaded Coupling BTC-0 13mm (45mm CLAW)
SB/HC-BP-301073	Gunmetal Threaded Coupling 1.25" BSP
SB/HC-BP-301074	Gunmetal Threaded Coupling 1.5" BSP

Part Number	Description
SB/HC-BP-301304	Brass Threaded Coupling 1.25" BSP
SB/HC-BP-301305	Brass Threaded Coupling 1.5" BSP

Part Number	Description
SB/HC-BP-301223	Steel Threaded Coupling 1.25" BSP
SB/HC-BP-301440	Steel Threaded Coupling 1.5" BSP

NO IMAGE
AVAILABLE



Threaded Pot Couplings



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Air Pig

Part Number	Description
SB/AP-BP-301369	Air Pig 2x2" 4x1" Ports
SB/AP-BP-301369-C	Air Pig Complete
SB/AP-BP-301370	3x2 inch and 2x1-1/2 inch
SB/AP-BP-301370-A	Air Pig Complete
SB/AP-BP-301371	2x2 inch and 2x1-1/2 inch
SB/AP-BP-301371-A	Air Pig Complete



Knock Out Moisture Separator

Part Number	Description
SB/AF-BP-201092	400 CFM bare 2x2", 3x1 1/2 ports
SB/AF-BP-201093	800 CFM bare 2x3" ports
SB/AF-BP-201094	1200 CFM 2x3", 2x1"
SB/AF-BP-201092-C	Complete with fittings
SB/AF-BP-201093-C	Complete with fittings
SB/AF-BP-201094-C	Complete with fittings



Moisture Separator

Remove moisture from the airstream before it gets into the blast pot and avoid timely down time and clean outs. Moisture separator removes moisture, oil and particulate.

Always a problem for blasting operations is the presence of moisture in the compressed air supply.

Part Number	Description
SB/AF-BP-301095	Moisture Separator 13mm (1/2") NB ports
SB/AF-BP-301097	Moisture Separator 32mm (1.25") NB ports
SB/AF-BP-301103	Moisture Separator 38mm (1.5") NB ports
SB/AF-BP-301103-SK	Service Kit Inc 4,5,8,9,10,11,12,13,14,15

NO IMAGE
AVAILABLE

Air Filtration and Manifolds

Micromist Kit

The Micromist Respirator Airline Filters are designed to be attached to the Respirator Airline Filter Assembly, to provide additional particulate filtration of the breathing air supply.

Part Number	Description
SB/AF-BP-30005	1 Micromist Kit
SB/AF-BP-30006	3 Micromist Kit
SB/AF-BP-30007	4 Micromist Kit
SB/AF-BP-30049	Replacement Filters 1
SB/AF-BP-30050	Replacement Filters 3W



Stork Eliminator

Used to eliminate moisture from compressed air, the 45 CFM Stork Eliminator is a heavy-duty air drying system designed for professional spray painting setup.

Part Number	Description
STORK-ELM	Stork Eliminator
STORK DES	Replacement Desiccant



DVFR-2 Filter Regulator Coalescer

- Ideal for operator 'breathing' air

The industry favourite is ideal for both industrial and heated "combi booths" Spray Booth's, it is mandatory for use with Air Fed Respiratory Protection.

Triple filtration removes dirt and other contaminants down to 0.01 microns, while the capacity of 124 CFM provides sufficient air flow to run tow masks and two guns.

Part Number	Description
D/DVFR-2	Filter Regulator Coalescer 50 CFM filter 0.01 µm



Filter

Part Number	Description
N/F73G3NADI	3/8 Filter Auto Drain 5 Micron
N/F74G4GNAD1	1/2 Filter 5 Micron Auto Drain
N/F746GNQD3	3/4 Filter
N/FILTER-AF60	Filter 1" Port 5 Micron Manual



NO IMAGE
AVAILABLE

Please call us for more
information on Moisture
Separators

NO IMAGE
AVAILABLE

Please call us for more
information on Moisture
Separators



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181 **F** 02 9792 2953 **E** sales.nsw@sprayandblast.com.au

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Torbo

Torbo S080	1	Torbo N-LOC 050	6
Torbo M120	2	Torbo N-LOC 080	7
Torbo L200	3	Torbo Cart AC30	8
Torbo XL320	4	Torbo AC37	9
Torbo Softline 60	5		

Accessories

10

Rotation Nozzle TS98 Complete	10	Extension Cable	10
Titan Protective Helmet	10		
Remote Control Electric FB S99	10		

Torbo



torbo S080

Benefits

Challenges are its speciality. The torbo S080 was specially developed for jobs where gentle care is needed. it cleans sensitive surfaces thoroughly, leaving behind shining results even when other blast cleaning machines would have long given up. Its scope of application encompasses the cleaning of facades or sandstone monuments, its usage during renovation work or the removal of graffiti as well as the careful preservation of historical monuments with conservation of patina or the blast cleaning of patterns on glass.

Specifications

Capacity of vessel	80 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.130x720x660mm
Weight (empty) approx	120-165 kg
Permissible total weight	1,000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654

E sales.nsw@sprayandblast.com.au
E sales.vic@sprayandblast.com.au

Torbo



torbo M120

Benefits

The special feature of the torbo M120 is its many and diverse types of use. This system, specially designed for all-round requirements, distinguishes itself in everyday use. The careful removal of even stubborn encrustations from sensitive surfaces belongs to its scope of application as does the removal of concrete sludge and paint coatings or after-fire remedial action.

Specifications

Capacity of vessel	120 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.220x830x660mm
Weight (empty) approx	140-180 kg
Permissible total weight	1,000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Torbo



torbo L200

Benefits

The torbo system L200 is a specialist for large surfaces. It makes concrete and steel cleanup processes much easier and is surprisingly inexpensive. Due to its large tank volume only 2 to 4 tank fillings are required each day. This system, specially designed for professional operations, distinguishes itself above all in industrial usage. Make use of this chance to work both effectively and with the necessary attention to surface care at great heights.

With our L-system you not only work surprisingly flexibly, but also very economically.

Specifications

Capacity of vessel	200 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.360x1.100x750mm
Weight (empty) approx	215-300 kg
Permissible total weight	1,000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Torbo



torbo XL320

Benefits

Our biggest unit has sufficient power reserves for every kind of cleanup treatment. The torbo system XL320 shows its strengths in difficult situations. With no trouble at all it can deal with the removal of concrete sludge, the stripping of old coats of paint and the deburring and descaling of metals, as well as the removal of layers of oxidation on steel. You can work without problems even at differences in height of up to 250m.

With our XL-system you not only work with surprising flexibility and effectively, but also very economically.

Specifications

Capacity of vessel	320 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.490x1.260x750mm
Weight (empty) approx	240-320 kg
Permissible total weight	1,000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Torbo



torbo
Softline 60

Benefits

The torbo Softline 60 is a small mobile device for simple and effective, gentle cleaning of monuments and facades.

It requires no extra dehumidifier, no extra water hose to the jet nozzle and no heavy or expensive jet nozzle. Thanks to the control system, the blast abrasive mixture (80% blasting abrasive and 20% water) and extra water is metered out irrespective of compressed air, so that you can adjust the parameters independently of each other.

Specifications

Capacity of vessel	60 l
Compressor connection	4-10 bar
Consumption of blast media	19-144 l/h
Consumption of water	5-36 l/h
Dimensions HxWxL approx	1.020x700x540mm
Weight (empty) approx	90 kg
Permissible total weight	350 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

Torbo



torbo N-LOC 50

Benefits

The cleaning of facades and monuments as well as the removal of graffiti are only generic terms for the scope of application of the torbo N-LOC.

Very simple operation, low weight and integrated water tank make the torbo N-LOC the ideal standard for municipalities/towns and for rental.

The aluminium frame with detachable wheels and retractable handles protects the technical devices from damage and is light to transport.

Specifications

Capacity of vessel	50 l
Compressor connection	4-10 bar
Consumption of blast media	19-144 l/h
Consumption of water	5-36 l/h
Dimensions HxWxL approx	800x600x800mm
Weight (empty) approx	110 kg
Permissible total weight	350 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654

E sales.nsw@sprayandblast.com.au
E sales.vic@sprayandblast.com.au

Torbo



torbo N-LOC 80

Benefits

The cleaning of facades and monuments as well as the removal of graffiti are only generic terms for the scope of application of the torbo N-LOC.

Very simple operation, low weight and integrated water tank make the torbo N-LOC the ideal standard for municipalities/towns and for rental.

The aluminium frame with wheels and retractable handles protects the technical devices from damage and is light to transport.

Specifications

Capacity of vessel	50 l
Compressor connection	4-10 bar
Consumption of blast media	19-144 l/h
Consumption of water	5-36 l/h
Dimensions HxWxL approx	800x600x800mm
Weight (empty) approx	130 kg
Permissible total weight	350 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Torbo



torbocar AC30



Benefits

The torbocar models AC30 and AC76 with assembled torbo-unit plus compressor, plus large water tank, plus hose reel guarantee shortest set up times and convincing handling.

The torbocar AC30 with torbo S080 or S120 cleans even sensitive surfaces thoroughly, leaving behind shining results even when other blast cleaning machines would have long given up.

While others are still setting up and connecting components, you and your torbocar are already in operation and then on your way home when others are still breaking down.

Specifications

Capacity of vessel	120 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.780x1.790x4.080mm
Weight (empty) approx	1.200 - 1.320 kg
Permissible total weight	1.400 - 2000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Torbo



Benefits

The torbocar models AC30 and AC76 with assembled torbo-unit plus compressor, plus large water tank, plus hose reel guarantee shortest set up times and convincing handling.

The torbocar AC37 with torbo M080 or M120 is the unit for all-round operation. The range of application extends from the careful cleaning of sensitive surfaces to concrete and steel clean-ups.

While others are still setting up and connecting components, you and your torbocar are already in operation and then on your way home when others are still breaking down.

Specifications

Capacity of vessel	120 l
Compressor connection	4-10 bar
Consumption of blast media	19-288 l/h
Consumption of water	5-72 l/h
Dimensions HxWxL approx	1.780x1.790x4.080mm
Weight (empty) approx	1.200 - 1.320 kg
Permissible total weight	1.400 - 2000 kg

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au
E sales.nsw@sprayandblast.com.au

Rotation Nozzle TS98 Complete

The rotation nozzle TS98 for sensitive cleaning takes the aggression out of the blasting stream and increases the surface performance at big surfaces up to 50%. With the rotation nozzle TS98, extra air is added to the blasting stream. The result is a reduced blasting pressure at the exit point and a constant blasting effect over the entire cross section.

Part Number	Description
TORBO/2210	Rotation Nozzle TS98 Complete



Titan Protective Helmet

- Double face protection for more security

Part Number	Description
TORBO/20278	Titan Protective Helmet with Double Facial Comp



Remote Control Electric FB S99

Part Number	Description
TORBO/21807	Remote Control Electric FB S99



Extension Cable

Part Number	Description
TORBO/21801	Extension Cable Deadman 25m



Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au
NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au
F 03 9752 5654 **E** sales.vic@sprayandblast.com.au

Safety Equipment

Disposable Masks

1

Dust Mask	1	SR100 Silicone Half Mask	1
P2 Respirator	1	SR-90-3 Half Mask TPE	1

Half and Full Face Masks

3

Grey 3000 Half Mask Survivair	3	SR200 Full Face Mask	4
Grey 3000 Half Mask Survivair	3	SR 76-2 Escape Hood	4
Basic Box Sundström	3	SR64 Protective Dust Hood	4
SR100 Box Kit	3		

Compressed Air Respirators

5

SR500/540 Fan Unit	5	Air Fed Half Mask Breathing Kit	6
SR200 Airline	5	Complete Respirator Box Kit	6
SR63 Compressed Air Hood	5		

MPV Air-Fed Visor

7

Gas Filters

9

Gas Filter ABE1 (315)	9	Pre Filter (221-1)	11
Gas Filter K1 (316)	9	Particle Filter P3 SR 510	11
Gas Filter A1 (217)	9	Pre Filter Holder Black	11
Gas/Particle Filter ABEKHgPE (299)	9	Survivair S1001 Organic Cartridge	11
Gas Filter ABE2 (294)	10	Acid Cartridge Survivair	12
Gas Filter K2 (295)	10	Survivair Pre Filter P2 Pkt 2	12
Gas Filter A2 (218)	10	Survivair Filter A1, B1, E1, K1	12
Gas Filter ABEK1 (297)	10	Survivair Pre Filter Clip	12

Accessories

13

Half Mask Storage Pouch	13	Membrane Kit	14
Half Mask Storage Pouch	13	SR200 Visor	15
Full Face Mask Storage Box	13	SR200 Protective Film (10)	15
Cleaning Napkins Box 50	13	SR200 Head Harness (Cloth)	15
Waist and Carbon Pack	14	SR200 Natural Rubber Head Harness	15
Visor Covers	14	Head Harness Black Cradle	15
Service Kit	14		

Eye and Hearing Protection

16

Dust Goggles	16	Ear Protection	16
Safety Glasses	16	Bionic Face Shield	16

Protective Clothing

17

Kleenguard Overalls	17	Calico Elastic Hood	17
Microgard 1500 Coveralls	17	Universal Fabric Sock	17

Gloves			18
Latex Disposable Gloves	18	Knitted Cotton Gloves P/Dots	19
Nitrile Disposable Gloves	18	Knitted Cotton Gloves No P/Dots	19
Gloves Seamless Nylon	18	Cotton Gloves	19
Glove Rigger	18	Silverlined Blue Gloves	19
Safety Accessories			20
Caution Tape	20	Custom Signage on Frames	20
Danger Tape	20		
Safety Helmets	20		

Dust Mask

- Disposable mask
- Elastic head band
- Supplied in box of 50

Part Number	Description
SAF/DUSTMASK1	Dust Mask



P2 Respirator

- Disposable mask
- Elastic head band
- Supplied in box packs of 20 and 10

Part Number	Description
SAF/DUSTMASK2V	With Valve
SAF/DUSTMASK2	No Valve



SR100 Silicone Half Mask

- Tested and licensed to AS1716
- V shaped adjustable elastic head harness with dished crown plate for comfortable, secure fit
- Can be fitted with compressed air attachment for airline use
- Filters not included

Part Number	Description
SAF/100-03218	Small / Medium
SAF/100-03217	Medium / Large



SR-90-3 Half Mask TPE

- New improved TPE (thermo-plastic elastomer) material
- Two exhalation valves
- Continuous head strap or cradle harness
- Accepts all Sundström filters and compressed air attachments

Part Number	Description
SAF/101-03220	Small / Medium
SAF/101-03219	Medium / Large





SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Grey 3000 Half Mask Survivair

Lightweight grey silicone half mask provides lower breathing resistance, enhancing wearer comfort.

- Certified to AS/NZS 1716:2003
- Filters not included

Part Number	Description
SAF/360000	Grey 3000 Half Mask Survivair (Mask Only)



Grey 3000 Half Mask Survivair

Lightweight grey silicone half mask provides lower breathing resistance, enhancing wearer comfort.

- Certified to AS/NZS 1716:2003
- Comes with filters and pre filters

Part Number	Description
SAF/RU100100	Grey 3000 Half Mask Survivair (Complete Bag Kit)



Basic Box Sundström

Includes; Half Mask SR90-2, Gas filter A1 / ABEK, Particle filter P3, Pre-filter holder, Pre filter

Part Number	Description
SAF/170-04223	SR90-2 217 Filter
SAF/170-04224	SR90-2 297 Filter



SR100 Box Kit

Includes; Half Mask SR100, Gas filter ABE1, Particle filter P3, Pre-filter holder, Pre-filter

Part Number	Description
SAF/171-05465	SR100 Box Kit M/L with ABE1 Filter



Half and Full Face Masks

SR200 Full Face Mask

Provides very high protection at heavy-duty work for extended periods.

Part Number	Description
SAF/110-04179	SR200 Full Face Mask, Cloth Head Harness, PC Visor
SAF/110-04213	SR200 Full Face Mask, Cloth Head Harness, LG Visor
SAF/110-04852	SR200 Full Face Mask, Rubber Head Harness, PC Visor



SR 76-2 Escape Hood

The SR 76-2 Escape Hood is a filtering respiratory protective device combined with a hood and is designed for use in accidents involving chemicals.

Part Number	Description
SAF/150-01426	SR 76-2 Escape Hood ABEK 1H-gP3 with pouch M/L



SR64 Protective Dust Hood

Use with Sundström half masks fitted with either filters or compressed air attachments.

Note: This hood provides protection from nuisance dust and small splashes: it does not offer protection against toxic or corrosive materials

Part Number	Description
SAF/170-00212	SR64 Protective Dust Hood



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

SR500/540 Fan Unit

Unique shield with excellent field of vision. The visor can be easily flipped up to a well-balanced 'over-the-head' position. Easily replaceable visor or PC or PETG.

Part Number	Description
SAF/190-05003	SR500/540 Fan Unit with SR540 Visor



SR200 Airline

The SR200 Airline comprises an SR200 full face mask supplied with air from an external source through a hose and a regulator on the user's belt.

Part Number	Description
SAF/120-04977	SR200A Airfed full face mask, LG Visor
SAF/120-04978	SR200A Airfed full face mask, PC Visor
SAF/125-01353	SR307 Compressed Air Attachment



SR63 Compressed Air Hood

- Fits over the entire head
- Often a good solution for bearded users
- Durable PVC-supported nylon material
- Crush-proof, scratch-proof polycarbonate visor
- Can be used with SR307 regulator with extra outlet for compressed air tools such as spray guns

Part Number	Description
SAF/123-00029	SR63 Compressed Air Hood



Compressed Air Respirators

Air Fed Half Mask Breathing Kit

The MPV Air-Fed Half Mask outfit remains a firm favourite with a large number of professional sprayers. The mask has a softer, more pliable face piece with a user-friendly head strap cradle.

Part Number	Description
D/MPV-627	Air Fed Half Mask Breathing Kit



Complete Respirator Box Kit

The Sperian Spray Painters Kit is a complete respiratory protective system, ideal when applying two-pack paint.

Part Number	Description
D/MPV-620-DCF-100SPW	Complete Respirator Box Kit
D/MPV-623-1007972	Mask and Belt Only No Hose and Fittings



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au


E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au



Part Number	Description
MPV-526	Mask Only
MPV-999	Mask and Belt Filter No Hose and Fittings
MPV-623	Mask and Belt Filter No Hose and Fittings (See Pic)
MPV-620	Complete Kit; Mask, Belt Filter, Coalescer DVFR-2 Filter, 10m Hose

Item	Part Number	Description
1	MPV-526	VIZOR ASSEMBLY
2	MPV-20	QUICK DETACHABLE STEM
3	MPV-478-K5	CLEAR VIZOR (KIT OF 5)
4	MPV-44-K10	VIZOR COVERS (KIT OF 10)
5	MPV-476-K5	FACE CARTRIDGE FOAM (KIT OF 5)
6	MPV-477-K5	FACE CARTRIDGE—TYVEK (KIT OF 5)
7	MPV-24-K5	NECK COVERS (KIT OF 5)
8	MPV-2-K5	HOODS (KIT OF 5)
9	MPV-458	STOWAGE BAG
10	MPV- 457	TUBE AND DIFFUSER ASSY
11	MPV-518	WAISTBELT ASSEMBLY
12	MPV-442	QUICK DETACHABLE CONNECTOR
13	MPV-455	REGULATOR AND HOUSING
14	MPV-22	DISPOSABLE FILTER
15	MPV-519	WAISTBELT AND FILTER HOUSING
16	MPV-10	QUICK DETACHABLE STEM
17	MPV-424	QUICK DETACHABLE CONNECTOR
18		SUPPLY AIR HOSE 5/16" BORE
18a	H-6085-QD	-10M LG M-F QD FITTINGS
18b	H-6065-B-R	-10M LG 1/4" RE-USABLE FITTINGS
19	MPV-456	GUN HOSE ASSEMBLY
20	MPV-5	QUICK DETACHABLE STEM



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

F 03 9752 5654

www.sprayandblast.com.au

Gas Filter ABE1 (315)

Protect against organic compounds with a boiling point above 65°C, inorganic compounds and acid gases/vapours.

Part Number	Description
SAF/131-01350	Gas Filter ABE1 (315)



Gas Filter K1 (316)

Protect against ammonia and certain amines.

Part Number	Description
SAF/131-01351	Gas Filter K1 (316)



Gas Filter A1 (217)

Protect against organic compounds with a boiling point above 65°C.

Part Number	Description
SAF/131-01359	Gas Filter A1 (217)



Gas/Particle Filter ABEKHgPE (299)

Protects against organic compounds with a boiling point above 65°, inorganic compounds and acid gases/vapours, ammonia, mercury vapour and all types of particles.

Part Number	Description
SAF/133-00479	Gas/Particle Filter ABEKHgPE (299)



Gas Filters

Gas Filter ABE2 (294)

Protect against organic compounds with a boiling point above 65°C, inorganic compounds and acid gases/vapours.

Part Number	Description
SAF/135-01354	Gas Filter ABE2 (294)



Gas Filter K2 (295)

Protect against ammonia and certain amines.

Part Number	Description
SAF/135-01355	Gas Filter K2 (295)



Gas Filter A2 (218)

Protect against organic compounds with a boiling point above 65°C.

Part Number	Description
SAF/136-00023	Gas Filter K2 (218)



Gas Filter ABEK1 (297)

Protects against the same pollutant types as gas filter 315, and also against ammonia.

Part Number	Description
SAF/137-00770	Gas Filter ABEK1 (297)



Pre Filter (221-1)

Always keep a clean pre-filter fitted to your main filter, and you can be sure of longer filter life. Superb low-cost protection against liquid splashes and coarse particles before they reach the main filter. Use a pre-filter at all times. Great effect at a tiny cost. Its the smartest thing you can do.

Part Number	Description
SAF/140-00027	Pre-filter (221-1)



Particle Filter P3 SR 510

Part Number	Description
SAF/130-00026	Particle Filter P3 SR 510



Pre Filter Holder Black

Part Number	Description
SAF/180-03687	Pre Filter Holder Black



Survivair S1001 Organic Cartridge

Part Number	Description
SAF/528269	Survivair S1001 Organic Cartridge



Gas Filters

Acid Cartridge Survivair

Part Number	Description
SAF/S1003	Acid Cartridge Survivair



Survivair Pre Filter P2 Pkt 2

Always keep a clean pre-filter fitted to your main filter, and you can be sure of longer filter life. Superb low-cost protection against liquid splashes and coarse particles before they reach the main filter. Use a pre-filter at all times. Great effect at a tiny cost. Its the smartest thing you can do.

Part Number	Description
SAF/S1010	Survivair Prefilter P2 Pkt 2



Survivair Filter A1, B1, E1, K1

Part Number	Description
SAF/1008-00	Survivair Filter A1, B1, E1, K1



Survivair Pre Filter Clip

Part Number	Description
SAF/140079	Pre Filter Clip



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Half Mask Storage Pouch

Stores half mask with essential accessories

- Keeps mask and accessories dust free
- Practical carry strap attached
- Lid attached to carry strap
- ID label for owner's name

Part Number	Description
SAF/170-04292	Half Mask Storage Pouch



Half Mask Storage Pouch

Plastic storage box with carry strap and lid for half mask, filters and accessories

Part Number	Description
SAF/170-02820	Half Mask Storage Pouch



Full Face Mask Storage Box

Plastic storage box with carry strap and lid for full face mask, filters and accessories.

- Keeps mask and accessories dust free
- Practical carry strap attached
- Lid attached to carry strap
- ID label for owner's name

Part Number	Description
SAF/170-00613	Full Face Mask Storage Box



Cleaning Napkins Box 50

Individually sealed antiseptic cleaning tissues for respirator hygiene. Impregnated with cleaning agent.

Each tissue individually sealed. Impregnated with antiseptic cleaning agent.

Part Number	Description
SAF/170-00010	Cleaning Napkins Box 50



Accessories

Waist and Carbon Pack

Part Number	Description
D/MPV-519	Waist Band and Carbon Pack
D/MPV-22	Replacement Belt Cartridge



Visor Covers

Part Number	Description
D/MPV-1	Visor Cover
D/MPV-1-K50	Visor Cover Kit of 50
D/MPV-44-K10	Integral Visor Covers Kit 10
D/MPV-44-K50	Integral Visor Covers Kit 50
D/MPV-478	Inner Clear Replaceable Visor



Service Kit

Part Number	Description
SAF/180-03032	SR90-2 Service Kit
SAF/180-03657	SR100 Service Kit



Membrane Kit

Part Number	Description
SAF/181-04183	SR200 Membrane Kit, Inhale and Exhale Valve



SR200 Visor

Part Number	Description
SAF/181-04180	SR200 Visor Polycarbonate
SAF/181-04214	SR200 Laminated Glass Visor



SR200 Protective Film (10)

Part Number	Description
SAF/181-04419	SR200 Protective Film (10)



SR200 Head Harness (Cloth)

Part Number	Description
SAF/181-04182	SR200 Head Harness (Cloth)



SR200 Natural Rubber Head Harness

Part Number	Description
SAF/181-04872	SR200 Natural Rubber Head Harness



Head Harness Black Cradle

Part Number	Description
SAF/180-03659	Head Harness Black Cradle



Eye and Hearing Protection

Dust Goggles

- Clear economy
- Cotton Bound face seal
- All round ventilation for greater, 100% UV protection

Part Number	Description
SAF/516880	Dust Goggles



Safety Glasses

These lenses are intended for indoor and outdoor use where no optical radiation hazards exist other than solar radiation.

- This product is rated for medium impact under AS/NZ 1337

Part Number	Description
SAF/SG-CL-0002	Clear Safety Glasses
SAF/SG-SM-0003	Smoked Safety Glasses
SAF/SG-SM-0004	Safety Glasses Micro
SAF/SG-TN-0001	Safety Glasses Transition Day / Night



Ear Protection

- Max bell shape single use earplug offers maximum in-ear comfort
- The worlds most used polyurethane earplug
- Improved design easier to insert, reduces tendency to back out of the ear

Part Number	Description
SAF/EP-SP-312-1261	Ear Plugs (Box 200)
SAF/EP-SP-1013460	Ear Muffs 25db



Bionic Face Shield

A revolutionary face shield designed for rugged jobs. Extremely lightweight and highly adjustable for all-day comfort it's perfect for workers exposed to impact, chemical splash, and airborne debris.

Part Number	Description
SAF/FS-SP-101623	Bionic Face Shield



Kleenguard Overalls

- Protection with breathable comfort
- High performance fabric which allows the body to breathe
- Generous sizing and superior cut, strong seams

Part Number	Description
SAF/DISP OVERALLS	Medium
SAF/DISP OVERALLS	Large
SAF/DISP OVERALLS	X Large



Microgard 1500 Coveralls

Part Number	Description
SAF/MICROGUARD(O/A)	1500 Coverall M
SAF/MICROGUARD(O/A)	1500 Coverall L
SAF/MICROGUARD(O/A)	1500 Coverall XL
SAF/MICROGUARD(O/A)	1500 Coverall 2XL
SAF/MICROGUARD(O/A)	1500 Coverall 3XL



Calico Elastic Hood

Part Number	Description
SAF/AC-248A	Calico Elastic Hood



Universal Fabric Sock

Part Number	Description
SAF/41-1497B	Universal Fabric Sock



Gloves

Latex Disposable Gloves

Part Number	Description
SAF/GLOVELATEX	Medium
SAF/GLOVELATEX1	Large
SAF/GLOVELATEX2	X Large



Nitrile Disposable Gloves

Part Number	Description
SAF/GLOVENITE	X Large
SAF/GLOVENITE2XL	2 X Large
SAF/GLOVENITE3XL	3 X Large



Gloves Seamless Nylon

Part Number	Description
SAF/GLOVENINJA	Medium
SAF/GLOVENINGA1	Large
SAF/GLOVENINGA2	X Large



Glove Rigger

Part Number	Description
SAF/GLOVERIG	Glove Rigger Large



Knitted Cotton Gloves P/Dots

Part Number	Description
SAF/GLOVES	Knitted Cotton Gloves P/Dot



Knitted Cotton Gloves No P/Dots

Part Number	Description
SAF/GLOVES2	Knitted Cotton Gloves No P/Dot



Cotton Gloves

Part Number	Description
SAF/GLOVESCOTTON	Cotton Gloves



Silverlined Blue Gloves

Part Number	Description
SAF/GLOVESMSL	Silverlined Blue Gloves



Safety Accessories

Caution Tape

Barricade Tapes warn against hazards or dangerous work zones. The durable, yet lightweight tape comes in easy to use rolls so that it can be put up quickly to block off large areas of danger. Wrap it around poles and barrels, or staple it to wood. When the hazard is removed, roll up the tape for reuse.

Part Number	Description
SAF/CT10075	Caution Tape 100m x 75m



Danger Tape

Barricade Tapes warn against hazards or dangerous work zones. The durable, yet lightweight tape comes in easy to use rolls so that it can be put up quickly to block off large areas of danger. Wrap it around poles and barrels, or staple it to wood. When the hazard is removed, roll up the tape for reuse.

Part Number	Description
SAF/DT10075	Danger Tape 100m x 75m



Safety Helmets

Part Number	Description
SAF/Safety Helmet WH	White Safety Helmet
SAF/Safety Helmet YL	Yellow Safety Helmet



Custom Signage on Frames

Please contact Murphys Spray and Blast Equipment for other signs

Part Number	Description
SAF/0002A	900w x 600h Swing Stand
SAF/0002	600mm x 450mm Swing
SAF/0001	400mm x 500mm - Signs Only



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272 F 03 9752 5654 E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Test Equipment

Surface Profile Testing

1

Elcometer 224 Digital Surface Profile Gauge	1	Gauge	1
Elcometer 122 Testex® Replica Tape	1	Elcometer 123 Surface Profile Gauge	2
Elcometer 124 Thickness Gauge	1	Elcometer 119 Pipe Pit Gauge	2
Elcometer 223 Digital Surface Profile		Elcometer 125 Surface Comparators	2

Climate Testing

3

Elcometer 319 Dewpoint Meter	3	Elcometer 210 Paint Thermometer	4
Elcometer 320 Climate Monitoring System	3	Elcometer 113 Magnetic Thermometers	4
Elcometer 166 Whirling and Sling Hygrometers	3	Elcometer 212 Digital Pocket Thermometer	4
Elcometer 114 Dewpoint Calculator	3	Elcometer 7420 Digital Moisture Meter	4

Coating Thickness

5

Elcometer 456 Probe Range Dry Film Thickness Gauges	5	Elcometer Zero Test Plates	7
Dry Film Thickness Gauges	6	Elcometer 995 Coated 4 Piece Thickness Standards	7
Elcometer 211 Coating Thickness Gauge	6	Coating Thickness Standard	8
Brass Wet Film Gauge	6	Certified Precision Foil Sets	8
Elcometer 112 Wet Film Combs	7	Nominal Foil Sets	8
Elcometer 154 Plastic Wet Film Combs	7		

Pinhole and Porosity Testing

9

Elcometer 266 DC Holiday Detector	9	Elcometer 270 Pinhole Detectors	9
-----------------------------------	---	---------------------------------	---

Adhesion Testing

10

Elcometer 106 Pull Off Adhesion Tester	10	Testers	10
Elcometer 108 Hydraulic Adhesion			

Contamination Kits

11

Elcometer 138 Bresle Salt Kit	11	Elcometer 138/2 Surface Contamination Kit	12
Elcometer 135B Patches	11	Quantabs Chloride Test Strips	12
Elcometer 134S Chloride Ion Test Kit for Surfaces	11	Elcometer 182 Pictorial Surface Standards	12
Elcometer 134A Chloride Ion Test Kit for Abrasives	11	Elcometer Marine Inspection Kit	12
		Test Strips	12

Accessories

13

Elcometer 132 Safety Torch	13	Elcometer 131 Inspection Mirrors	13
Elcometer 137 Illuminated (x10) Magnifier	13		
Elcometer 260 UV Pinhole Flashlight	13		

Elcometer 224 Digital Surface Profile Gauge

The Elcometer 224 is available in two different models: Model B and Model T. Each gauge provides the user with increasing functionality - from the entry level Elcometer 224 Model B, to the top of the range Elcometer 224 Model T, with memory, alpha-numeric batching and Bluetooth® communication.

Part Number	Description
TEST/E224C-BI	Elcometer 224 Model B Digital Surface Profile Gauge
TEST/E224C-TI	Elcometer 224 Model T Digital Surface Profile Gauge



Elcometer 122 Testex® Replica Tape

Elcometer 122 Testex Tape consists of foam with a non-compressible backing. The foam side is rubbed into the surface providing a permanent mould of the peak-to-valley profile, which can then be measured using the Elcometer 124 Thickness Gauge.

Part Number	Description
TEST/E122---B1	Elcometer 122 Coarse
TEST/E122---C1	Elcometer 122 X-Coarse
TEST/E122---F1	Elcometer 122 X-Coarse Plus



Elcometer 124 Thickness Gauge

The Elcometer 124 Thickness Gauge is used to measure the peak-to-valley height of a surface profile moulded in the Elcometer 122 Testex Replica Tape.

- Available in both Metric and Imperial versions.

Part Number	Description
TEST/E124---3M	Elcometer 124 Thickness Gauge
TEST/E124---3M (CERT)	Mitutoyo Dial Thickness Gauge Certified
TEST/E124---3M (COPY)	Mitutoyo Dial Thickness Gauge Copy



Elcometer 223 Digital Surface Profile Gauge

A Digital Surface Profile Gauge which measures the peak-to-valley height of a surface in a similar way to the Elcometer 224.

- Range 0 - 1000 µm
- Metric and Imperial switchable.

Part Number	Description
TEST/E223----2	Elcometer 223 Digital Surface Profile Gauge



Surface Profile Testing

Elcometer 123 Surface Profile Gauge

This easy to use gauge measures the peak-to-valley height of a blast cleaned surface.

The average of a series of measurements provides an indication of the surface roughness and allows the surfaces to be compared as blasting proceeds.

- Range 0 - 1000 µm
- Metric and Imperial versions

Part Number	Description
TEST/E123A--M-	Elcometer 123 Surface Profile Gauge, Metric Version
TEST/E123A--E-	Elcometer 123 Surface Profile Gauge, Imperial Version



Elcometer 119 Pipe Pit Gauge

The Elcometer 119 Pipe Pit Gauge is a pocket sized gauge designed to identify the condition of a pipe.

The gauge is placed horizontally on the surface of the pipe and the stylus is positioned into the base of the corrosion pit. The gauge shows the pit depth compared to the nominal pipe wall thickness.

- Range 0 - 500mils (0 - 0.5")
- Imperial units only

Part Number	Description
TEST/E119----	Elcometer 119 Pipe Pit Gauge



Elcometer 125 Surface Comparators

These extremely durable comparators allow the estimation of surface roughness of either grit and shot blasted surfaces. Using the Elcometer 125 surface comparators as a reference the blasted profile can be compared to the four reference profile grades in each comparator.

- Profiles are recorded in microns.
- 4 Roughness Values per Comparator

Part Number	Description
TEST/E125----1	Elcometer Grit Surface Comparator
TEST/E125----2	Elcometer Shot Surface Comparator



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Elcometer 319 Dewpoint Meter

This rugged gauge is designed to measure and record all relevant climatic parameters required to determine whether the conditions are suitable for painting. The Elcometer 319 can be used as a hand-held gauge or a stand alone data logger - ideal for monitoring climatic conditions over a period of time.

Part Number	Description
TEST/G319---S	Standard Gauge
TEST/G319---T	Top Gauge
TEST/T31920162	Magnetic Surface Temperature Probe
TEST/T9996390-	Liquid Temperature Probe
TEST/T99921325	USB Cable



Elcometer 320 Climate Monitoring System

Using readily available, off the shelf components the Elcometer 320 - together with ElcoMonitor™ Software and the Elcometer 319 Dewpoint Meter - is a powerful system which simply and accurately monitors climatic parameters in any number of locations.

Part Number	Description
TEST/G320-1	Elcometer 320 Climate Monitoring System



Elcometer 166 Whirling and Sling Hygrometers

These instruments are designed to determine the dewpoint and relative humidity at any given time..

Part Number	Description
TEST/G116A---1	Elcometer 166A Whirling Hygrometer - Metric °C
TEST/G116C---1	Elcometer 116C Sling Hygrometer - Metric °C
TEST/1164487-	Elcometer 116A Wicks Pack 5



Elcometer 114 Dewpoint Calculator

This provides accurate values of Dewpoint and Relative Humidity (RH) from the wet and dry bulb temperatures measured by a Whirling or Sling Hygrometer.

Part Number	Description
TEST/G114---2	Elcometer 114 Dewpoint Calculator



Climate Testing

Elcometer 210 Paint Thermometer

The Elcometer 210 Paint Thermometer is supplied with a clip to enable the thermometer to be hooked on to the edge of a paint can allowing accurate temperature measurement of the paint.

Part Number	Description
TEST/G210----1	Elcometer 210 Paint Thermometer



Elcometer 113 Magnetic Thermometers

The Elcometer 113 Magnetic Thermometer continuously indicates the surface temperature of steel and other magnetic material.

- Do not require batteries but do require time to adjust to the temperature.

Part Number	Description
TEST/G113----2	Elcometer 113 Magnetic Thermometer 0°C to 120°C



Elcometer 212 Digital Pocket Thermometer

The Elcometer 212 is a digital, pocket sized thermometer ideal for day to day use.

- Provides temperature readings in under four seconds.

Part Number	Description
TEST/G212----1A	Elcometer 212 Digital Pocket Thermometer with Liquid Probe
TEST/G212----2A	Elcometer 212 Digital Pocket Thermometer with Surface Probe



Elcometer 7420 Digital Moisture Meter

Handy and easy to use, the Elcometer 7420 does not use pins and therefore does not damage the substrate under test.

Part Number	Description
TEST/K0007420M001	Elcometer 7420 Digital Moisture Meter



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Test Equipment | Coating Thickness

Elcometer 456 Probe Range

Ferrous

Part Number	Description
TEST/T456C1T	Standard F1S 0-1500 µm
TEST/T456C4F1R	Standard F1 Right Angle Probe 0-1500 µm
TEST/T456CF6S	Standard F6 S Probe 0-25 mills
TEST/T456CF3S	Standard F3S Probe 0-13 mills

Non - Ferrous

Part Number	Description
TEST/T456CNT	Standard N1S 0-1500 µm
TEST/T456CN1R	Standard N1 Right Angle Probe 0-1500 µm
TEST/T456CN6S	Standard N6 S Probe 0-25 mills
TEST/T456CN3S	Standard N3S Probe 0-13 mills



Dry Film Thickness Gauges

Ferrous Integral

Part Number	Description
TEST/A456CFNEIT	Entry Ferrous Integral Scale 1
TEST/A456CFBI1	Basic Ferrous Integral Scale 1 with Bluetooth
TEST/A456CFNFSI1	Standard Ferrous Integral Scale 1 with Bluetooth
TEST/A456CFNFTI1	Top Ferrous Non Ferrous Integral Scale 1 with Bluetooth

Non - Ferrous Integral

Part Number	Description
TEST/A456CFEIT	Entry Ferrous Integral Scale 1
TEST/A456CFBI1	Basic Ferrous Integral Scale 1 with Bluetooth
TEST/A456CFSI1	Standard Ferrous Integral Scale 1 with Bluetooth
TEST/A456CFTI1	Top Ferrous Non Ferrous Integral Scale 1 with Bluetooth



Coating Thickness

Dry Film Thickness Gauges

Ferrous Separate

Part Number	Description
TEST/A456CFBS1	Basic Ferrous Separate Scale 1
TEST/A456CFSS1	Standard Ferrous Separate Scale 1 with Bluetooth
TEST/A456CFTS1	Top Ferrous Separate Scale 1 with Bluetooth

Non - Ferrous Separate

Part Number	Description
TEST/A456CFNFBS1	Basic Ferrous Non Ferrous Separate Scale 1 with Bluetooth
TEST/A456CFNFSS1	Standard Ferrous Non Ferrous Separate Scale 1 with Bluetooth
TEST/A456CFNFTS1	Top Ferrous Non Ferrous Separate Scale 1 with Bluetooth



Elcometer 211 Coating Thickness Gauge

- Factory calibrated
- Ideal for cold surfaces and underwater use

Part Number	Description
TEST/A211F--1M	Elcometer 211 Coating Thickness Gauge 0-1000 µm
TEST/A211F--8M	Elcometer 211 Coating Thickness Gauge 0.65-6mm
TEST/A211F--1E	Elcometer 211 Coating Thickness Gauge 0-40 mils
TESTA211F--8E	Elcometer 211 Coating Thickness Gauge 25-250 mils



Brass Wet Film Gauge

- Re usable
- 25 - 3200 µm
- Used in accordance with; ISO2808 7B, AS3894-3 Standards

Part Number	Description
TEST/B154----8	Brass Wet Film Gauge



Elcometer 112 Wet Film Combs

These hexagonal precision formed stainless steel wet film combs are long lasting and reusable and are supplied in a range of thickness's measuring up to 3000 μm (120 mils).

Part Number	Description
TEST/B112----1	Elcometer 112 25-3000 μm
TEST/B112----2	Elcometer 112 1-120 mils



Elcometer 154 Plastic Wet Film Combs

The Elcometer 154 Wet Film Combs are made from ABS plastic and are designed to be used once and kept as a record of wet film thickness measurements for quality assurance or customer requirements.

Part Number	Description
TEST/B154----8	Elcometer 154 Plastic Wet Film Combs



Elcometer Zero Test Plates

Part Number	Description
TEST/T3459529	2% Ferrous Zero Test Plate
TEST/T3554910	1% Ferrous Zero Test Plate
TEST/T9994054	Large Ferrous Zero Test Plate
TEST/T3459530	2% Non Ferrous Zero Test Plate
TEST/T3554911	1% Non Ferrous Zero Test Plate
TEST/T9994055	Large Non Ferrous Zero Test Plate



Elcometer 995 Coated 4 Piece Thickness Standards

Part Number	Description
TEST/T995111262	Ferrous 0,40,75,125,175 μm
TEST/T995111271	Non Ferrous 0,40,75,125,175 μm
TEST/T995111263	Ferrous 0,50,80,125,200 μm
TEST/T995111261	Non Ferrous 0,50,150,250,500 μm



Coating Thickness

Coating Thickness Standard

Part Number	Description
TEST/0525	Coating Thickness Standard F-0-500 µm



Certified Precision Foil Sets

Please note larger range available please phone for more information.

Part Number	Description
TEST/T99049001	Scale 1 Values: 12.5,25,50,125,250,500,1000,1500 µm



Nominal Foil Sets

Part Number	Description
TEST/T9904199S	Scale 1 50,125,500,1020 µm
TEST/T99041991	Scale 1 50,125,250,500,1020 µm
TEST/T9904199E	Scale 1 12,25,50,125,250,500,1020 µm



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Elcometer 266 DC Holiday Detector

The Elcometer 266 revolutionises high voltage DC testing of coatings porosity detection making it safer, easier and more reliable than ever before.

Part Number	Description
TEST/D266----4	Elcometer 266

The Elcometer 266 does not include the probe handle; please select the required handle from the list below;

Part Number	Description
TEST/26620033-1	Elcometer 266 DC5 Handle
TEST/26620033-2	Elcometer 266 DC15 Handle
TEST/26620033-3	Elcometer 266 DC30 Handle

Part Number	Description
TEST/26619988-1	Probe extension piece, 500mm (20")
TEST/26619988-2	Probe extension piece, 1000mm (39")
TEST/99916996	Earth signal return lead, 10m (32')

Part Number	Description
TEST/99920022-1	Right angled wire brush probe 0.25m 9.8"
TEST/99920022-2	Right angled wire brush probe 0.50m 19.7"
TEST/99920022-3	Right angled wire brush probe 1.00m 39"



Elcometer 270 Pinhole Detectors

The Elcometer 270 range utilises the wet sponge technique and has been designed to set a new standard for wet sponge detectors - a high quality, low voltage detector with similar accessories to a high voltage spark tester.

Part Number	Description
TEST/D270----3	Elcometer 270 Pinhole Detector

Accessories

Part Number	Description
TEST/27016960	Roller Sponge Wand
TEST/27018051	Spare Roller Sponge Set
TEST/27016867	Standard Wand with Flat Sponge
TEST/27018050	Spare Rectangular Sponges Pkt 3
TEST/27018024	Wetting Agent 50 ml



Elcometer 106 Pull Off Adhesion Tester

The Elcometer 106 Adhesion Tester is easy to operate and fully portable, and provides a numerical value for adhesion. Applications include paint or plasma spray on bridge decking, coatings on steel, aluminium, concrete etc.

Part Number	Description
TEST/F106----1	Elcometer 106 Adhesion Tester - Scale 1
TEST/F106----2	Elcometer 106 Adhesion Tester - Scale 2
TEST/F106----3	Elcometer 106 Adhesion Tester - Scale 3
TEST/F106----4	Elcometer 106 Adhesion Tester - Scale 4
TEST/F106----5	Elcometer 106 Adhesion Tester - Scale 5

Accessories

Part Number	Description
TEST/T1062895-10	Spare Dollies 20mm Pk 10
TEST/T1062895-100	Spare Dollies 20mm Pk 100
TEST/T1062914-	Large Dollies 40mm Pk 5
TEST/T1062915-	Large Base Ring for 40mm
TEST/T1062906	Araldite Epoxy Adhesive
TEST/T99914009	20mm Dolly Cutter



Elcometer 108 Hydraulic Adhesion Testers

The Elcometer 108 Hydraulic Adhesion Tester is an extremely versatile gauge which can be used for many adhesion requirements. Tests can be made on flat or curved (concave and convex) surfaces.

Part Number	Description
TEST/F108---1C	Elcometer 108/1 Hydraulic Adhesion Tester - Analogue Dial Gauge
TEST/F108---2C	Elcometer 108/2 Hydraulic Adhesion Tester - Digital Gauge

Accessories

Part Number	Description
TEST/T99911135	Cyanoacrylate Adhesive
TEST/T1089646-	Standard Flat Dolly 19.4mm (0.76")



Elcometer 138 Bresle Salt Kit

It is essential that the level of contaminants on a surface is measured prior to application of the coating to ensure the quality of the coating and that its optimum lifetime is achieved.

If the coating is applied to a contaminated surface, which is not properly prepared, it could fail prematurely resulting in costly re-coating and high maintenance costs.



Part Number	Description
TEST/E138-1	Elcometer 138 Bresle Salt Kit

Elcometer 135B Patches

Elcometer 135B Bresle Patches are used to determine surface chloride contamination and are self-adhesive rubber film patches with a sealed compartment for sampling soluble impurities from steel surfaces with a suitable solvent.



Part Number	Description
TEST/E135----B	Elcometer 135B Patches

Elcometer 134S Chloride Ion Test Kit for Surfaces

Chloride salts left on the surface before the first coat is applied can result in the coating system being forced off the surface by corrosion or blistering before the full life of the coating has been reached.

To ensure that the chloride has been removed it is essential that the surface is tested before the coating is applied.



Part Number	Description
TEST/E134----1	Elcometer 134S Chloride Ion Test Kit for Surfaces

Elcometer 134A Chloride Ion Test Kit for Abrasives

Contamination can build up, particularly if the blast media is recycled several times. Using the Elcometer 134A Chloride Ion Test in the field will accurately identify contamination and prevent costly surface-related failures.



Part Number	Description
TEST/E134----2	Elcometer 134A Chloride Ion Test Kit for Abrasives

Contamination Kits

Elcometer 138/2 Surface Contamination Kit

The Elcometer 138/2 Surface Contamination Kit provides the means for testing invisible surface contaminants:

- pH
- chloride ions
- iron
- salts

Part Number	Description
TEST/E138----2	Elcometer 138/2 Surface Contamination Kit



Quantabs Chloride Test Strips

- Ideal for determining quantitative results quickly
- Simply dip the strip in the sample and compare the length of the colour change to a printed scale.

Part Number	Description
TEST/00010	Quantabs Chloride Test Strips



Elcometer 182 Pictorial Surface Standards

Part Number	Description
TEST/E128----1	BS EN ISO 8501-1:2007/SIS 055900
TEST/E128----3	The SSPC Standard - VIS 1
TEST/E128----5	The SSPC Standard - VIS 3
TEST/E128----6	The SSPC Standard - VIS 2
TEST/E128----7	The SSPC Standard - VIS 4
TEST/E128----8	The SSPC Standard - VIS 5
TEST/E128----9	BS EN ISO 8501-4:2006



Elcometer Marine Inspection Kit

Part Number	Description
TEST/YKITMARINE-1S	Elcometer Marine Inspection Kit



Test Strips

Part Number	Description
TEST/2552404	Lead Test Strips Pkt 8
TEST/T13820562	PH Test Strips
TEST/T13820563	Iron Test Strips



Elcometer 132 Safety Torch

The Elcometer 132 Safety Torch/Flash Light is explosion proof and meets the ATEX directive as category 2 equipment.

It is approved to the latest EN Standards for electrical apparatus for potential explosive atmospheres. This allows for use in Group II applications zones 1 and 2, IIA and IIB gases, where T4 temperature class permits.

Part Number	Description
TEST/H132---1A	Elcometer 132 Safety Torch/Flash Light



Elcometer 137 Illuminated (x10) Magnifier

- Lightweight, battery powered, portable magnifier
- Ideal for viewing surface comparators
- x10 magnification for close surface inspection
- Scaled lens for easy measurement of surface features

Part Number	Description
TEST/H137----1	Elcometer 137 Illuminated Magnifier



Elcometer 260 UV Pinhole Flashlight

Battery powered and housed in a rugged aluminium case, the Elcometer 260 provides a quick, low cost method of testing coatings for pinholes.

Part Number	Description
TEST/D260----2	Elcometer 260 UV Pinhole Flashlight



Elcometer 131 Inspection Mirrors

Ideal for inspecting difficult to access areas - inside pipes, behind corners, underneath inspection tanks, and other inaccessible or awkward areas.

Part Number	Description
TEST/H131---1A	Elcometer 131/1A Telescopic Inspection Mirror
TEST/H131---1B	Elcometer 131/1B Telescopic Inspection Mirror
TEST/H131---1C	Elcometer 131/1C Telescopic Inspection Mirror
TEST/H131---2A	Elcometer 131/2A Illuminated Inspection Mirror (Battery Type 2 x LR14 C)



Accessories



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Fittings

A Type Claw Couplings 1

Claw Coupling Blank	1	Female Thread Claw Coupling	1
Male Thread Claw Coupling	1	Hose Tail Claw Coupling	1

S Type Surelock Claw Couplings 2

Male Thread Claw Coupling	2	Hose Tail Claw Coupling	2
Female Thread Claw Coupling	2	Spud Connection	2

Clamps and Rubbers 3

Safety Clamp	3	A Type Claw Rubbers	3
2 Bolt Saddle Clamp	3	2 inch Surelock Seals	3

Air Quick Release Couplings and Adaptors 4

Double Action Couplings	4	Nitto Couplings	4
Double Action Adaptors	4	Nitto Adaptors	4

J-Mac Series 5

J-Mac Couplings	5	J-Mac Adaptors	5
J-Mac Couplings	5	J-Mac Barbed Adaptors	5

Ryco 200 Series 6

Ryco Couplings	6	Ryco Adaptors	6
Ryco Couplings	6	Ryco Barbed Adaptors	6

Ryco 500 Series 7

Automatic Coupling	7	Barb Adaptors	7
Hose Barb Coupling	7	Adaptors	7

Barbed Fittings 8

Nut and Tail	8	Barbed Male	8
Barbed Male	8	Hose Joiners	8

Reducing Bushes 9

Reducing Bush	9	Reducing Hex Nipples	9
Reducing Hex Nipples	9		

Hex Nipples 10

Hex Nipples	10	Pipe Nipple	10
Hex Nipples	10		

Hex Sleeves, Plugs and Caps 11

Hexagon Sleeves	11	Blanking Cap	11
Hex Taper Plug	11		

Swivel Union and Ball Valves		12
Swivel Adaptors	12	Ball Valves
Barrel Union	12	High Pressure Ball Valves
Tee Pieces		13
Barbed Tee Steel	13	Tee Piece Female Steel
Male Tee	13	Female Tee
Elbows		14
Elbow 45° Steel	14	Male Elbow Steel
Elbow	14	Elbow
Gauges, Thread Tape and Springs		15
Complete 5800 PSI Gauge	15	Thread Tape
Gauges	15	Springs
Clamps		16
O Clip	16	2 Bolt Saddle Clamp
Hose Clamp	16	
Super Clamps	16	

Fittings | A Type Claw Couplings

Claw Coupling Blank

Part No	Description
F/00010	Claw Coupling Blank A Type



Male Thread Claw Coupling

Part No	Description
F/00010A	Claw Coupling 10mm Male A Type
F/00010D	Claw Coupling 13mm Male A Type
F/00010G	Claw Coupling 19mm Male A Type
F/00010J	Claw Coupling 25mm Male A Type
F/00010M	Claw Coupling 31mm Male A Type



Female Thread Claw Coupling

Part No	Description
F/00010B	Claw Coupling 10mm Female A Type
F/00010E	Claw Coupling 13mm Female A Type
F/00010H	Claw Coupling 19mm Female A Type
F/00010K	Claw Coupling 25mm Female A Type
F/00010N	Claw Coupling 31mm Female A Type



Hose Tail Claw Coupling

Part No	Description
F/00010C	Claw Coupling 10mm Tail A Type
F/00010F	Claw Coupling 13mm Tail A Type
F/00010I	Claw Coupling 19mm Tail A Type
F/00010L	Claw Coupling 25mm Tail A Type
F/00010O	Claw Coupling 31mm Tail A Type



Fittings | S Type Surelock Claw Couplings

Male Thread Claw Coupling

Part No	Description
F/00011A	Claw Coupling 31mm Male S Type
F/00011D	Claw Coupling 38mm Male S Type
F/00011G	Claw Coupling 50mm Male S Type
F/00011J	Claw Coupling 75mm Male S Type



Female Thread Claw Coupling

Part No	Description
F/00011B	Claw Coupling 31mm Female S Type
F/00011E	Claw Coupling 38mm Female S Type
F/00011H	Claw Coupling 50mm Female S Type
F/00011K	Claw Coupling 75mm Female S Type



Hose Tail Claw Coupling

Part No	Description
F/00010C	Claw Coupling 31mm Tail S Type
F/00010F	Claw Coupling 38mm Tail S Type
F/00010I	Claw Coupling 50mm Tail S Type
F/00010L	Claw Coupling 75mm Tail S Type



Spud Connection

Part No	Description
F/00014	Spud 2 inch Tail and Wing Nut
F/00014B	Spud 2 inch Adaptor Male BSP to Female BSP
F/00014C	Spud 1 inch Tail and Wing Nut
F/00014D	Spud 1 inch Adaptor Male BSP to Male BSP



Safety Clamp

Part No	Description
F/00011N	2 inch Surelock Safety Clamp
F/00013	1 inch A Type Safety Clamp



2 Bolt Saddle Clamp

Part No	Description
F/00039	2 Bolt Saddle Clamp SL22
F/00040	2 Bolt Saddle Clamp SL34
F/00041	2 Bolt Saddle Clamp SL40
F/00042	2 Bolt Saddle Clamp SL49



A Type Claw Rubbers

Part No	Description
F/00012	A Type Claw Rubbers



2 inch Surelock Seals

Part No	Description
F/00012M	2 inch Surelock Seals





Fittings | Air Quick Release Couplings and Adaptors

Double Action Couplings

Part No	Description
F/CEJN-103421004	Breathing A/Q Coupling 3/8 Barb
F/CEJN-103421154	Breathing A/Q Coupling Female x 3/8 Male



Double Action Adaptors

Part No	Description
F/CEJN-103425004	Breathing A/Q Coupling 3/8 Barb Adaptor
F/CEJN-103425152	Breathing A/Q Adaptor x 1/4 Male
F/CEJN-	Breathing A/Q Male x 1/4 Female



Nitto Couplings

Part No	Description
F/20SF	1/4 Female Coupling
F/20SM	1/4 Male Coupling
F/30SM	3/8 Male Coupling



Nitto Adaptors

Part No	Description
F/20PM	1/4 Adaptor
F/20PF	1/4 Female Adaptor
F/30PM	3/8 Male Adaptor



Fittings | J-Mac Series

J-Mac Couplings

Part No	Description
F/310F4	Female Q/Release 1 Button
F/310M4	Male Q/Release 1 Button 1/4"
F/310M6	Male 3/8 Q/Release 1 Button



J-Mac Couplings

Part No	Description
F/320F4	Coupling Female 1/4 2 button
F/320M4	Coupling Male 1/4 2 button
F/320T6	Coupling Tail 3/8 2 button



J-Mac Adaptors

Part No	Description
F/31F4	Adaptor Female 1/4
F/31M4	Threaded Adaptor 1/4 Male
F/31N4	Adaptor Loose Nut 1/4 Female



J-Mac Barbed Adaptors

Part No	Description
F/31T4	Barb Adaptor 1/4
F/31T5	Barb Adaptor 5/16
F/31T6	Barb Adaptor 3/8
F/31T8	Barb Adaptor 1/2



Ryco Couplings

Part No	Description
F/Ryco 200	Automatic Coupling Female 1/4
F/Ryco 201	Automatic Coupling Male 1/4
F/Ryco 244	Automatic Coupling Male 3/8



Ryco Couplings

Part No	Description
F/Ryco 240	Automatic Coupling Tail 5/16
F/Ryco 241	Automatic Coupling Tail 3/8
F/Ryco 245	Automatic Coupling Tail 1/4



Ryco Adaptors

Part No	Description
F/Ryco 202	Adaptor Male
F/Ryco 203	Adaptor Female



Ryco Barbed Adaptors

Part No	Description
F/Ryco 205	Barb 1/4 Adaptor
F/Ryco 206	Barb 5/16 Adaptor
F/Ryco 206A	Barb 3/8 Adaptor



Fittings | Ryco 500 Series

Automatic Coupling

Part No	Description
F/RYCO-CEJN 500	Automatic Coupling Female 1/4
F/RYCO-CEJN 501	Automatic Coupling Male 1/4



Hose Barb Coupling

Part No	Description
F/RYCO-CEJN 541	3/8 Hose Barb Coupling
F/RYCO-CEJN 542	1/2 Hose Barb Coupling



Barb Adaptors

Part No	Description
F/RYCO-CEJN 505	Barb 1/4 Adaptor
F/RYCO-CEJN 506	Barb 5/16 Adaptor
F/RYCO-CEJN 506A	Barb 3/8 Adaptor
F/RYCO-CEJN 554	Barb 1/2 Adaptor



Adaptors

Part No	Description
F/RYCO-CEJN 502	Adaptor Male 1/4
F/RYCO-CEJN 503	Adaptor Female 1/4
F/RYCO-CEJN 504	Adaptor Male 1/8



Nut and Tail

Part No	Description
F/4TN4	1/4" Tail x 1/4" Nut BSP
F/4TN6	1/4" Tail x 3/8" Nut BSP
F/4TN8	1/4" Tail x 1/2" Nut BSP
F/5TN4	5/16" Tail x 1/4" Nut BSP
F/6TN4	3/8" Tail x 1/4" Nut BSP
F/6TN6	3/8" Tail x 3/8" Nut BSP
F/6TN8	3/8" Tail x 1/2" Nut BSP
F/8TN6	1/2" Tail x 3/8" Nut BSP
F/8TN8	1/2" Tail x 1/2" Nut BSP



Barbed Male

Part No	Description
F/4TM4	1/4" Tail x 1/4" Male BSP
F/5TM4	1/4" Tail x 5/16" Male BSP
F/6TM4	1/4" Tail x 3/8" Male BSP
F/6TM6	3/8" Tail x 3/8" Male BSP
F/8TM4	1/2" Tail x 1/4" Male BSP
F/8TM8	1/2" Tail x 1/2" Male BSP



Barbed Male

Part No	Description
F/8TM12	1/2" Tail x 3/4" Male BSP
F/12TM4	3/4" Tail x 1/4" Male BSP
F/12TM6	3/4" Tail x 3/8" Male BSP
F/12TM12	3/4" Tail x 3/4" Male BSP
F/16TM12	1" Tail x 3/4" Male BSP
F/16TM16	1" Tail x 1" Male BSP
F/16TM16NPT	1" Tail x 1" Male NPT



Hose Joiners

Part No	Description
F/4DET	Hose Joiner 1/4" Barb
F/5DET	Hose Joiner 5/16" Barb
F/6DET	Hose Joiner 3/8" Barb
F/8DET	Hose Joiner 1/2" Barb



Reducing Bush

Part No	Description
F/RB2X4	Reducing Bush 1/4" BSP.M-1/8 BSP.F
F/RB4X6	Reducing Bush 3/8" BSP.M-1/4 BSP.F
F/RB4X8	Reducing Bush 1/2" BSP.M-1/4 BSP.F
F/RB4X12	Reducing Bush 3/4" BSP.M-1/4 BSP.F
F/RB6X8	Reducing Bush 1/2" BSP.M-3/8 BSP.F
F/RB6X12	Reducing Bush 3/4" BSP.M-3/8 BSP.F
F/RB8X12	Reducing Bush 3/4" BSP.M-1/2 BSP.F
F/RB16X6	Reducing Bush 1" BSP.M-3/8 BSP.F Brass
F/RB16X8	Reducing Bush NPT 1" 1/2"
F/RB19X16	Reducing Bush 2" BSP.M-1" BSP.F Brass
F/RB50X25	50mm x 25mm Reducing Nipple BSP Gal



Reducing Hex Nipples

Part No	Description
F/HN2/4	1/8" X 1/4" Hex Nipple
F/HN4/6	1/4" x 3/8" Hex Nipple
F/HN4/6HP	1/4" x 3/8" NPT 7500 PSI
F/HN4/8	1/4" x 1/2" Hex Nipple
F/HN6/8	3/8" x 1/2" Hex Nipple
F/HN8/12	1/2" x 3/4" Hex Nipple
F/HN12/16	1" x 3/8" Hex Nipple
F/HN16/16	1/8" x 1/4" Hex Nipple
F/HN50/25	50mm x 25mm Nipple BSP Gal



Reducing Hex Nipples

Part No	Description
F/00050K	Hex Nipple 1 1/4 x 3/4 inch GALV
F/00050E	Hex Nipple 1 1/4 x 1 inch Black Steel
F/00050F	Hex Nipple 1 1/2 x 1 inch Black Steel
F/00050G	Hex Nipple 1 1/2 x 1/4 inch Black Steel
F/00050J	Hex Nipple 2x1 inch GALV
F/00050HH	Hex Nipple 2x1 1/4 inch Black Steel
F/00050I	Hex Nipple 2x1 1/4 inch GALV
F/00050II	Hex Nipple 2x1 1/2 inch GALV



Hex Nipples

Part No	Description
F/HN2/2	Hex Nipple 1/8 - 1/8
F/HN4/4	Hex Nipple 1/4 - 1/4
F/HN4/4HP	Hex Nipple 1/4 - 1/4NPT 7500 PSI
F/HN6/6	Hex Nipple 3/8 - 3/8
F/HN6/6HP	Hex Nipple 3/8 - 3/8NPT 7500 PSI
F/HN8/8	Hex Nipple 1/2-1/2
F/HN12/12	Hex Nipple 3/4-3/4
F/HN16/16	Hex Nipple 1" x 1" BSPT
F/HN25/25	Hex Nipple 3/4-1" NPT
F/HN50/50	50mm x 50mm Nipple BSP Gal



Hex Nipples

Part No	Description
F/00050	Hex Nipple 3/4 inch Black Steel
F/00050A	Hex Nipple 1 inch Black Steel
F/00050C	Hex Nipple 1 1/4 x 1 1/4 inch Black Steel
F/00050D	Hex Nipple 1 1/2 x 1 1/2 inch Black Steel
F/00050H	Hex Nipple 2x2 inch Black Steel



Pipe Nipple

Part No	Description
F/00080	6" Pipe Nipple 25mm ID
F/00080A	6" Pipe Nipple 32mm ID



Hexagon Sleeves

Part No	Description
F/3120/2	Hexagon Sleeve 1/8
F/3120/4	Hexagon Sleeve 1/4
F/3120/6	Hexagon Sleeve 3/8



Hex Taper Plug

Part No	Description
F/HP2	Hex Taper Plug 1/8 BSP Male
F/HP4	Hex Taper Plug 1/4 BSP Male
F/HP6	Hex Taper Plug 3/8 BSP Male
F/HP8	Hex Taper Plug 1/2 BSP Male
F/HP9	Hex Taper Plug 3/4 BSP Male
F/00070E	Hex Taper Plug Black Steel 25mm
F/00070F	Hex Taper Plug Black Steel 32mm
F/00070G	Hex Taper Plug Black Steel 40mm
F/00070H	Hex Taper Plug Black Steel 50mm



Blanking Cap

Part No	Description
F/N4C	Blanking Cap 1/4 BSP Nut
F/N6C	Blanking Cap 3/8 BSP Nut



Swivel Adaptors

Part No	Description
F/12-402B	Swivel Adaptor 1/4 NPT (M) 1/4 NPS (F)
F/12-403B	Swivel Adaptor 1/4 NPT (M) 3/8 NPS (F)
F/12-404B	Swivel Adaptor 3/8 NPT (M) 1/4 NPS (F)
F/12-405B	Swivel Adaptor 3/8 NPT (M) 3/8 NPS (F)
F/12-406B	Swivel Adaptor 3/8 NPT (M) 1/2 NPS (F)
F/12-407B	Swivel Adaptor 1/2 NPT (M) 3/8 NPS (F)
F/12-465B	Swivel Adaptor 1/2 NPT (M) 1/2 NPS (F)
F/12-466	Swivel Adaptor 1" x 1" NPSM M/F
F/12-467	3/4 x 3/4 M/F Swivel Adaptor NPT



Barrel Union

Part No	Description
F/00052	Barrel Union 3/8 Black Steel
F/00052A	Barrel Union 1/2 Black Steel
F/00052B	Barrel Union 3/4 Black Steel
F/00052C	Barrel Union 1 inch Black Steel
F/00052D	Barrel Union 1 1/4 inch Black Steel
F/00052E	Barrel Union 1 1/2 inch Black Steel



Ball Valves

Part No	Description
F/LOGIC1/8	1/8 Mini Mx Ball Valve
F/LOGIC1/4	1/4 Mini Mx Ball Valve
F/LOGIC1/4MF	1/4 F/Bore MXF T-HDLE Ball Valve
F/LOGIC3/8MF	3/8 F/Bore MXF T-HDLE Ball Valve
F/LOGIC3/4MF	3/4 F/Bore MXF-T-HDLE Ball Valve
F/00020	25mm Ball Valve F/F
F/00022	1 1/4 Ball Valve F/F
F/00021	50mm Ball Valve F/F
F/00023	1" 1/2 Ball Valve F/F



High Pressure Ball Valves

Part No	Description
F/23-100018	1/4 High Pressure Steel 7300 PSI Ball Valve
F/23-100019	3/8 High Pressure Ball Valve



Fittings | Tee Pieces


Barbed Tee Steel

Part No	Description
F/BT4	1/4" Barbed Tee Steel
F/BT6	3/8" Barbed Tee Steel
F/BT8	1/2" Barbed Tee Steel



Male Tee

Part No	Description
F/RYSO S29-1	Male Tee 1/4" BSP Taper
F/RYSO S29-2	Male Tee 3/8" BSP Taper



Tee Piece Female Steel

Part No	Description
F/M4A	1/4" Tee Piece Female Steel
F/M6A	3/8" Tee Piece Female Steel



Female Tee

Part No	Description
F/00051	Tee 1/4 Female Black Steel
F/00051A	Tee 3/8 Female Black Steel
F/00051B	Tee 1/2 Female Black Steel
F/00051C	Tee 3/4 Female Black Steel
F/00051D	Tee 1 inch Female Black Steel
F/00051E	Tee 1 1/4 inch Female Black Steel
F/00051F	Tee 1 1/2 inch Female Black Steel
F/00051G	Tee 2 inch Female Black Steel



Fittings | Elbow

Elbow 45° Steel

Part No	Description
F/4M4F-45J	Elbow 45 ° 1/4(M) - 1/4(F)
F/6M6F-45J	Elbow 45 ° 3/8(M) - 3/8(F)



Elbow

Part No	Description
F/RVCO S28-2	Female Elbow 90 ° 1/4"
F/RVCO S28-3	Female Elbow 90 ° 3/8"
F/4M4F-90J	Elbow 90 ° 1/4(M) - 1/4(F)



Male Elbow Steel

Part No	Description
F/RVCO S49-1	Male Elbow 90 ° 1/4" Steel
F/RVCO S49-4	Male to Male Elbow 3/4" Steel
F/ELBOW 1 INCH NPT	1" NPT Male To 1" NPT Female



Elbow

Part No	Description
F/00053A	Elbow 3/4 inch F/F Black Steel
F/00053E	Elbow 1 1/4 inch F/F Black Steel
F/00053H	Elbow 2 inch M/F Black Steel



Fittings | Gauges, Thread Tape and Springs

Complete 5800 PSI Gauge

Part No	Description
F/Gauge Complete Glass	Complete 5800 PSI Gauge Glass
F/ Gauge Complete Plastic	Complete 5800 PSI Plastic



Gauges

Part No	Description
F/25-1040	Gauge 0-60 PSI B/Ent 1/8 40mm
F/25-1052	Gauge 145 PSI B/Ent 1/8 40mm
F/28-1358B	Gauge 1/8 0-60 Bottom 1.5 Dial
F/28-721B	Gauge 1/4 0-60 Bottom 1.5 Dial
F/28-759B	Gauge 1/4 0-100 Bottom 2 Dial
F/28-766B	Gauge 1/4 0-160 Bottom 2 Dial



Thread Tape

Part No	Description
F/Thread-Tape	Thread Tape



Springs

Part No	Description
F/Spring 1/4	Spring 1/4
F/Spring 3/8	Spring 3/8 Hose
F/Spring Guard	Spring Guard



Clamps

O Clip

Part No	Description
F/OTK-0709	O Clip 5/16
F/OTK-0911	O Clip 7/16
F/OTK-1113	O Clip 1/2
F/OTK-1315	O Clip 9/16
F/OTK-1518	O Clip 5/8
F/OTK-1720	O Clip 3/4



Hose Clamp

Part No	Description
F/HC-000	Hose Clip 9-12mm TE 0912
F/HC-00	Hose Clip 11-16mm TE 1116
F/HC-00	Hose Clip 13-20mm TE 1320
F/HC-0	Hose Clip 16-22mm TE 1622
F/HC-0X	Hose Clip 18-25mm TE 1825
F/HC-1A	Hose Clip 22-30mm TE 2032
F/HC-1X	Hose Clip 27-40mm TE 2740



Super Clamps

Part No	Description
F/HC-SC019	17-19mm Super Clamp
F/HC-SC021	19-21mm Super Clamp
F/HC-SC028	26-28mm Super Clamp
F/HC-SC030	27-30mm Super Clamp
F/HC-SC031	29-31mm Super Clamp
F/HC-SC035	32-35mm Super Clamp
F/HC-SC037	34-37mm Super Clamp



2 Bolt Saddle Clamp

Part No	Description
F/00039	2 Bolt Saddle Clamp SL22
F/00040	2 Bolt Saddle Clamp SL34
F/00041	2 Bolt Saddle Clamp SL40
F/00042	2 Bolt Saddle Clamp SL49



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW M 0429 087 181

VIC M 0437 722 272 F 03 9752 5654 E sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Hoses

Airless Spray Whip Hose	1	Standard Blast Hose Heavy Wall	4
Airless Spray Hose	1	Light Weight Blast Hose	5
Air Hose	2	Nyliner Fluid Hose	6
Breathing Hose	2	Natural Nylon Fluid Hose	6
Duplex Hose	2		
Bull Hose	3		
Suction Hose	3		

Hoses

Airless Spray Whip Hose

3/16" ID

Part No	Description
T/550-240	3300 PSI Nylon Braid x 0.9m
T/316-506	3300 PSI Nylon Braid x 1.5m
T/550-222	3300 PSI Nylon Braid x 2.7m
T/550-221	3300 PSI Nylon Braid x 4.5m



1/4" ID

Part No	Description
H/MPPA12	6000 PSI HP Wire Braid x 1.5m

Airless Spray Hose

3300 PSI

Part No	Description
T/316-505	1/4" ID Nylon Braid x 15m

4000 PSI

Part No	Description
H/MPPA11	3/16" ID Nylon Braid x 7.5m
H/MPPA13	3/8" ID Nylon Braid x 15m

4500 PSI

Part No	Description
H/MPPA27	1/2" ID Nylon Braid x 15m

6000 PSI

Part No	Description
H/MPPA15	1/4" ID Wire Braid x 7.5m
H/MPPA14	1/4" ID Wire Braid x 15m
H/MPPA16	3/8" ID Wire Braid x 15m

7000 PSI

Part No	Description
H/MPPA28	1/2" ID Wire Braid x 15m

7500 PSI

Part No	Description
H/MPPA25	1/4" ID Wire Braid x 15m
H/MPPA26	3/8" ID Wire Braid x 15m



Hoses

Air Hose

1/4" ID

Part No	Description
H/AIR-0001	Hose Per Meter
H/AIR-0001A	1.5m with nuts and tails
H/AIR-0001B	5m with nuts and tails
H/AIR-0001C	10m with nuts and tails
H/AIR-0001D	15m with nuts and tails
H/AIR-0001E	20m with nuts and tails



5/16" ID

Part No	Description
H/AIR-0002	Hose Per Meter
H/AIR-0002A	1.5m with nuts and tails
H/AIR-0002B	5m with nuts and tails
H/AIR-0002C	10m with nuts and tails
H/AIR-0002D	15m with nuts and tails
H/AIR-0002E	20m with nuts and tails

3/8" ID

Part No	Description
H/AIR-0003	Hose Per Meter
H/AIR-0003A	1.5m with nuts and tails
H/AIR-0003B	5m with nuts and tails
H/AIR-0003C	10m with nuts and tails
H/AIR-0003D	15m with nuts and tails
H/AIR-0003E	20m with nuts and tails

1/2" ID

Part No	Description
H/AIR-0004	Hose Per Meter

Breathing Hose

10mm ID

Part No	Description
SB/AF-BP-0071B	10m with Ryco Fittings
SB/AF-BP-0071D	10m with Double Action Fittings
SB/AF-BP-0071A	20m with Ryco Fittings
SB/AF-BP-0071	20m with Double Action Fittings
H/BREATHING	Hose Per Meter



Duplex Hose

Part No	Description
H/DUPLEX-0001	Duplex Hose Per Meter
H/DUPLEX-0001A	1.5mtr Duplex with fittings
H/DUPLEX-0001B	5mtr Duplex with fittings
H/DUPLEX-0001C	10mtr Duplex with fittings
H/DUPLEX-0001D	15mtr Duplex with fittings
H/DUPLEX-0001E	20mtr Duplex with fittings

Bull Hose

19mm ID

Part No	Description
H/BULL-0001	20m with A Type Couplings

25mm ID

Part No	Description
H/BULL-0002A	Hose Per Metre
H/BULL-0002	20m with A Type Couplings

32mm ID

Part No	Description
H/BULL-0003	20m with S Type Couplings

38mm ID

Part No	Description
H/BULL-0004	20m with S Type Couplings

50mm ID

Part No	Description
H/BULL-0005A	Hose Per Metre
H/BULL-0005	20m with S Type Couplings



Suction Hose

1/2" ID

Part No	Description
H/SUCTION-0001	Hose Per Metre

3/4" ID

Part No	Description
H/SUCTION-0002	Hose Per Metre
T/704-300	Hose Complete with fittings suits 440,640,740,450e,650e,750e

1" ID

Part No	Description
H/SUCTION-0003	Hose Per Metre
T/710-203	Hose Complete with fittings suits 840,1140,1100hpx
T/103-808A	Hose Complete with fittings suits 40:1 Speeflo
T/103-808B	Hose Complete with fittings suits 60:1 Speeflo



Hoses

Standard Blast Hose Heavy Wall

Standard heavy wall blast hose manufactured from a tough abrasive resistant natural rubber inner liner for maximum blast hose life. Anti static compound dissipates static from the hose.

Working pressure 10 bar / Bursting pressure 30 bar.

Tough outer wrapping prevents damage to the hose even when used in the most demanding environments such as shipyards and construction work sites.



Part Number	Description
SB/HB-BP-301042	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047	Standard Blast Hose 38mm ID x 58mm OD - 20m

Fitted Blast Hose W/ Nozzle Holder and Coupling	
SB/HB-BP-301042-C	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372-C	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043-C	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045-C	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047-C	Standard Blast Hose 38mm ID x 58mm OD - 20m

Fitted Extension Blast Hose W/ Nylon Couplings	
SB/HB-BP-301042-D	Standard Blast Hose 13mm ID x 34mm OD - 20m
SB/HB-BP-301372-D	Standard Blast Hose 19mm ID x 38mm OD - 20m
SB/HB-BP-301043-D	Standard Blast Hose 25mm ID x 48mm OD - 20m
SB/HB-BP-301045-D	Standard Blast Hose 32mm ID x 55mm OD - 20m
SB/HB-BP-301047-D	Standard Blast Hose 38mm ID x 58mm OD - 20m

Light Weight Blast Hose

Part Number	Description
SB/HB-BP-301049-B	Lightweight Blast Hose 13mm ID x 28mm OD -10m
SB/HB-BP-301222-B	Lightweight Blast Hose 19mm ID x 34mm OD -10m

Part Number	Description
SB/HB-BP-301049	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054	Lightweight Blast Hose 38mm ID x 55mm OD -20m

Fitted Blast Hose W/ Nozzle Holder and Coupling	
SB/HB-BP-301049-C	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222-C	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050-C	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052-C	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054-C	Lightweight Blast Hose 38mm ID x 55mm OD -20m

Fitted Extension Blast Hose W/ Nylon Couplings	
SB/HB-BP-301049-D	Lightweight Blast Hose 13mm ID x 28mm OD -20m
SB/HB-BP-301222-D	Lightweight Blast Hose 19mm ID x 34mm OD -20m
SB/HB-BP-301050-D	Lightweight Blast Hose 25mm ID x 38mm OD -20m
SB/HB-BP-301052-D	Lightweight Blast Hose 32mm ID x 48mm OD -20m
SB/HB-BP-301054-D	Lightweight Blast Hose 38mm ID x 55mm OD -20m



Hoses

Nyliner Fluid Hose

1/4" ID

Part No	Description
H/AIR-0001	Hose Per Meter
H/AIR-0001A	1.5m with nuts and tails
H/AIR-0001B	5m with nuts and tails
H/AIR-0001C	10m with nuts and tails
H/AIR-0001D	15m with nuts and tails
H/AIR-0001E	20m with nuts and tails

3/8" ID

Part No	Description
H/AIR-0002	Hose Per Meter
H/AIR-0002A	1.5m with nuts and tails
H/AIR-0002B	5m with nuts and tails
H/AIR-0002C	10m with nuts and tails
H/AIR-0002D	15m with nuts and tails
H/AIR-0002E	20m with nuts and tails



Natural Nylon Fluid Hose

1/8" ID

Part No	Description
H/FLUID-0003	Hose Per Meter

1/4" ID

Part No	Description
H/AIR-0004	Hose Per Meter
H/AIR-0004A	1.5m with nuts and tails
H/AIR-0004B	5m with nuts and tails
H/AIR-0004C	10m with nuts and tails
H/AIR-0004D	15m with nuts and tails
H/AIR-0004E	20m with nuts and tails

3/8" ID

Part No	Description
H/AIR-0005	Hose Per Meter
H/AIR-0005A	1.5m with nuts and tails
H/AIR-0005B	5m with nuts and tails
H/AIR-0005C	10m with nuts and tails
H/AIR-0005D	15m with nuts and tails
H/AIR-0005E	20m with nuts and tails



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au

Air Tools

Sanders 1

7250E 6" Orbital Palm Sander	1	Random Orbital Sander H/D	1
6" Palm Sander	1	870 6" Dual Orbital Sander	1

Needle Scaler, Air Drills and Stirrers 2

7120 Needle Scaler	2	Air Drill	2
785H 1/2 Air Drill 500 RPM	2	Paint Stirrers Drill Operated	2

Grinders, Oil and Manifold 3

854 4" Angle Grinder 1200 RPM	3	Air Tool Oil	3
7202D Mini Rotary Sander Kit	3	Air Pig	3

MBX Tools 4

MBX 3500 RPM Pneumatic	4	MBX Bristle Blaster Electric	4
MBX Bristle Blaster Pneumatic	4		

MBX Accessories 5

Wire Brush Coarse Black	5	Eraser Wheel	5
Bristle Blaster Wheels	5	Adaptor Wheel	5

Regulators, Lubricants and Filters 6

3/4 Fog Lubricator	6	Air Regulator	6
Filter Regulator	6	Regulators	6

Regulators and Gauges 7

Differential Pressure Gauge	7	Liquid Gauge	7
Gauges	7		

Air Filtration 8

Knock Out Moisture Separator 1	8	Stork Eliminator	8
Moisture Separator	8		

Air Filtration 9

Micromist Kit	9	Radex Breathing Airline Filter	10
Stork Eliminator	9		
DVFR-2 Filter Regulator Coalescer	9		

Air Tools | Sanders

7250E 6" Orbital Palm Sander

Part No	Description
AT/00001	7250E 6" Orbital Palm Sander



6" Palm Sander

Part No	Description
AT/00010	7225CVE 6" Palm Sander Yellow 2.5mm
AT/00011	7255CVE 6" Palm Sander Red 5mm
AT/00012	7215CVE 6" Palm Sander Black 10mm



Random Orbital Sander H/D

Part No	Description
AT/00003	Random Orbital Sander H/D



870 6" Dual Orbital Sander

Part No	Description
AT/00009	870 6" Dual Orbital Sander



7120 Needle Scaler

Part No	Description
AT/00006	7120 Needle Scaler



785H 1/2 Air Drill 500 RPM

Part No	Description
AT/00006	785H 1/2 Air Drill 500 RPM




Air Drill

Part No	Description
AT/00008	789HR 1/2 Air Drill 500 RPM H/D
AT/87957	1/2 inch Air Drill 800 RPM Reversible



Paint Stirrers Drill Operated

Part No	Description
PA/00061	4 Litre Drill Operated
PA/00061A	4-10 Litre Drill Operated
PA/00061B	10-20 Litre Drill Operated
PA/00061C	20 Litre Heavy Duty Drill Operated
PA/00061D	20 Litre Heavy Duty 4 Blade Drill Operated



854 4" Angle Grinder 1200 RPM

Part No	Description
AT/00005	854 4" Angle Grinder 1200 RPM



7202D Mini Rotary Sander Kit

Part No	Description
AT/00004	7202D Mini Rotary Sander Kit



Air Tool Oil

Part No	Description
AT/OIL-00001	Air Tool Oil 120ml Bottle
AT/OIL-00002	Air Tool Oil 591ml Bottle



Air Pig

Part Number	Description
SB/AP-BP-301369	4x1 inch and 2x2 inch
SB/AP-BP-301369-A	Air Pig Complete
SB/AP-BP-301370	3x2 inch and 2x1-1/2 inch
SB/AP-BP-301370-A	Air Pig Complete
SB/AP-BP-301371	2x2 inch and 2x1-1/2 inch
SB/AP-BP-301371-A	Air Pig Complete



MBX 3500 RPM Pneumatic

Part No	Description
SB/001000000	MBX 3500 RPM Pneumatic

Part No	Description
SB/001000000	MBX 3200 RPM Electric



MBX Bristle Blaster Pneumatic

Weight: 1.2kg

Air Pressure Connection thread: Rp 1/4"

Required hose diameter: 3/8" ID (9,5 mm)

Rotational speed: 0-3500 min-1

Required flow pressure: 90 PSI

Average air consumption: 17.5 CFM

Vibration: 2 m/sec

Sound pressure level: 83dB

Part No	Description
SB/002000020	MBX Bristle Blaster Pneumatic



MBX Bristle Blaster Electric

- Improved integrity of treated surfaces
- Negligible heat generation
- Eco Friendly
- Simple and Economical
- Safety

Part No	Description
SB/002000021	MBX Bristle Blaster Electric



Wire Brush Coarse Black

Part No	Description
SB/001010011	Wire Brush Coarse Black 11mm
SB/001010023	Wire Brush Coarse Black 23mm



Bristle Blaster Wheels

Part No	Description
SB/0020100011	Wire Brush Coarse Red 11mm
SB/0020100023	Wire Brush Coarse Red 23mm
SB/0020300023	Wire Brush Coarse S/S 23mm



Eraser Wheel

The unique Eraser Wheel is designed with notched fingers that grab the edge of the vinyl and peel it from the surface.

Part No	Description
SB/001090023	Eraser Wheel



Adaptor Wheel

Part No	Description
SB/001100011	Adaptor Wheel 11mm
SB/001100023	Adaptor Wheel 23mm



3/4 Fog Lubricator

Part No	Description
N/L74M-6GP-QDN	3/4 Fog Lubricator



Filter Regulator

Part No	Description
N/B73-1/4	1/4 Filter Regulator Gauge and Bracket Kit
N/B74G-6GK-QDB-RMN	3/4 Filter Regulator
N/4368-51	3/4 Filter Regulator Wall Bracket and Nut



Air Regulator

Part No	Description
G/207-755B	3/4" Air Regulator
D/HAR-502B	Regulator PT Pot
D/HAR-555B	Air Regulator



Regulators

Part No	Description
N/R07-200-RNKC	Regulator 1/4"
N/R72G2GKRMN	1/4" Regulator
N/R72G3GKRMN	3/8" Regulator 66 CFM
N/R74G6GKRMN	3/4" Regulator
N/AR50-10	1" Regulator



Differential Pressure Gauge

Part No	Description
F/00003	Differential Pressure Gauge



Gauges

Part No	Description
N/18-013-013	Gauge 0-10 Bar 50mm 1/8 Back Entry
N/18-813-209	Gauge 0-10 Bar 50mm 1/4 Back Entry
F/25-1040	Gauge 0-60 PSI B/Ent 1/8 40mm
F/25-1052	Gauge 145 PSI N/Ent 1/8 40mm
F/28-1358B	Gauge 1/8 0-60 Bottom 1.5 Dial
F/28-721B	Gauge 1/4 0-60 Bottom 1.5 Dial
F/28-759B	Gauge 1/4 0-100 Bottom 2 Dial
F/28-766B	Gauge 1/4 0-160 Bottom 2 Dial



Liquid Gauge

Part No	Description
F/GAUGE 2500 KPA	63mm
F/GAUGE 4000 KPA	63mm
F/GAUGE COMPLETE GLASS	Complete
F/GAUGE COMPLETE PLASTIC	Complete



Knock Out Moisture Separator 1

- High capacity, large cartridge for effective filtration

Part Number	Description
SB/AF-BP-301170	400 CFM bare
SB/AF-BP-301333	800 CFM bare
SB/AF-BP-301170-C	Complete
SB/AF-BP-301333-C	Complete



Moisture Separator

Remove moisture from the airstream before it gets into the blast pot and avoid timely down time and clean outs. Moisture separator removes moisture, oil and particulate.

Always a problem for blasting operations is the presence of moisture in the compressed air supply.

Part Number	Description
SB/AF-BP-301095	Moisture Separator 13mm (1/2") NB ports
SB/AF-BP-301097	Moisture Separator 32mm (1.25") NB ports
SB/AF-BP-301103	Moisture Separator 38mm (1.5") NB ports



Stork Eliminator

Used to eliminate moisture from compressed air, the 45 CFM Stork Eliminator is a heavy-duty air drying system designed for professional spray painting setup.

Part Number	Description
STORK-ELM	Stork Eliminator
STORK DES	Replacement Desiccant



Micromist Kit

The Micromist Respirator Airline Filters are designed to be attached to the Respirator Airline Filter Assembly, to provide additional particulate filtration of the breathing air supply.

Part Number	Description
SB/AF-BP-30005	1 Micromist Kit
SB/AF-BP-30006	3 Micromist Kit
SB/AF-BP-30007	4 Micromist Kit
SB/AF-BP-EL350	Replacement Filters 1
SB/AF-BP-EL450	Replacement Filters 3W



Stork Eliminator

Used to eliminate moisture from compressed air, the 45 CFM Stork Eliminator is a heavy-duty air drying system designed for professional spray painting setup.

Part Number	Description
STORK-ELM	Stork Eliminator
STORK DES	Replacement Desiccant



DVFR-2 Filter Regulator Coalescer

- Ideal for operator 'breathing' air

The industry favourite is ideal for both industrial and heated "combi booths" Spray Booth's, it is mandatory for use with Air Fed Respiratory Protection.

Triple filtration removes dirt and other contaminants down to 0.01 microns, while the capacity of 124 CFM provides sufficient air flow to run tow masks and two guns.

Part Number	Description
D/DVFR-2	Filter Regulator Coalescer 50 CFM filter 0.01 μ m



Air Filtration

Radex Breathing Airline Filter

Part Number	Description
SB/AF-BP-04-900	Radex Breathing Airline Filter
SB/AF-BP-04-900-A	Radex Breathing Airline Filter with Micromist
SB/AF-BP-04-900-B	Radex Dual Breathing Airline Filter with Micromist
SB/AF-BP-04-906	Radex Breathing Airline Filter 6 Operator Complete



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

E sales.vic@sprayandblast.com.au

www.sprayandblast.com.au

Abrasives

Abrasives		1
Aluminium Oxide	1	Steel Grit
Sodium Bicarbonate	1	Silicon Carbide
Crushed Glass	1	Silica Sand
Glass Beads	1	Garnet
Chilled Iron Grit	2	Cereal Abrasives
Copper Slag	2	Plastic Media
Stainless Steel Shot	2	Ceramic Beads and Shot
Zinc Shot	2	
Steel Shot	3	

Abrasives

Aluminium Oxide

Its high density and sharp, angular structure make it one of the fastest cutting abrasives available.

Part No	Description
AAL-GRADE	Aluminium Oxide



Sodium Bicarbonate

A water-soluble, environmentally friendly abrasive, suitable for open blasting applications where reduced operating dust levels and ease of waste disposal are essential.

Part No	Description
AAS-SODA	Sodium Bicarbonate



Crushed Glass

Low cost, no free silica or heavy metals and does not pose health hazards.

- Available in 1.5 tonne bulka bags in two different mesh grade sizes 1.5 and 0.850.

Part No	Description
AGB-GRADE	Crushed Glass



Glass Beads

Unique and popular air blasting media widely used for cleaning, conditioning or peening metallic surfaces.

- Available in sizes ranging from 45 to 850 microns

Part No	Description
AGB-GRADE	Glass Beads



Abrasives

Chilled Iron Grit

Sharp, hard, angular, metallic abrasive ideally suited for extremely fast blasting cleaning of steel iron components.

- Range of mesh sizes available

Part No	Description
ASA-CIG	Chilled Iron Grit



Copper Slag

Low cost expendable material suited for open blast cleaning, and due to its low silica content does not pose the health hazards created by silica sand.

Part No	Description
ACS	Copper Slag




Stainless Steel Shot

Long lasting, durable and will provide repeatable consistent performance for thousands of cycles.

- Grades: S040, S070, S110, S170., S230, S280, S390, S460, S660S, S780

Part No	Description
AOT-OASB	Stainless Steel Shot



Zinc Shot

Ideal abrasive for blasting corrosion resistant steels and non ferrous products, when the risk of ferrous contamination to the surface cannot be tolerated.


Part No	Description
AAL-OAZCS	Zinc Shot



Steel Shot

Widely used as a media for de scaling steel components prior to coating

Part No	Description
ASA-STS	Steel Shot



Steel Grit

The angular shape and relative hardness ensures rapid cleaning rates and excellent recyclability.

Part No	Description
ASA-STG	Steel Grit



Silicon Carbide

Extremely hard, sharp and aggressive abrasive.

Being so hard it is extremely fast cutting and can be used to clean and etch very hard surfaces that would otherwise not be possible with other softer abrasives.

Part No	Description
AOT-SC	Silicon Carbide



Silica Sand

Economical granular abrasive product. Due to its low cost, people can use silica sand for abrasive blasting however the use of silica sand for abrasive blasting poses severe and often fatal, long term operator health risks.

Part No	Description
AOT-AOSS	Silica Sand



Abrasives

Garnet

Hard, fast cutting, silica and dust free abrasive



Cereal Abrasives

The low oil content makes it an ideal abrasive for de flashing electronic components when no oil residue permitted to remain on the parts. Being a naturally occurring agricultural product, no hazardous waste is produced by the abrasive.

- Produced in three different types Apricot, Corn Cob and Walnut



Plastic Media

Extensively used for mold cleaning, de flashing thermostat plastics and aesthetic parts.

- Is the smallest sized no-abrasive plastic blasting media available



Ceramic Beads and Shot

Used for surface treatment of components such as: rubber and plastic moulds, castings, boiler and heat exchanger parts.



SALES • SERVICES • SPARE PARTS • HIRE

Head Office (WA)

28 Baretta Road, Wangara WA 6065

P 08 9309 1599

F 08 9309 2099

E sales@sprayandblast.com.au

NSW **M** 0429 087 181

VIC **M** 0437 722 272 **F** 03 9752 5654 **E** sales.vic@sprayandblast.com.au

E sales.nsw@sprayandblast.com.au

www.sprayandblast.com.au